

BROWNELLS

SWIVEL STUD INSTALLATION TOOL

Handy Tool Makes Installing Swivel Studs Easy & Accurate



Steel shank centers the swivel stud directly in the center of the tool to properly align the stud in the hole in the stock. Tool prevents stock scratches that happen if you crank it in with a punch through the swivel hole. Use sling swivel drills for a properly sized hole. Plastic handle gives you a large gripping surface to keep your hand steady while driving the stud.

SPECS: Steel shank, plastic handle. 5.8" (14.8cm) long. Fits common swivel studs.

#080-000-253 Swivel Stud Installation Tool, 8K16M19... \$19.99



KLEINENDORST

SLING SWIVEL DRILL JIG

For Precise Alignment & Drilling Of Stock Swivel Stud Holes



Precision adjustable jig maintains the proper drill bit alignment to ensure the correct location of the rear swivel stud hole. Fits any size stock and automatically self-centers for perfect stud hole alignment. Felt lining prevents

marring finished stocks. Includes 3/32" diameter carbon steel drill bit contains a special relief tip to help prevent wood splintering and break-out when drilling. Adjustable drill-depth indicator prevents drilling too deep and ruining the hole. For use with hand-held drill. Perfect for the high volume shop or beginner just starting out.

SPECS: Aluminum cylinders, anodized. Steel frame & adjustment bolt, black, matte finish. Includes fixture, 5/32" (3.9mm) dia. drill, and complete instructions.

#488-000-006 Sling Swivel Drill Jig, 8H00EHK... \$183.99

OUTDOOR CONNECTION

SWIVEL BASE DRILL BIT SET

For Easy, Clean Swivel Stud Holes

Easy to use, carbon steel drill bits contain a special relief tip to help prevent wood splintering and break-out when drilling sling stud holes. Features a built-in counter-sink for precise inletting of the stud spacer and a flush fit every time. Pre-set, drill-depth indicator prevents drilling too deep and ruining the hole. Includes two drill bits, 3/32" dia. and 3/16" dia., for both front and rear stud holes.

SPECS: Steel, black, finish. Drills - 3/32" (3.9mm) dia. & 3/16" (4.6mm) dia.

#683-000-005 Swivel Base Drill Bit Set, 3A13N59... \$15.99



UNCLE MIKE'S SWIVEL DRILLS

Speed Up The Job With This Special Drill



Special drill designed by Uncle Mike's to install their plain and quick detachable swivels with a minimum of time and effort. Correct diameter to drill and counterbore swivel stud holes for neat, no-splinter, professional installations.

SPECS: #1 drill - 2 1/4" (7.0cm) overall length, 3/16" (4.8mm) bit dia. #2 drill - 2" (5.1cm) overall length, 1/8" (3.2mm) bit dia.

#593-255-202 Uncle Mike's Swivel Drill Set, 8K33G29... \$36.99

BROWNELLS UNCLE MIKE'S SLING SWIVEL STUD KIT

Every Swivel Stud & Part You Need



Saves money and "scrounge-time" by putting all the most needed swivel stud parts at your fingertips. Uncle Mike's is the most popular brand on the market, so you'll have what most of your customer's guns need.

SPECS: Kit includes: 1 dz. each of 7 individual 10-32, dome-top sling studs; 3 dz. 3/4" (19mm) wood screw studs; 1 dz. 1/2" (12.7mm) wood screw studs; 2 dz. 10-32 hex nuts; 4 dz. 10-32 dome top nuts; 4 dz. white plastic spacers; 4 dz. black plastic spacers; all in bench box. Order refills from chart.

#080-769-000 Swivel Stud Kit, 8K88P34... \$92.99

#080-769-301 12 Wood Screws, 8K8D24... 10.99

REFILLS

STOCK #	DESCRIPTION	# IN PAK	PRICE
#080-769-101	10-32 x 3/4" Dome Stud	12	8K14C99 \$ 19.99
#080-769-111	10-32 x 3/4" Dome Stud	12	8K14H99 \$ 19.99
#080-769-131	10-32 x 1/2" Full Thread	12	8K15E74 \$ 20.99
#080-769-141	10-32 x 3/8" Dome Stud	12	8K8D99 \$ 11.99
#080-769-161	10-32 x 3/4" Dome Stud	12	8K8F24 \$ 10.99
#080-769-151	10-32 x 7/8" Dome Stud	12	8K8E24 \$ 10.99
#080-769-311	1/2" Wood Screw Stud	12	8K14H52 \$ 19.99
#080-769-201	10-32 Hex Nuts	12	8K6J74 \$ 8.99
#080-769-211	10-32 Dome Nuts	12	8K7C49 \$ 9.99
#080-769-501	White Spacers	50	8K10B49 \$ 13.99
#080-769-502	Black Spacers	50	8K9J34 \$ 10.99

DAKOTA SWIVEL STUD

Elegant Sling Swivel Studs Dress-Up The Finest Gun



Premier sling swivel studs machined from steel to fit Michaels swivels. Classic designs with barrel-shaped top and "scooped out" edge where top blends gracefully into base. Won't let swivel hit stock. High-top screws can be crowned or fitted flush. #1 Pre-'64 Winchester Super Grade has straight-sided base and round head screws. #2 Ken Howell model has European-style oval base and round head screws.

SPECS: Steel, blue (#2) or in-the-white (#1). 2° draft for easy inletting. Sold in pairs. Unfinished Stud Screws sold singly.

#359-111-001 #1 Swivel Stud, 9E28N03... \$32.99

#359-111-002 #2 Swivel Stud, 9E28M50... 33.99

#359-112-010 Unfinished Stud Screw, 9E3N45... 3.89

N.E.C.G.

CLASSIC SWIVEL STUD

Easy-To-Install, Gives a Custom Inletted Look



Machined steel, European-style, sling swivel stud on the end of a machine screw gives the look of a custom inletted base without the extra work. Gracefully rounded contour, with parallel sides; accepts Uncle Mike's-style swivels.

SPECS: Steel, blue, polished finish. Base - .745" (19mm) long, .40" (10mm) wide, .43" (11mm) high. Sold per each. Screw Stud - .80" (20mm) long, 10-32 tpi.

#661-000-032 Machine Screw Swivel Stud, 1F24J86... \$29.00

BLUE FORCE GEAR

UNIVERSAL WIRE LOOP

Fast, Easy, Versatile Sling Attachment System; No Gunsmithing



Nylon-coated, stainless steel cable with permanently attached sling loop provides simple, easy-to-install, ambidextrous sling attachment on any rifle or shotgun. Thread around barrel and forend, through buttstock swivel studs, or through front sight towers to create an instant, non-gunsmithing sling attachment point. Lightweight yet strong aluminum loop accepts slings up to 1 1/4" wide. Stainless steel shank ends can't pull loose, while nylon coating on cable prevents damage to firearm and muffles unwanted sound.

SPECS: 6061 T6 aluminum billet, hardcoat anodized, and stainless steel wire cable, nylon coated, black. Loop - 3/4" (8.2cm) O.A.L.

#100-004-870 Universal 3/4" Loop, 7A24C69... \$25.99



ALG DEFENSE FORGED QD SLING SWIVEL

Strong Aluminum Swivel Is Lighter Than Steel

Forged aluminum QD sling swivel weighs less than steel swivels, but remains strong and rugged. Made from 7075 T6 aluminum, just like AR-15 upper and lower receivers. Detents give smooth, fast function. Accepts slings up to 1" wide, and supports loads up to 750 lbs when inserted into steel socket.

SPECS: Forged aluminum. 1/2 oz. (14g) wt.

#100-012-542 Forged Alum. QD Swivel, 8Z00PMC... \$31.99

BLACKHAWK INDUSTRIES

LOK-DOWN™ SLING SWIVEL SETS

All Steel Construction; Made In The U.S.A.

Machined steel swivels have no plastic parts to crack and fail, so you'll have full confidence when field carrying your valuable firearms. Exclusive LOK-DOWN™ system features a knurled, steel, locking collar to completely immobilize the swivel gate and prevent accidental opening. Available in 1" and 1 1/4" loop size, blued.

SPECS: Steel, blued, matte finish. Swivels available with 1" (2.5cm) or 1 1/4" (3.1cm) loop diameter; sold in pairs.

#100-003-028 Blue 1" Swivels, only, 8K00AYC... \$10.99

#100-003-029 Blue 1.25" Swivels, only, 8K10D79... 11.99

CMC TRIGGERS M-LOK®

QUICK-DETACH SLING MOUNT



You've Got The Slots - Why Not Use One To Put the Sling Where You NEED It?

CMC's M-LOK QD Sling Mount provides a forward attachment point for standard pushbutton QD slings. It attaches quickly and easily to any available M-LOK slot with the included hardware. Edges are neatly beveled to resist snagging on the sling or other gear, and the socket has an anti-rotation stop to prevent the swivels from spinning and tangling the sling. The mount itself is machined from 6061 T6 aluminum with a matte black hard-anodized finish, while the mounting hardware is steel. The whole shebang keeps a low profile, too - protrudes less than 1/2" above the handguard (actually only .40").

#207-000-103 M-LOK QD Sling Mount, 7K17D99... \$19.99

BRAVO COMPANY

BCMGUNFIGHTER HEAVY-DUTY QD SLING SWIVEL

Don't Compromise the Effectiveness of a Good Sling With a Cheap Swivel



The key to the BCM Gunfighter Quick-Detach Sling Swivel's effectiveness is its flush plunger. Flush to prevent accidental release, but still with plenty of surface area so it can be operated quickly and easily to drop the sling when you need to. The entire assembly, including the heavy-duty 1 1/4" loop is made from carbon steel, with a durable, non-reflective, corrosion-resistant Parkerized (manganese phosphate) finish. Before that finish is applied, these swivels are tumble deburred and sandblasted to eliminate sharp edges that might grab at the sling, your clothing, or your other kit. There are FOUR hardened stainless steel ball detents to ensure an extra-secure hold in the swivel socket.

#100-036-265 Heavy-Duty QD Sling Swivel, 1E12J59... \$13.99

GROVTEC MOSSBERG 500

SHOTGUN MAGAZINE CAP SLING SWIVEL SETS



Rugged, Quick-Release Swivel System

Sturdy quick-detach swivel system lets you attach or remove a sling as needed or even use the same sling on several shotguns. All-steel construction, with no plastic parts to wear out and let you down in the field. Replacement magazine cap has integral swivel stud with 3/4" screw-in stud for the buttstock. Pair of 1" swivels attach to studs and lock down with knurled cylinder nut to prevent accidental opening.

SPECS: Steel, blued, semi-gloss finish. Includes magazine cap with stud, 3/4" wood screw rear stud, (2) locking 1" swivels, (2) spacers, and instructions. Fits 12 gauge only.

#100-003-375 GTSW-37 Moss 500 Swivel Set, 4B27D54... \$28.99

OUTDOOR CONNECTION SHOTGUN MAGAZINE TUBE CAP WITH SWIVEL BASE

Installs Easily For Instant Sling Attachment



Machined steel magazine cap with built-in, 360° rotating swivel stud makes it easy to convert your Remington shotgun to accept a carry sling. Unique cap design includes both ratchet and ball/spring type detent systems for no-hassle installation. Includes a 3/4" long, wood screw swivel stud for the buttstock. Sling loops not included. Installation requires drilling of buttstock.

SPECS: Steel, black, matte finish. Includes magazine cap with swivel stud, wood screw stud w/black spacer, and instructions. Models available for Remington 870/1100/11-87/11-96, 12 ga. only and Mossberg 500 and Maverick 88, 20 ga. & 12 ga. Moss/Mav includes spanner wrench.

#683-000-006 Rem Mag. Cap w/Swivel Base, 3A17I09... \$18.99

#683-000-015 Moss/Mav Mag. Cap w/Swivel Base, 3A19G79... 21.99

UNCLE MIKE'S QD SWIVELS

Quick Detachable, Yet Absolutely Fail-Safe
- Won't Ever Open Accidentally

Uncle Mike's locking, proven, Super Swivel design found on hundreds of thousands of guns. Holds securely on the base, yet detaches quickly and easily for those times when you'd rather not have the sling mounted on the gun. To use, unscrew the SwiveLock® and press the spring-loaded plunger. Disengage the gate from the pin and rotate it out of the way. Insert the pin through the base and rotate the gate back into position to engage the pin. Tighten the lock for fail-safe attachment that won't open accidentally.
SPECS: Steel, nickel finish

SUPER SWIVELS™ WITH SWIVELock

QD SS BL LOOP SET - Super Swivels fit any Uncle Mike's base and interchange with the older QD 115 BL sets. Set includes 2 blued swivels, 1 wood screw mount, 1 machine screw mount and nut. Available for 1" and 1 1/4" wide slings.

- #593-100-100 1" QD 115, SS-BL Set, 8K10F19 \$ 11.99
- #593-100-125 1 1/4" QD 115, SS-BL Set, 8K10J19 11.99

QD 115 NICKEL PLATED SET - Plated to resist rust and look right on stainless guns. Includes 2 plated swivels, 1 wood screw mount, 1 machine screw mount and nut.

- #593-100-200 1" QD 115 Nickel Set, 8K11C89 \$ 13.99

QD 115 REPLACEMENT PARTS

115 WOOD SCREWS - As supplied in QD 115 Sets.

- #080-769-300 1 Wood Screw, 8K2P24 \$ 2.99
- #080-769-301 12 Wood Screws, 8K8D24 10.99

115 SWIVEL PART SET - QD Stud with one 7/8" machine screw and nut, one 3/4" wood screw. Blued.

- #080-000-008 Blue Swivel Parts Set, 8K4I49 \$ 5.99

QD 115 RGS SWIVEL SET - Standard length rear, 9/16" (15.8mm) forend wood screw.

- #593-131-100 1311-2 1" Swivel Set, 8K10H19... \$ 11.99
- #593-131-125 1311-3 1 1/4" Swivel Set, 8K10P19... 11.99

PUMP/AUTO SHOTGUN

QD 115 MCS SWIVEL SYSTEM - For most pumps and autos including Beretta 390. Rear QD base screws into inletted receptacle in stock. Front base has adapter to fit magazine cap. Does not fit Browning 2000, Winchester 1400, Ithaca 37, Savage 30, Sears 21, or Stevens pumps.

- #593-123-100 1" QD 115 MCS, 8K13J49 \$ 14.99

BARREL BAND SWIVELS

MAGNUM BAND™ - Split band clamps to magazine tube or barrel. Fits Marlin lever actions and many shotguns. Wood screw rear base also provided. Fits .775" (19.7mm) to .825" (21mm) dia. barrel. Includes 1" Super Swivels.

- #593-000-004 SGW-12 Swivel, 8K17G09 \$ 18.99
- #593-107-100 1071-2 1" Swivel Set, 8K11A69 12.99
- #593-105-100 1051-2 1" Swivel Set, 8K16F14 18.99
- #593-144-100 1441-2 1" Swivel Set, 8K12J59 13.99
- #593-159-004 1592-2 1" Swivel Set, 8K18K89 20.99
- #593-159-002 1593-2 1" Swivel Set, 8K18P89 20.99

FOOTNOTE Before deciding which of the barrel, magazine tube or ferrule bands to use, you must first know the diameter of your barrel. Measure the barrel at the point of installation (usually 13"-17" forward of the trigger or 3"-4" ahead of the magazine or stock). All are Style A except 1331-2, 1341-2 and 1441-2 which are Style B.

1" BARREL BAND FIT LIST

STOCK #	SET #	BBL.O.D.	PRICE
#593-107-100	1071-2	420"-470"	8K11A69 \$ 12.99
#593-105-100	1051-2	540"-590"	8K16F14 \$ 18.99
#593-144-100	1441-2	645"-660"	8K12J59 \$ 13.99
#593-159-004	1592-2	700"-750"	8K18K89 \$ 20.99
#593-159-002	1593-2	800"-850"	8K18P89 \$ 20.99
#593-159-001	1591-2	850"-900"	8K17N89 \$ 19.99

QD SWIVELS FOR SPECIFIC FIREARMS - Uncle Mike's offers QD swivels for a variety of rifles and shotguns. Find your gun and the swivels that fit it in the table below.

- #593-131-100 1311-2 1" Swivel Set, 8K10H19 \$ 11.99
- #593-107-100 1071-2 1" Swivel Set, 8K11A69 12.99
- #593-144-100 1441-2 1" Swivel Set, 8K12J59 13.99
- #593-159-004 1592-2 1" Swivel Set, 8K18K89 20.99
- #593-105-100 1051-2 1" Swivel Set, 8K16F14 18.99
- #593-159-002 1593-2 1" Swivel Set, 8K18P89 20.99
- #593-101-100 11011-2 1" Swivel Set, 8K16Q19 17.99
- #593-118-100 1181-2 1" Swivel Set, 8K16M19 17.99
- #593-146-100 1181-2 1" Swivel Set, 8K13D49 14.99
- #593-131-125 1311-3 1 1/4" Swivel Set, 8K10P19 11.99

STK# W/1" LOOPS	STK# W/1-1/4" LOOPS	FITS
ANSCHUTZ		
#593-131-100	#593-131-125	54, 54MS, 5418MS, 64, 64MS, 141, 164, 184, 520, 525 Sporter, Kadett, Exemplar Pistol, 1365, 1388, 1416, 1418, 1432, 1450, 15518, 1808ED Super
BERETTA		
#See Footnote	NA	Over/Under
BERNARELLI		
#593-131-100	#593-131-125	All Rifles
BRNO		
#593-131-100	#593-131-125	All Rifles
BROWNING		
#593-107-100	NA	BL-22 Lever Action .22, BAR-22, BPR-22
#593-131-100	#593-131-125	T-Bolt 22, A-Bolt 22, Lightning BLR
#593-144-100	NA	Auto-loading .22
#593-159-004	NA	Model 1886, Model 71
#593-105-100	NA	Jonathan Browning Mt. Rifle
CHIPMUNK		
#593-131-100	#593-131-125	22 Rifle
COLT		
#593-107-100	NA	Coltner Autoloader .22
FN-SAUER		
#593-144-100	NA	Bolt Action Rifle
FRANCHI		
#See Footnote	NA	All Over/Under, All Autos
GLENFIELD (SEE MARLIN)		
HARRINGTON & RICHARDSON		
#593-131-100	#593-131-125	157, 301, 317, 330, 340, 333, 165, 22, 865 Plainsman, Bolt Action .22's, 700 Auto, 22, 750 Pioneer, 5200 Sporter, 700 DLX
#593-144-100	NA	158, 1871
#593-107-100	NA	749, 22
#See Footnote	NA	Springfield 171, 172, 174, 177
#See Footnote	NA	Topper 58, 98, 258, 162, 490, 490 Greenwing, 088, 088 Jr., Pumps
#593-159-002	NA	162, 1212
#593-131-100	#593-131-125	176, 176 Slug
HECKLER & KOCH		
#593-131-100	#593-131-125	1981 and earlier HK 270, HK 300, HK 630, HK 770, HK 940
#593-101-100	NA	1982 and later HK 270, HK 300, HK 630, HK 630D, HK 770, HK 770D, HK 940, SL6, SL7

STK# W/1" LOOPS	STK# W/1-1/4" LOOPS	FITS
HIGH STANDARD		
#593-107-100	NA	Sport King, Flite King .22, .22 Carbiners
INTERARMS		
#593-131-100	#593-131-125	Bolt Action Mk X, Whitworth/Mini Mouser, All
ITHACA (PRE-8)		
#593-131-100	#593-131-125	Model 5X
#593-107-100	NA	Model 49, 49 Deluxe, 72, 72 Deluxe
IVER JOHNSON		
#593-131-100	#593-131-125	M1 & M2 Carbiners, Paratrooper, Super Enforcer, Trailblazer .22, Lil' Champ Single Shot .22
#593-107-100	NA	EW 22 HBL & MHBL .22 Lever
MARLIN		
#593-105-100	NA	1894C, 1894CS
#593-131-100	#593-131-125	422, 455, 99 M1 Auto., 989 M2 Auto. Carbine, 995, 70, Other .22's w/Clip, Model 9, Model 45
#593-107-100	NA	57M, 22's w/Tube Magazine, 781, 990, 40, 60, 75C, M-93TDS
#593-131-100	#593-131-125	56, 101 Single Shot .22, 780, 782, 783, 25, 25M, 15, 15Y, 20
#593-131-100	#593-131-125	Bolt Action, 50, 55 Goose Gun
#See Footnote	NA	Single Barrels
MAUSER		
#593-131-100	#593-131-125	Model 66, 77
MOSSBERG		
#593-101-100	NA	1700
#593-131-100	#593-131-125	22, 353K, 453T, 453TS, 640K, 740T, 740TS, 800 Series, 810 Series, M800 Supergrade, M800D Supergrade, 380, 383 Auto., Bolt Action .22's, 22's w/Clip
#593-101-100	NA	650K Chuckster, 900 Series, 910 Series, 321, 144, 341, 640K
#593-107-100	NA	All .22's w/Tube Magazine
#593-131-100	#593-131-125	181, 183K, 385K, 395, 395K, 395S, 595AP5
#See Footnote	NA	485T, 495T, 283T, Mossberg/Pederson Over/Under
NEW ENGLAND FIREARMS (H&R)		
#See Footnote	NA	Pardner 10 Ga., 12 Ga., 20 Ga., 410 Ga., Jr. 410 Ga
#593-144-100	NA	Rifle/Shotgun Combinations Combo Gun
NEW HAVEN (MOSSBERG)		
#593-101-100	NA	Centerfire 900 & 910 Series
#593-131-100	#593-131-125	Rimfire 453T, 453TS, 740T, 740TS
#See Footnote	NA	Bolt Action 283T, 485T, 495T
PARKER-HALE 1000		
#593-131-100	#593-131-125	Standard, 1200 Super, Midland Guns
#593-144-100	NA	M81 African
#See Footnote	NA	All Over/Under
REMINGTON		
#593-107-100	NA	552 A, 552 BDL, 552 C, 582, 22's with Tube Magazine, 572, 572 A, 572 BDL
#593-131-100	#593-131-125	600, 660, Mhwk M600, 700 ADL Pre-83, 721, 722, 788, 78 Bolt, 700 Safari, 825, 40XB-BR, 541S, 580, 581 Single Shot .22's
#593-144-100	NA	740
#593-118-100	NA	742 ADL, 742 FW, 742 Carbine

STK# W/1" LOOPS	STK# W/1-1/4" LOOPS	FITS
#593-144-100	NA	7600, Six, 760 Standard (1969 & later), 760F, 760ADL (1968 & later), 760BDL Carbine (1969 & later)
#See Footnote	NA	3200, Parker Single Barrel
#593-131-100	#593-131-125	XP100 w/Wood Stock
RICHLAND ARMS		
#See Footnote	NA	810 10 Ga
ROSSI (INTERARMS)		
#593-107-100	NA	Gallery .22 M59, 62
#593-105-100	NA	M92
RUGER		
#593-146-100	NA	No. 3 Single Shot Carbiners, 10/22 R, EW Standard Carbiners, Model 44 Magnum Carbine
#593-131-100	#593-131-125	10//22 DSP Deluxe Sporter
#593-159-002	NA	O/U 12 Ga.
#593-159-004	NA	O/U 20 Ga
SAKO		
#593-131-100	#593-131-125	Forester
SAVAGE/STEVENS/FOX		
#593-105-100	NA	24 Series: 22LR/410, 24D 22LR/410
#593-144-100	NA	23A
#593-131-100	#593-131-125	35, 35M, 36, 73, 73-Y, 110 Series without Factory Installed Swivel Studs, 125, 125-Y, 22's w/Clip, 34, 65M, Bolt Actions w/Clip
#593-107-100	NA	80, 89, 90, 22's w/Tube Mag, 246, 887, 887-T, 980-DL, 982, 982-DL, 982-MDL, 987, 987-T
#593-159-002	NA	Semi-Automatics
#See Footnote	NA	FA-1, FP-1, 67 Series, 79 Series, 330, 330 Set, 333, 333-T, Stevens 94 Series, 675 Pump
#593-131-100	#593-131-125	58 Bolt Action, 9478, 9478-Y Springfield Bolt Actions
SEARS		
#593-131-100	#593-131-125	Model 53
#593-107-100	NA	Automatic .22's, Model 5 Lever Action
#593-131-100	#593-131-125	Bolt Action .22's
#593-131-100	#593-131-125	Bolt Actions
#See Footnote	NA	Single Barrels
SKB		
#See Footnote	NA	100, 200, 280, 300, 400 and 480 500, 600, 680 Over/Under
SMITH & WESSON		
#593-131-100	#593-131-125	M125 Bolt Actions
#593-101-100	NA	1700
#See Footnote	NA	916T Pump
STEVENS (SEE SAVAGE)		
STEYR MANNLICHER		
#593-101-100	NA	1975 & Earlier Model L, M, S, SL, S/T, SSG Marksman
#593-131-100	#593-131-125	M72
THOMPSON/CENTER		
#593-107-100	NA	Seneca, Cherokee
#See Footnote	NA	TCR '83
#See Footnote	NA	Contender Carbine
TRADEWIND (HUSQVARNA)		
#593-131-100	#593-131-125	Husky H5000, 260A Auto. .22
VALMET		
#See Footnote	NA	Over/Under

GUARANTEED. FOREVER.®
SINCE 1939

NEW!

MIDWEST INDUSTRIES QD SLING SWIVELS & M-LOK® MOUNTS

Your Sling Is Only as Secure as Its Hardware - High-Quality Swivels & Mounts

When you have a high-quality Midwest Industries (or other manufacturer's) hand-guard on your rifle, do you really want to attach your sling to it via a cheap "mystery metal" sling swivel? Of course not! Especially when Midwest makes their own sling swivels entirely out of STEEL. The **D-Ring Heavy-Duty Flush Swivel** is made for 1/4" slings with hook-type clips. Recessed button prevents accidental release. **Heavy-Duty Sling Swivel** fits traditional sling stud base and is made for 1/4" slings. Has a secure-locking knurled thumb screw. **QD Sling Adapter** clamps to an M-LOK® slot and is for pushbutton QD sling swivels. Anti-rotation stop prevents swivel from spinning. Machined aluminum, hardcoat anodized. Attachment hardware included. **QD Sling Adapter for HK-Style Hooks** also clamps to an M-LOK® slot and it accepts popular HK-style sling clips. Hardened 4140 carbon steel with a tough phosphate finish. Attachment hardware included. **M-LOK® QD Sling Adapter** provides a fully supported pushbutton QD sling swivel socket just about anywhere you have a spare M-LOK slot. Rotation limited swivel socket. 6061 aluminum, hardcoat anodized. **USA**



- #100-042-365 **D-Ring Heavy Duty Flush Swivel, 9C13P50** \$13.50
- #100-061-572 **Heavy Duty Sling Swivel, 1D8Q57** 9.99
- #100-061-579 **M-LOK Pushbutton QD Sling Adapter, 4R19B29** 19.50
- #100-061-580 **M-LOK Clip-On Sling Adapter, S42C50** . . . 42.50
- #100-061-595 **M-LOK Offset QD Sling Adptr, 6T19D64** . . . 19.95

STK# W/1" LOOPS	STK# W/1-1/4" LOOPS	FITS
WEATHERBY		
#See Footnote	NA	Athena O/U, Orion O/U, 82 Auto, 92 Pump, Centurion Auto., Patricia Pump, Regency O/U, Olympian
WESTERN FIELD		
#593-131-100	#593-131-125	Bolt Actions, 815, 832, 850 .22's w/Clip
#593-131-100	#593-131-125	730, 732, 770, 780
#593-107-100	NA	Auto. .22's, 822, 846, 865, Bolt Action .22's
#593-131-100	#593-131-125	1500C, 172 Bolt Actions
#See Footnote	NA	Single Barrels
WINCHESTER		
#593-131-100	#593-131-125	94 Chief Crazy Horse
#593-131-100	#593-131-125	70 Westerner, 670, 770, Ranger, 490 Auto. .22 w/Clip, Other Auto. .22's w/Clip, Bolt Action .22's, 43, 75
#593-144-100	NA	88 Carbine
#593-107-100	NA	94/22 Series (All), 72, 150, 190, 290, Auto. .22's w/Tube Mag
#See Footnote	NA	O/Us, Single Barrels, 37A, 96, 1400, 1400 Mark II Autos, 1500 Series, Ranger Auto

GROVTEC SLING SWIVEL SET

Dependable, All Steel With Quick Release System

All-steel swivels are made in the U.S.A. and contain no plastic parts to crack and fail when you least expect it. Quick-detach feature allows you to use one sling for several rifles. Swivel attaches to mounting stud and locks down with knurled cylinder nut to prevent accidental opening. Available for 1" or 1 1/4" wide slings. Swivels are available in pairs with or without mounting studs. Model **GTWS-23** uses a wood screw front stud, all other sets use a front stud with machine screw and nut or specific hardware for attaching to a magazine tube or barrel. **GTWS-30** uses a low-profile mounting bracket that attaches to the underside of the rib between the barrels (drilling and tapping required) and a 3/4" screw-in stud for the buttstock. **USA**
SPECS: Steel, blued, matte finish except GTWS-05 with Mil-Spec phosphate finish.



STOCK #	KIT	MODEL	SIZE	PRICE
#100-003-367	Swivels w/wood screw front stud & rear stud	GTWS-23	1"	4B8D99 \$ 9.99
#100-003-380	Swivels w/machine screw front stud, wood screw rear stud	GTWS-07	1"	4B8E99 \$ 9.99
#100-003-377	Sling swivels only	GTWS-01	1"	4B8G09 \$ 8.99
#100-003-381	Swivels w/machine screw front stud, wood screw rear stud	GTWS-08	1 1/4"	4B8L99 \$ 9.99
#100-003-378	Sling swivels only	GTWS-02	1 1/4"	4B8G09 \$ 8.99
#100-003-379	Mil-Spec phosphate square-cornered, swivels only	GTWS-05	1 1/4"	4B17P09 \$ 18.99
#100-012-184	Wood Screw Set	GTWS307	1 1/4"	4B10D19 \$ 11.99
#100-004-937	Fits side-by-side shot-guns; includes swivels, forend mounting bracket & rear stud	GTWS-30	1"	4B19N54 \$ 22.99
#100-003-368	Fits .22 rimfire w/ .420-.470 dia. magazine tube, incl. swivels & rear stud	GTWS-40	1"	4B14H39 \$ 15.99
#100-003-369	Fits Win./Marlin lever action centerfire w/ .645-.660 dia. mag tube, includes. swivels & rear stud	GTWS-41	1"	4B12C74 \$ 14.99
#100-003-370	Fits lever action w/ .630-.675 dia. barrel or mag tube, incl. swivels & rear stud	GTWS-43	1"	4B13J59 \$ 15.99

GROVTEC M-LOK® SLING SWIVEL STUD MOUNT

Got M-LOK®? You Can Put a Sling Attachment Point Wherever You Have a Spare Slot

Grovtec's adapter enables you to put an attachment point for your sling anywhere you have an M-LOK® slot on your rifle. Works great with Grovtec swivels that attach quickly to a traditional stud. Mount body is made of Type III hardcoat anodized 6061 T6 aluminum, while the stud itself is steel so the swivel won't wear it. Mounting hardware included. **USA**
#100-041-555 Flanged M-LOK Sling Swivel Stud Mnt, 4B16J82 \$ 21.99



OUTDOOR CONNECTION TALON SLING SWIVEL SETS

Quick-Detach For Easy Sling Removal

Quick-detach swivels allow one sling to be used on multiple rifles. Talon sling swivels lock to the base with a push-pin that's spring loaded to the closed position to prevent accidental opening. All steel construction for durability, with a matte black oxide finish. **USA**



- SPECS:** Talon Swivels - Steel, black, matte finish. Wood Screw Set - 1/2" front & 3/4" rear screw.
- #683-000-013 Talon 1" Loop, 3A8K99 \$ 11.99
 - #683-000-014 Talon 1 1/4" Loop, 3A9F34 10.99

STRIKE INDUSTRIES LINK ANGLED QD SLING SWIVEL MOUNT



A Truly Low-Profile Add-On Swivel Socket - M-LOK & KeyMod Compatible

Got a slot? If it's on your handguard - M-LOK® or KeyMod, either is fine! - and it's in a place where you need a quick-detach sling swivel socket, Strike has you covered with this mount. The 30-degree angle of the socket provides natural push and pull installation/removal alongside the rail, which is a more comfortable location than driving the QD socket 90 degrees flat into the rail. Once installed, the mount stands a smidge over 1/2" above the rail (specifically .550") and maintains that unobtrusive angle while carrying the rifle, so you avoid binding with other accessories or interference with your support hand while in the firing position. No sharp edges either. Anodized aluminum with steel mounting screw and nut.

- #100-037-210 Link Angled QD Sling Mount, Black, 2H00GAA \$ 20.99
- #100-037-212 Link Angled QD Sling Mount, Flat Dark Earth, 2H21G84 22.99

NEW!

SUNNY HILL ENTERPRISES PETE GRISEL SLING SWIVEL BASE SET



Proper "Gunsmith-Fit" Swivels for High-Quality Custom Rifles

Original Pete Grisel swivel designs often found on those beautiful Dakota Arms rifles. The #1 Oval (Winchester #1) and #2 Ken Howell (Winchester #2) sling swivel base sets come with a pair of inletted sling swivel bases that are 1.075" long by 3/8" wide. They are made of mild steel and come with 6 screws. These are definitely "gunsmith fit" parts that, when properly installed, provide secure, very low-profile sling mounting points on a fine custom rifle. Additional **Slotted Screws** available separately and fit sling swivel bases, as well as Sunny Hill grip caps. .035" slot, 8-24 tpi threads. **USA**

- #848-000-008 Pete Grisel #1 Sling Swivel Base Set, 2Y34J29 \$ 40.00
- #848-000-009 Pete Grisel/Ken Howell #2 Sling Swivel Base Set, 3Z34K29 40.00
- #848-000-010 Repl. .035" Slot x 8-24 Screws, 4-Pak, 4A08L57 11.00

STRIKE INDUSTRIES CZ SCORPION EVO DOVETAIL SLING MOUNTS

NEW!

Secure, Low-Profile Attachment Socket for a QD Sling Swivel on Your Scorpion



Strike's mount assists in pairing your QD sling in a harmonious position against your body and/or helps secure the sling as a shooting aid. It directly replaces the factory CZ sling swivel, fitting into the dovetail cuts located on the barrel trunnion. The good news is Strike's ambidextrous mount can be used on either side of the CZ Scorpion. Move the handguard forward enough to slide the factory mount off and simply slide the Strike mount into the dovetail - installation is that easy! The QD socket is a 360° free swivel socket that is made of 6061 T6 aluminum, bead blasted, and hard-anodized. **Angled** model is angled at 115° to allow for easier ergonomic placement and accessibility. **Flat** mount projects straight out from the side of the trunnion.

- #100-043-594 Angled Dovetail QD Mount, 7U16E18 ... \$ 18.99
- #100-043-595 Flat Dovetail QD Mount, 8V16F18 18.99

TANK'S RIFLE SHOP M14/M1A SLING/BIPOD ADAPTER PLATE



Enables Quick Change From Sling To Stud-Mounted Bipod

All-steel adapter replaces your M14's factory front sling swivel stud to let you mount a quick-detach swivel or a Harris-type bipod that attaches to a front sling stud. A fast, easy way to increase the versatility of your rifle. Comes with a QD sling swivel and all parts required for installation. **USA**
SPECS: Steel, Parkerized, black.

- #901-000-003 M14/M1A Sling/Bipod Adapter Plate, 1K41H39 \$ 45.99

UNCLE MIKE'S MAGAZINE CAP SWIVEL SETS



Fast, No-Gunsmithing Installation

Add sling swivels to pump and semi-auto shotguns without altering the gun. Replacement magazine cap has swivel stud already installed. Includes a 3/4" wood screw base for buttstock and 1" QD sling swivels.
SPECS: Steel, black, low luster finish. Includes screws, swivels, magazine cap and instructions. Rem 870 - External tube ratchet (ER), internal tube ratchet (IR). Fits 12 gauge unless otherwise indicated.

STOCK #	FITS	PRICE
#593-180-120	ER Rem. 870	8K16Q19 \$ 17.99
#593-180-020	IR Rem. 870	8K16G19 \$ 17.99
#593-000-021	ER Rem. 870, 20 Ga.	8K16Q19 \$ 17.99
#593-181-020	Moss. 500	8K16A19 \$ 17.99

UNCLE MIKE'S MIL-SPEC SWIVELS



Withstands The Toughest, Most Demanding Conditions

Heavy duty, 1 1/4 inch swivels provide necessary stamina and durability for extended tactical and field use. 500 pounds of pull strength plus stainless steel construction that meets the weather resistance standards of the U.S. Military. Swivel-Lock® prevents accidental opening, provides fast attachment.
SPECS: MIM 4600 stainless steel, matte finish. 1 1/4" loops.
#593-000-002 Mil-Spec Swivels, 8K17F09 \$ 18.99

Orders: 800-741-0015

order on the web
brownells.com

BROWNELLS PAGE 257

SLINGS & SWIVELS



UNCLE MIKE'S QD 100 SLING SWIVEL SET

Universal Design Fits Virtually Every Bolt Action Rifle Made

Quickly attaches or detaches with recessed push button. Provides secure sling attachment that can't come loose. Mounting system will fit nearly every centerfire or rimfire bolt action made, plus many other action types. When detached, leaves a flush, no-slag base. Use epoxy to hold base in stock, no screw required. **Set** includes two bases and two loops.

SPECS: Steel, blued, 1" (2.5cm) swivels. Requires 1/4" (16mm) thick forend wood to mount. To install base, drill 1/2" diameter hole 1/2" deep and epoxy in place.
#593-101-100 11011-2 1" Swivel Set, 8K16Q19 \$ 17.99
#593-000-037 1" QD 100 Loops, only, 2-pak, 8K11A24 14.99



IMPACT WEAPONS COMPONENTS

2-TO-1 POINT TRIGLIDGE ADAPTER

Converts Your 2-Point Sling To A Single-Point Sling



Aluminum adapter threads on the rear strap of any 1" wide sling to quickly convert a 2-point sling into a highly maneuverable single-point sling, and back. "Universal" socket accepts any pushbutton QD sling swivel, HK-style clip, and MASH connectors - amazingly handy and easy to use. Instructions included. Separate models for 1" and 1 1/4" wide slings. **SPECS:** 6061 T6 aluminum, Type III hardcoat anodized, black. 2 1/2" (2.1cm) long, 1 1/2" (3.8cm) high.

#100-006-831 1" Triglidge Sling Adapter, 2C17L60 \$ 19.95
#100-007-208 1 1/4" Triglidge Sling Adapter, 2C17A99 19.99



BROWNELLS HK-STYLE SLING SNAP HOOK

Rugged, Clip-On Sling Attachment For Long Guns

Heavy-duty steel sling clip enables quick attachment and removal of a tactical sling. Fits any long gun with eyelet or ring-type sling attachment point that accepts an HK-style snap hook. Overbuilt with reinforced stress points for worry-free carry, even in extreme operational conditions. Pronounced grooves on the snap jaw ensure a non-slip finger contact. Strong internal spring keeps the jaw securely closed. Ideal for use with Brownells Low-Profile Ambidextrous or A2 Single-Point Sling Adapters, available separately. Models available for 1" or 1 1/4" slings.

SPECS: Heat-treated carbon steel, black oxide finish.
#080-000-798 1" HK-Style Sling Snap Hook, 6A5N94. \$ 6.99
#080-000-797 1 1/4" HK-Style Sling Snap Hook, 6A7G64 8.99

MAGPUL QD SLING SWIVEL

Plugs Into Quick-Detach Sockets To Firmly Mount Your Sling



Heavy-duty steel sling swivel features a 1 1/4" loop and is compatible with standard quick-detach cups commonly found on lower receivers, receiver end plates, buttstocks, and many low-profile forward QD sling mounts, including the Magpul RSA®-QD. Smooth-operating push button and polished ball-bearing lock system allow for secure attachment and easy release. Slip one onto each end of Magpul's MS1™ Multi Mission Sling for dedicated dual-point functionality, or combine with an MS1 MS4™ Adapter to rapidly switch between one and two-point modes. Mount, sling, and adapter sold separately. **SPECS:** Steel, manganese-phosphate finish, black. Accepts slings up to 1 1/4" (3.2cm) wide. Assembly instructions included.

#100-013-937 QD Sling Swivel, 3K13H89 \$ 15.99

IMPACT WEAPONS COMPONENTS QD MICRO FLUSH SLING MOUNT

Easy-To-Install Mount Goes Where You Need It

QD sling mounting point has one of the lowest profiles available and eliminates sharp edges that can snag on your gear. Accepts any push-button, quick-detach sling swivel. 8 rotation limiters machined into the stainless steel body give you nearly unlimited adjustment options, and eliminate sling wrap. Mount is held in place by a "Spirolock" retainer on the outer surface, and a pair of setscrews on the back side that prevents rotation. Mounts through a 1/2" diameter hole in most polymer stocks, handguards, forends and buttstocks. Installation requires drilling a hole with a 1/2" drill bit, available separately. Instructions included. **SPECS:** Stainless steel, oxide coated, black. 1" (2.5cm) long, 1/2" (1.3cm) wide, 7/16" (1.1cm) thick. 0.23 oz. (6.5g) weight. Instructions included.

#100-009-719 QD Micro Flush Mount, 2C17E99 \$ 19.99

MAGPUL MSA®-QD MOE® SLING ATTACHMENT

Adds Quick-Detach Socket To Handguards & Forends



Forward connection point for push-button sling swivels mounts directly to Magpul Original Equipment handguards and forends. Simply remove the handguard, center the MSA over desired access hole, and tighten two bolts into the anchor nuts for a rattle-free hold. Requires drilling to slightly enlarge MOE slot so it clears the QD post. Low-profile, anti-slag design maximizes usable grip space, and limited-rotation feature keeps sling strap from twisting. Precision-cast, durable steel is case-hardened and coated with Melonite® for extreme resistance to wear and corrosion. **SPECS:** Steel, Melonite finish, matte black. 1.288" (3.27cm) long, .628" (1.6cm) wide, .2" (.51cm) thick. 2 oz. (5.67g) wt. Installation instructions, hardware, and hole saw included. Drill and 1/8" Allen wrench required.

#100-015-152 MSA-QD Sling Attachment, 3K18M04 . . . \$ 18.95

GROVTEC QS TWO-POINT SENTINEL SLING



"Quick Slide" System Enables Super-Fast, Easy Length Adjustments

Sometimes you just need a simple, straightforward, good-quality two-point sling... and that's what Grovtec has given us! The QS has 1" wide webbing and a 2" wide pad for shoulder support. The simple design has Grovtec's "Quick Slide" feature: simply pull forward to adjust out, or pull backwards to adjust in. There's also an emergency release buckle should you need to separate yourself from the rifle fast. Comes with heavy-duty pushbutton QD swivels.

#100-041-556 QS 2-Point Sentinel Sling, 4B43P01 \$ 55.99

QUAKE "CLAW" SLING SYSTEM



Quiet, Comfortable & Completely Weatherproof

Tough, nylon webbing with rubber pad cushions and grips your shoulder for all day comfort and control. Provides just enough stretch to absorb shock without generating rifle bounce. Synthetic materials eliminate weakening or rot in wet environments. Includes quiet polymer swivels for direct attachment to standard sling swivel studs. **SPECS:** Nylon webbing, rubber pad, polymer swivels, black. 38" (96.5cm) long. 2.5" (6.5cm) pad width.

#735-500-112 Claw Nylon Sling, 3A17A09 \$ 18.99



BROWNELLS

COMPETITOR PLUS™ RIFLE SLING

- PREMIUM LEATHER • EXTRA HEAVY HOOKS • STITCHED KEEPERS
- U.S. MADE • 6" LONGER - 54" FRONT STRAP INCREASES USEABLE LENGTH
- GUARANTEED. FOREVER. • AVAILABLE IN TAN OR BLACK

If you love fine leather, fine craftsmanship and a superbly functional, useful sling, our Competitor Plus is going to make you extremely happy! What you get is a no-compromise reproduction of the original 1907 Military Sling; the one that's become the standard among hi-power service rifle shooters and many knowledgeable hunters; the one that's sought after by collectors and restorers of pre-WWII military firearms and the one that's carried more guns, more miles on more shoulders than darn near any other. Ours has all the good stuff: 1) It's all U.S. made, of the finest, oak-tanned, top grain, U.S. steer hide. 2) It's fitted with thick, forged, blued steel hooks. 3) Each hook is attached with three rivets. 4) The Keepers are stitched and fit TIGHT! Once we eliminated all the shortcomings of the current crop of '07 copies, we convinced a sling maker that folks who use their guns really do want better not cheaper. Once the maker believed, they gave us suggestions concerning the leather.

Ooohh, the leather! It's absolutely wonderful. A full heavyweight, 9-10 ounce leather, tanned correctly for sling use to give maximum flexibility, stability and toughness without stretching or being oily. The tanning makes the Competitor Plus Sling leather what it is. The process starts with a complete hide that's shaved just enough to make it even thickness throughout. Then it's painstakingly tanned using oak tannage, NOT chromic salts. (Chromic salts cause tarnish and corrosion on any metal the leather touches.) Finally, the smooth, burnished finish which shows off the natural grain of this high-grade leather. All this time and effort means Competitor Plus Slings can bend and twist for a tight grip with no splitting or cracking, even across the holes, with no more than the barest minimum of medium tanning oil being added during the process. Your careful adjustments and precise shooting position won't be fouled up by a rubbery sling.

Each extra thick, blued steel hook is locked onto the leather with three, hand-hammered, copper rivets. The extra steel keeps the hooks from bending under the extreme pressure created when you lock into position. And, the hooks fit their holes TIGHTLY...no stop to mess up a hard hold and no accidental unhookings.

Even the keepers are designed as part of a working sling. Since they absolutely must fit and grab the straps tightly, ours are skived at a taper, overlapped and then glued and stitched with 5-cord waxed linen thread. They'll hold your adjustments!

The end result is a sling that gives you so much more: more service for so much longer as a traditional field sling; more authenticity as a replacement for restorations; plus more, higher match scores by eliminating a concentration-breaking source of problems. You can spend your time glassing for game, doping the wind or paying attention to sight picture and trigger squeeze instead of fiddling with the sling.

This level of exceptional quality is a little more expensive, but we honestly believe you'll agree it's more than worth it. As you can tell, we're pretty proud of the Competitor Plus. We think you'll love it, too. If you're not completely satisfied, send it back for a full refund because it's... Guaranteed. Forever.

SPECS: 1 1/4" (3.2cm) wide. 9-10 oz. leather. .108" (2.75mm) thick hooks. Front strap length = 54" (1.37m). Instructions.
#084-270-110 Tan Competitor Plus Sling, 4H51K74 \$ 68.99
#084-270-210 Black Competitor Plus Sling, 8K48E74 64.99

BROWNELLS COMPETITOR PLUS SLING W/NUMBERS - Our Competitor Plus sling with 16 numbered reference points makes it easy for you to return to your sling setting for each shooting position.

SPECS: 1 1/4" (3.2mm) wide. 9-10 oz. leather. Front length 54" (1.37m). 3/16" (14.7mm) numbers.
#084-270-120 Tan Numbered Competitor Plus Sling, 8K53I99 \$ 71.99
#084-270-220 Black Numbered Competitor Sling, 8K45A04 52.99

COMPETITOR PLUS SLING W/SWIVELS - Add the Competitor Plus Sling to any rifle equipped with Michael's-style swivel studs. Comes complete with two of the correct 1 1/4" Michael's easy-on, easy-off, quick-detachable loops.

#084-270-112 Tan Competitor Plus Sling w/ 1 1/4" Swivels, 8K61M49 \$ 81.99
#084-270-211 Black Competitor Plus Sling w/ 1 1/4" Swivels, 8K56G99 75.99

BROWNELLS COMPETITOR PLUS KEEPERS - The same high-quality keepers used on the Competitor Plus Rifle Sling. Use when a three-keeper-hold is wanted or as replacement keepers for other slings. 1 1/4" (3.2cm) wide, sold 2 each per bag.

#084-270-002 Tan Competitor Plus Keepers, 2 each, 8K8N49 \$ 9.99
#084-270-212 Black Competitor Plus Keepers, 2 each, 8K10M49 13.99

BROWNELLS COMPETITOR PLUS SLING HOOKS - The same high-quality, steel hooks and copper rivets that we use on the Competitor Plus Sling. Use to replace bent hooks or, make your own custom slings. Package contains six hooks and 18 rivets.

#084-270-006 Competitor Plus Sling Hooks, 8K15N99 \$ 18.99

DON'T KNOW WHAT KIND OF SLING YOU NEED?

Consider your application, activities, environment and how much control versus maneuverability you want.

GUARANTEED. FOREVER.® SINCE 1939

ANDY'S LEATHER CHING SPECIALTY SLING

Premium Leather 3-Point Hunting & Competition Sling



Three-point sling developed by Eric Ching in cooperation with the Gunsite training school is perfect for target shooting, competition and dangerous game hunting where fast, accurate shot placement is essential. Hand made from high quality bridle leather that's been tumbled for days with special oils and waxes for maximum flexibility and toughness in the field or at the bench. Features 38 punched holes for a variety of different length adjustments, and includes a solid brass buckle that locks sling for a secure hold that can't slip. Brass screw fasteners keep sling loops closed for a level of security you can depend on. Available in 1" and 1 1/4" widths. Center strap locks around the shooter's upper arm for rock-solid stability without using a bipod. Works like a "Deliberate" sling, but much faster to use, and once it's preset, no further loop adjustments are necessary.

- #100-004-471** Black Specialty Sling, 1", 7C49P49... \$ 54.99
#100-004-472 Black Specialty Sling, 1 1/4", 7C49Q49... 54.99
#100-006-723 Brown Specialty Sling, 1 1/4", 7C49B29... 57.99

BUTLER CREEK COMFORT STRETCH SLINGS

Neoprene Shoulder Pad Supports Rifle Weight & Absorbs Shock



Waterproof nylon webbing sling with flexible closed-cell neoprene pad and stretchable backing absorbs the impact from motion and bounce to reduce felt weight during carry. Non-slip "knobby" rubber insert on the back of the shoulder pad keeps the rifle from slipping off your shoulder. **Alaskan Magnum** model adds four, vertical, elastic shell loops to hold extra rounds at the ready for quick reloads in the field. **SPECS:** Nylon webbing, neoprene shoulder pad, black. 34" (86.4cm) long, 1" (2.5cm) wide, 2 1/2" (6.4cm) wide pad. Fits 1" sling swivels.

- #593-000-103** Comfort Stretch Sling, 7K18J89... \$ 20.99
#593-000-104 Alaskan Magnum Comfort Stretch Sling, 7K24E29... 26.99

IST DESIGNS MONTANA SLING



Single Loop Design Never Over Tightens; Adjusts Instantly With Light Finger Pressure

Pack your hunting rifle in complete comfort all day long with this premium leather sling that adjusts from carry position to shoulder-ready in only seconds. Single loop design with an innovative sliding knot never over-tightens; can be adjusted instantly with a minimum of effort when your quarry is sighted. Makes the perfect choice as a comfortable, dependable carry sling or helps improve accuracy when used as a hasty sling. Made from thick, high quality, oil-tanned bridle leather. Includes sling swivels.

- #100-002-517** Brown 1" Montana Sling, 3B39J59... \$ 43.99
#100-002-519 Brown 1 1/4" Montana Sling, 3B44H99... 49.99
#100-002-520 Black 1 1/4" Montana Sling, 3B44L09... 48.99

M&P BY SMITH & WESSON SINGLE-POINT SLING KIT



A Sturdy, Basic, Easy-to-Use Ambidextrous Sling

A flexible, easy-to-operate sling for comfortable carry of an AR-15 or other firearm that accepts a single-point clip-on sling swivels. The sling itself is made of a combination of nylon webbing and high-density bungee material that is strong enough to keep it comfortably close to the body during carry, yet enables quick deployment of the rifle for shooting. Quick-detach, side-release buckle lets the shooter quickly separate from the rifle, while a quick-detach carabiner securely grabs a loop-style sling attachment point on the gun. Includes an AR-15 receiver endplate with a continuous half-moon loop on the bottom, so the sling is entirely ambidextrous. All shooters can use it, and it easily accommodates any shooter who needs to quickly shift the weapon to his/her weak side in an emergency. Black webbing material.

- #100-042-125** M&P Single-Point Sling Kit, 4D20Q39... \$ 21.95

NEW! GEISSELE AUTOMATICS SUPER COMBAT SLING

A Sling for All Seasons! Optimized for Quick Rifle Deployment, Excellent for Duty, Competition & Hunting



O.D. Green "Desert Dirt Color" With QD swivels



SCS alone (no swivels)

The Super Combat Sling is more than capable of meeting the rigors of duty use, hunting, and competitive shooting! It is an all-American-made, ALL-purpose sling that is durable, comfortable, and specially designed for rapid deployment. It has an easy-to-use adjustment buckle that enables the user to quickly and effortlessly glide from tight on the chest to gun-on-target. It has a front end that is adjustable to a maximum of 30" to accommodate body armor and a rear end that can be adjusted up to 21", ensuring users can comfortably carry their firearm regardless of personal size and load-out. Includes 3" of heat-shrink covering and 26" of paracord so the end-user can create an adjustable handle, allowing quick operation of the sling without taking their eyes off the target while readying the weapon. The Geissele crew identified the common failure points inherent to all slings and beefed up the SCS to resist those failures with hardware machined from 7075 T6 aluminum alloy that's been Type 3 hardcoat anodized for extra surface strength and wear- and corrosion-resistance. These slings have military-grade polymer fasteners, for reduction of both weight and noise. Available in a variety of widths and colors (listed below), including Geissele's proprietary "Desert Dirt Color" (DDC), the Super Combat Sling is also available on its own or with a pair of high-quality forged-steel ALG Defense QD sling swivels.

- #100-055-362** 1.25" SC Sling, Black, 4K140W00... \$ 140.00
#100-055-363 1.25" SC Sling, DDC, 5L140X00... 140.00
#100-055-364 1.25" SC Sling, O.D. Green, 6M140Y00... 140.00
#100-055-371 1.25" SC Sling w/QD Swivels, Black, 4U169F00... 169.00
#100-055-372 1.25" SC Sling w/QD Swivels, DDC, 5V169G00... 169.00
#100-055-373 1.25" SC Sling w/QD Swivels, O.D. Green, 6W169H00... 169.00
#100-055-365 1.5" SC Sling, Black, 7N140Z00... 140.00
#100-055-366 1.5" SC Sling, DDC, 8P140A00... 140.00
#100-055-367 1.5" SC Sling, O.D. Green, 9Q140B00... 140.00
#100-055-374 1.5" SC Sling w/QD Swivels, Black, 7X169J00... 169.00
#100-055-375 1.5" SC Sling w/QD Swivels, DDC, 8Y169K00... 169.00
#100-055-376 1.5" SC Sling w/QD Swivels, O.D. Green, 9Z169L00... 169.00
#100-055-368 2" SC Sling, Black, 1R140C00... 140.00
#100-055-369 2" SC Sling, DDC, 2S140D00... 140.00
#100-055-370 2" SC Sling, O.D. Green, 3T140E00... 140.00
#100-055-377 2" SC Sling w/QD Swivels, Black, 1A169M00... 169.00
#100-055-378 2" SC Sling w/QD Swivels, DDC, 2B169N00... 169.00
#100-055-379 2" SC Sling w/QD Swivels, O.D. Green, 3C169P00... 169.00

MAGPUL RLS SLING

A Classic 2-Point Carry & Basic Rifleman's Sling - Light, Durable, Reliable



Coyote Brown RLS installed

The "Rifleman's Loop Sling" or RLS is Magpul's take on a classic, traditional two-point sling that combines the best features of Rhodesian and 1907 match-style slings. Use the RLS in the retention role as an unobtrusive weapon sling that helps you hump the rifle over hill and dale by keeping it securely tucked behind your shoulder. It's also ready to jump in as a shooting aid and help you stabilize that important shot: use the adjustable forward loop to grip your support arm, lock in a steady shooting position, and firmly plant the rifle butt against your shoulder. The core of the RLS is Magpul's proprietary chafe-resistant 1 1/4" nylon mesh webbing. Rather than an ordinary strip of cheap strapping material, this webbing's tubular construction eliminates rough edges that can rub or snag on your or your other gear, and it provides a double layer of cushioning for the shooter when the rifle is shouldered. The strap's smooth texture stays comfortable, even when torqued against the user's arm. Magpul is built on its expertise in technologically advanced reinforced injection-molded polymer material that's both strong and lightweight, so that's what the RLS's buckles are made of. Same with the sling keeper, which leaves no tails or loose straps, eliminating snag hazards and distractions. The RLS was designed with mobility in mind, and at only 4.4 oz., it adds no meaningful weight to the rifle. The Magpul crew extensively tested it to its limits to ensure its reliability in wet, dry, and sandy conditions. They load- and drop-tested it, then hiked, biked, swam, climbed, hunted, and of course shot with it (a lot) in just about any conditions Mother Nature can dish up to be sure the RLS will come through for you. Available in **Black** and **Coyote Brown**. Both have black hardware.

- #100-029-331** RLS Sling, Black, 3K17N05... \$ 18.95
#100-029-332 RLS Sling, Coyote Brown, 3K17D05... 18.95

PHASE 5 TACTICAL SINGLE-POINT BUNGEE SLINGS



QD Swivel, O.D. Green

Classic Tactical/3-Gun Competition Sling Built STRONG for Folks Who Need a Sling That Works Hard

Phase 5's single-point bungee sling allows the weapon to be carried close to the operator's body for superb quick-to-shoulder capability. It has a heavy-duty elastic shock-cord that'll keep the weapon from bouncing when the operator is running, with reinforced

hog-ring clips for excellent support of the weapon's full weight. The hardware, including the trigger-style loop clip is made of STEEL, not plastic, so it will stand up to getting whaled on all day long. MOLLE loops on the heavy-duty nylon webbing accept the sheath for a service blade, chem-light, flash light, multi-tool, or any other small MOLLE attachable item. Heavy-duty shrink tubing and a nylon elastic cover protect the attachment points of the webbing to the hog-rings and loop clip. You can also get this sling with the popular pushbutton QD socket-mount swivel, made of hardened steel, of course. Black hardware, webbing colors as listed below.

- #100-036-024** 1-Point Bungee Sling, Black, 1C38D94... \$ 40.99
#100-036-027 1-Point Bungee Sling w/QD Swivel, Black, 1C47M49... 49.99
#100-036-028 1-Point Bungee Sling w/QD Swivel, Digital Gray Camo, 1C47L49... 49.99

NEW!

BLACKHAWK TACTICAL SLINGS

Affordable Nylon Web Slings Designed for Specific Jobs



Universal

Dieter CQD

Shotgun w/Shellholders

A variety of nylon-web slings designed to meet the needs of specific shooters. **Universal Tactical Sling** is a simple two-point nylon web sling that's the perfect choice for those who want a good-quality adjustable sling without breaking the bank. **Dieter CQD** - Designed by special operations trainer Duane Dieter, this hybrid single-point/two-point sling employs heavy-duty elastic to help assist with strikes and point shooting as well as quick adjustment in difficult situations. Includes a pair of HK-style clips. **Storm Single-Point** - This unique sling is constructed of high-strength 1.25" wide nylon webbing with an elliptical bungee for comfort and support. It adjusts from 46" to 64" in diameter and also features robust

bar tacking and box stitching for maximum strength. Quick-detach buckle lets you separate your rifle from the sling pronto, and the unique clip is designed for loop-style attachment points. **Shotgun Sling** - No need to go into a sketchy situation without enough ammo! This is an adjustable two-point sling with loops to carry 15 extra shells for quick access. Clip-on swivels at both ends.

- #100-047-374** Universal Tactical Sling, 7K8W99... \$ 8.99
#100-047-373 Dieter CQD Sling w/Cover, 6J35V99... 35.99
#100-047-375 Storm Single-Point QD Sling, 8L19X99... 19.99
#100-047-376 Shotgun Shell Sling, 9M19Y99... 19.99

NEW! WANT MORE NEW PRODUCTS? SHOP ON LINE! PRODUCTS ADDED DAILY

Orders: 800-741-0015

order on the web **brownells.com**

BROWNELLS PAGE 259



MAGPUL MS1® MULTI-MISSION SLING SYSTEM



Configure The Exact Sling You Want - Change It Any Time You Want

Magpul's highly versatile, multi-mission MS1 system is built around a basic two-point sling that, when used with hardware listed below, is compatible with any commonly used sling attachment system. Easily converts to a single-point role using optional adapters. Basic two-point mode permits simple shoulder transitions, shooting support from various positions, and rapid adjustability for hands-free carry. The MS1 is made from wear-resistant, anti-chafe nylon webbing, with a low-profile slider to enable fast one-handed length adjustments that won't slip once set. No tails, loops, or loose ends to get snagged. The basic MS1 comes with polymer fit buckle adjusters on

each end. Thread it directly through stock slots or traditional sling swivels to bring MS1 functionality to a traditional hunting rifle or bolt action. **QDM** model is a dedicated two-point sling with Magpul's ultra-low-profile, super-fast-releasing QDM swivels on each end; has the standard polymer MS1 length-adjustment slider. **Padded** configuration provides additional comfort when you're carrying for long periods of time. For tactical rifles, add a pair of Paraclips™ or pushbutton QD swivels - both sold below - for quick-detach capability. Or for two- to one-point conversion, put a Paraclip or QD on the front and one of the adapters (also below) on the rear to provide split-second, back-and-forth switches in fast-changing tactical environments.

SPECS: Nylon webbing, Black, Coyote, Ranger Green, or Stealth Gray, 1/4" (3.2cm) wide. Heavy-duty polymer hardware, black.

- #100-013-923 MS1 Sling, Black, 3K32L29 \$ 33.20
- #100-013-924 MS1 Sling, Coyote, 3K30P59 33.20
- #100-013-925 MS1 Sling, Ranger Green, 3K30Q59 33.20
- #100-014-471 MS1 Sling, Stealth Gray, 3K30H59 33.20
- #100-026-955 MS1 QDM Sling, Black, 3K68E39 71.20
- #100-026-956 MS1 QDM Sling, Coyote, 3K68G39 71.20
- #100-016-489 MS1 Padded Sling, Black, 3K51Q29 56.95
- #100-016-490 MS1 Padded Sling, Coyote, 3K51I29 56.95
- #100-016-492 MS1 Padded Sling, Ranger Green, 3K51F29 56.95
- #100-016-491 MS1 Padded Sling, Stealth Gray, 3K51D29 56.95

MS4 QDM SLING - Upgrades the basic MS1 sling to a configuration that can rapidly switch between single-point and two-point operation. And it's optimized to be easy to operate with one hand. It comes with the MS1 MS4 Adapter already installed (also sold separately below) and a pair of QDM, super-quick releasing, low-profile swivels. QDM swivels are totally compatible with all standard QD swivel sockets. This sling has the standard polymer MS1 length-adjustment slider.

- #100-026-957 MS4 QDM Sling, Black, 3K74B09 \$ 75.95
- #100-026-958 MS4 QDM Sling, Coyote, 3K72P19 75.95

PARACLIP™ - Clip-on sling attachment point is compatible, in front, with Magpul RSA®, MSA®, and shotgun Forward Sling Mount, as well as SGA® Receiver Sling Mount and ASAP®. Works with most clip-in-style loops with at least 1/8" inner diameter, along with standard or QD sling swivels. **SPECS:** Steel, Melonite™ finish, black, and reinforced polymer hardware. 2" (5.1cm) long, 1/4" (4.4cm) wide, 1/2" (1.3cm) thick. Accepts slings up to 1 1/4" (3.2cm) wide.

- #100-013-936 Paraclip, 3K8K99 \$ 9.45

M-LOK PARACLIP™ SLING MOUNT - Low-profile, snag free mount fits M-LOK compatible handguards and accepts most clip style slings. Mount is constructed of high-grade steel with a durable Melonite finish. **SPECS:** Steel, black Melonite finish.

- #100-016-564 M-LOK Paraclip Sling Mnt, 3K18G52 \$ 18.95

QDM SLING SWIVEL - Heavy-duty, low-profile update on the traditional QD sling swivel has dual side-release tabs for each, fast, one-handed operation. Innovative shape of the loop allows for a lower-profile swivel that also rotates freely. Loop "canalizes" the sling webbing so it won't roll over and tangle up. Fits standard QD cups and 1/4" nylon web slings, including of course, Magpul's MS series. Combine with MS1 sling for a dedicated 2-point sling or with MS1 MS4 Adapter for a two to one-point convertible sling. **SPECS:** Steel, Melonite™ finish, black.

- #100-016-563 QDM Sling Swivel, 3K25H64 \$ 26.55

QD SLING SWIVEL - Classic pushbutton-release swivel plugs into the quick-detach sockets found on receiver end plates, buttstocks, and handguards, plus the Magpul ASAP-QD and many forward QD sling mounts, including the Magpul RSA-QD, MSA-QD, and shotgun Forward Sling Mount. **SPECS:** Steel, manganese-phosphate finish, black. Accepts slings up to 1 1/4" (3.2cm) wide.

- #100-013-937 QD Sling Swivel, 3K13H89 \$ 15.99

MS1 MS3® PARACLIP ADAPTER - Install on the rear of the MS1 sling and attach an additional Paraclip on the front to provide fast transition between two- and one-point roles.

SPECS: Steel, Melonite finish, black, and reinforced polymer hardware. 1 1/4" nylon webbing.

- #100-013-926 MS1 MS3 Adapter, Black, 3K14D39 \$ 15.15
- #100-013-927 MS1 MS3 Adapter, Coyote, 3K14B39 15.15
- #100-014-470 MS1 MS3 Adapter, Stealth Gray, 3K14J39 15.15

MS1 MS3-QD™ SINGLE QD ADAPTER - Slips onto the back end of the MS1 sling and, when combined with a Paraclip on the front, offers two- to one-point capability. **SPECS:** Steel, manganese-phosphate finish, black, and reinforced polymer hardware. 1 1/4" nylon webbing.

- #100-013-929 MS1 MS3-QD Adapter, Black, 3K18C99 \$ 19.90
- #100-013-931 MS1 MS3-QD Adapter, Coyote, 3K18L99 19.90
- #100-014-472 MS1 MS3-QD Adapter, Stealth Gray, 3K18K99 19.90

MS1 MS4® DUAL-QD ADAPTER - Rear QD connector for the MS1 sling works with a standard QD on the front to quickly switch between two- and one-point modes. **SPECS:** Steel, Melonite and manganese-phosphate finish, black, and reinforced polymer hardware. 1 1/4" nylon webbing.

- #100-013-933 MS1 MS4 Adapter, Black, 3K21I59 \$ 23.70
- #100-013-934 MS1 MS4 Adapter, Coyote, 3K21L59 23.70

COMPLETE MS3/MS4 GEN 2 SLINGS - Complete, ready-to-use sling kits come with the MS1 base sling, appropriate adapter, and connector already installed. Standard **MS3** sling includes the MS1 MS3 Paraclip adapter and Paraclip, while the **MS3 Single QD** comes with the MS1 MS3-QD adapter and Paraclip. **MS4** is a dual-QD version of the standard MS3, with the MS1 MS4 adapter and QD Sling Swivel.

- #100-013-973 MS3 GEN 2 Sling, Black, 3K44M59 \$ 47.45
- #100-013-974 MS3 GEN 2 Sling, Coyote, 3K45H59 47.45
- #100-013-975 MS3 GEN 2 Sling, Ranger Green, 3K45N59 47.45
- #100-014-474 MS3 GEN 2 Sling, Stealth Gray, 3K45D59 47.45
- #100-013-976 MS3 Single QD GEN 2 Sling, Black, 3K54G59 55.05
- #100-013-977 MS3 Single QD GEN 2 Sling, Coyote, 3K53I19 55.05
- #100-013-978 MS3 Single QD GEN 2 Sling, Ranger Green, 3K53F19 55.05
- #100-013-980 MS4 Dual QD GEN 2 Sling, Black, 3K55J57 56.95
- #100-013-981 MS4 Dual QD GEN 2 Sling, Coyote, 3K55I57 56.95
- #100-013-982 MS4 Dual QD GEN 2 Sling, Ranger Green, 3K55E57 56.95
- #100-014-476 MS4 Dual QD GEN 2 Sling, Stealth Gray, 3K54L14 56.95

OUTDOOR CONNECTION RAZOR™ SLING



Economical Sling With Stretch Shoulder Pad & Built-In Swivels

Simple, inexpensive, lightweight carry sling of close-weave nylon webbing has a "razor"-thin, elasticized shoulder pad that absorbs shock as you walk, so you can carry your rifle all day without killing your shoulder. Pad is made of tough, 800-lb. test elastic material that won't slip off the shoulder as you move. Can be used in for traditional or across-the-back carry. The Thumb-Loop adjustment system enables quick, easy length adjustments, while polymer swivels sewn directly to the sling ends ensure quiet operation without squeaking or scratching the stock. Knurled steel cross-bolts with screwdriver slots in the heads lock the swivels to standard sling studs.

SPECS: Nylon webbing and 800-lb. test elasticized nylon fabric, polymer hardware, black. 41" (104cm) O.A.L., 1" (2.5cm) wide web straps with 13" (33cm) long x 2" (5cm) wide shoulder pad.

- #683-000-024 Razor Sling, 3A11Q04 \$ 12.99

OUTDOOR CONNECTION SUPER SLING®



Instant, One-Hand Adjustment

Switch from carry to shooting sling without buckles, hooks or snaps. Use as a "hasty sling" for off-hand shots or adjust to lock into other positions. Mil-spec nylon webbing won't rot, mildew or break down.

SPECS: Nylon webbing, black. Includes Talon™ Q/R swivels. 1" (2.5cm) wide adjusts from 23 1/2" to 33 1/2" long. 1 1/4" (3.1cm) wide adjusts from 27 3/4" to 39 1/4" long

- #683-100-003 1" Black Super Sling, 3A14D39 \$ 15.99

- #683-125-003 1 1/4" Black Super Sling, 3A16E99 19.99

PADDED SUPER SLING - Comfortable, shoulder pad of silicone-treated, suede leather lock-stitched over a neoprene rubber pad. Integral thumb loop reduces hand and arm fatigue; helps control the rifle on rough terrain. Includes Talon™ Q/R swivels. Go from carry to shooting sling without buckles or hooks. **SPECS:** Mil-Spec nylon webbing, black. 1" (2.5cm) wide adjusts from 23 1/2" to 33 1/2" long.

- #683-209-130 Padded Super Sling, 3A20P39 \$ 23.99



BROWNELLS TACTICAL PLUS RIFLE SLING



Urethane-Coated Nylon Wears Like Iron, Flexes Like Leather

Extreme-duty, tactical sling stands up to the rigors of military/ law enforcement operations, yet offers the comfort and mobility of leather. Based on the 1907 Military sling that's still one of the finest slings ever invented for carry and shooting. Strong, adjustable, 1 1/4" wide, BioThane® strap won't crack, peel, or stiffen in frigid temperatures. Non-slip, urethane coating flexes like leather and needs no "break-in," yet is impervious to sweat and water. Hardened, steel D-ring and hooks are parkerized for extra strength and corrosion protection. 1/8" wide keepers provide excellent sling retention; will not stretch or lose original shape.

SPECS: Strap/Keepers - BioThane, black or brown. 1 1/4" (3.2cm) wide. D-Ring/Hooks - Steel, parkerized finish w/brass rivets .108" (2.75mm) thick.

- #084-000-122 Blk Tactical Plus Sling, 2T75K04 \$ 78.99

- #084-000-123 Brown Tactical Plus Sling, 2T75G04 78.99

BROWNELLS QUICK-SET LATIGO® SLING

- NO EXPOSED METAL TO SCRATCH YOUR STOCK
- INSTANTLY CHANGES FROM CARRY SLING TO SHOOTING SLING



PULL DOWN - SNAP OUT and the Brownell LATIGO Sling is ready for action. Faster than it takes you to drop to the ground into a shooting position. So quick that the Pull Down - Snap Out can be done during the time you are throwing the gun to your shoulder AFTER sighting your game...never missing a beat. Simply stating fact, the Brownell LATIGO Sling is the first sling ever offered shooters that does not require an assortment of hooks, laces or gimmicks to give you quick, positive setting of any length sling desired. Nothing to fumble with in cold weather, nothing you have to stop and figure out each time you want to change length. And, once you set the LATIGO Sling to the length you want for shooting, it will not slip out of that position. Yet, you can instantly change the sling length to any position wanted just by following the instructions. No metal can touch your finest stock. No slips, laces, snaps, hooks or toggles to change or adjust. Just one continuous piece of fabulous leather that, through a clever design, can be set instantly to any length you want. Using one continuous 84" to 86" strap of the most unusually supple, old-world, pit-tanned Swiss and German leather, guild leather craftsmen hand fashion this handsome and versatile sling to our specifications. In fact, this beautiful, top-grain shell leather is so rare that we buy the entire world's supply just to bring you the LATIGO Slings. Color - Natural tan that gradually darkens with use. LATIGO Slings With QD Swivels - Simply snap this popular quick-detachable swivel onto your existing studs, or mount the studs included with the sling on your gun. Saves time/fuss - mounts in a jiffy.

SPECS: Natural tan, black matte or black gloss color, 1" (2.5cm) and 1 1/4" (31.8mm) wide.

STOCK #	COLOR	MODEL	PRICE
#084-004-000	Tan	1"	4H50M99 \$ 59.99
#084-004-025	Tan	1 1/4"	4H53Q99 \$ 59.99
#084-004-100	Tan	1" w/QD Swivels	4H67C99 \$ 79.99
#084-004-125	Tan	1 1/4" w/QD Swivels	4H71I99 \$ 79.99

LATIGO SLING CHICAGO SCREWS - Replace lost or damaged studs. The same studs used on current manufacture Latigo Slings. Brass, 1/4" long.

- #084-004-200 LATIGO Chicago Screws, per set (2 pieces), 4H3H74 \$ 4.99
- 12 or More - LATIGO Chicago Screws, per set, 4H3F29 \$ 3.49

Always Giving You More...
That's Value...That's

BROWNELLS
Serious About Firearms Since 1939™

UNCLE MIKE'S SLINGS

Belt-grade leather or heavy-duty nylon for great looking, great feeling slings and carrying straps. Top-quality leather is tough and supple, oil finished with brass-plated hardware and leather keepers. Nylon is ideal for wet weather, damp or humid hunting conditions where leather might stain, mildew, or rot.

COBRA STRAP - Wide, comfortable with basket weave pattern on shoulder pad. Suede lining prevents slip.
SPECS: Leather. 2" (5.1cm) wide at pad, 44" (111.7cm) overall length. Fits 1" or 1 1/4" (3.2cm) swivels.
#593-264-100 **#2641 Cobra Basket Weave Strap, 7K29D49** \$ 30.99

MILITARY SLINGS - Traditional military style with double row of holes, 2-piece construction. Brass plated ring and hooks.
SPECS: Leather. Available in 1" (2.5cm) or 1 1/4" (3.2cm) width.
#593-261-105 **#2611-2 1" Plain Military Sling, 7K24P69** \$ 25.99
#593-261-140 **#2611-3 1 1/4" Plain Military Sling, 7K00FWJ** 25.99

NYLON WEB UTILITY SLINGS - Tough, heavy gauge nylon webbing. Blued steel buckles permit adjustment for carry or as a hasty sling for shooting. Light weight, perfect for featherweight guns. Long wear, comfort, top-quality at low cost.
SPECS: Nylon, black. 1 1/4" (3.2cm) wide x 48" (122cm) long.
#593-000-036 **#2670-3, 1 1/4" Utility Sling, 7K00NNJ** \$ 9.99

BLACKHAWK INDUSTRIES STORM SINGLE-POINT TACTICAL SLING



Quiet, Adjustable, Dependable Weapon Retention

Adjustable single-point sling is constructed of heavy-duty 1 1/4" nylon webbing and 1" elliptical elastic bungee cord for optimum performance and stealth. High-density bungee allows 4" of flex—just right for weapon agility in CQB maneuvers—and is covered with tough, weather-resistant compressed tubular nylon sheathing that prevents noise, limits bounce, and provides optimum retention. Strong, single-piece, quick attach/detach "mesh" clip snaps securely to any single point sling adapter to keep your weapon within easy reach when you need it most. Elastic sleeve slides over clip to prevent rattling against gun. Heavy duty tri-glide nylon buckle allows adjustment to permit wear over bulky tactical vests and gear on all body sizes. A 300-lb test nylon "quick ditch" buckle instantly opens the sling if you need to release your weapon quickly.
SPECS: Nylon and elastic bungee cord, black. Carry strap is 1 1/4" (3.2cm) wide. Adjustable from approximately 27" (68.6cm) to 36" (91.4cm) OAL.
#100-003-349 **Storm Single-Point Tactical Sling, 8K28M89** \$ 33.99

WILDERNESS TACTICAL PRODUCTS SINGLE-POINT SLING

Allows Rapid Left- Or Right-Side Transition & Hands-Free Carry

Heavy-duty, nylon sling holds your weapon in a comfortable ready position for easy access when needed. Features a single loop for unlimited freedom of



CROSSTAC AMBI SLING



Fast Transitions From Two-Point To Single-Point Carry

Rugged nylon web sling works as a traditional two-point sling for comfortable hands-free carry, then transitions rapidly to single-point configuration if the mission dictates. Features a 9 1/2" section of bungee cord that keeps the weapon tight to the body to prevent hang-ups; durable nylon sheath protects the bungee. Two steel alligator snaphooks with spring loaded safety locks prevent unintentional release, yet allow fast changes from two- to single-point use. Polymer quick release buckle instantly opens the sling for emergency egress. Polymer adjustment buckles enable easy fit over tactical vests and other gear. Two steel D-rings allow optional advanced single-point configurations. Available with two HK-style clips or two pushbutton QD swivels.
SPECS: Nylon webbing, elastic bungee cord, black. Hardware - Polymer quick-release and adjustment buckles, steel snap hooks/D-rings, black. Adjusts from 29" (73.6cm) to 60" (152cm) long. 1 1/4" (3.2cm) wide.
#100-004-988 **Ambi Sling, HK-Style, 5A53H19** \$ 55.99
#100-013-562 **Ambi Sling, QD Swivels, 5A81I69** 85.99

OUTDOOR CONNECTION TACTICAL SLINGS



Single- & Two-Point Models For Comfortable, Secure Carry & Fast Transitions

Durable tactical slings provide a comfortable carry options while ensuring rapid, smooth transitions to a shooting stance. These slings are manufactured from durable, mil-spec materials, featuring close-weave nylon webbing, heavy-duty 800-lb. tensile strength elastic, double stitching and shockproof polymer hardware that won't rattle or rust. Quick-release buckles can be disengaged with one hand, and triglide slip locks let the operator adjust overall length quickly for rapid shifts from strong side to support side and back. **A-Tac** - Single-point sling fits any weapon that accepts an HK-type snap hook. Provides maximum range of weapon movement for fast transition from many carry positions, including over either shoulder, across the back, under the opposing arm, and around the neck. Three-point polymer buckle allows selective release of the left side of the strap, the right side, or both simultaneously to free the weapon from the sling. **Duty** - Basic two-point sling of straight 1 1/4" wide nylon webbing attaches easily to USGI sling swivel. Loops through rear swivel, secures at front with two steel screw closures.
SPECS: Mil-spec nylon webbing, polymer hardware, black.
#683-000-016 **A-Tac Single-Point Sling, 3A17I99** \$ 19.99
#683-000-017 **Duty Two-Point Sling, 3A8G24** 10.99

movement and rapid cross-shoulder transition from right- to left-side carry. Premium 1 1/2" wide webbing is extremely dense and abrasion-resistant, plus the extra deep, horizontal weave provides maximum strength. Proprietary quick-release buckle made of high-strength Delrin® lets you quickly open and disengage the sling in emergency situations. Webbing threads into all 1 1/4" wide, loop-type sling attachment points.
SPECS: Nylon webbing, black. Delrin buckles & quick releases, black. 32" (81cm) long x 1 1/2" (2.9cm) wide.
#100-004-332 **Single-Point Sling, 3A25A19** \$ 27.99

VIKING TACTICS HYBRID SLING



Rugged, Versatile & Suitable for a Variety of Activities - Lots of Adjustment

Think of the Hybrid Sling as the culmination of all the practical knowledge the gang at Viking has accumulated about slings. It incorporates just about all the most popular features and functionality developed for the different VTAC models. It has a wide padded mid-section for excellent comfort when you're carrying your rifle, with lightweight free-running ends for smooth, fast adjustment. The rubberized pull tab gives you a secure, tactile feel to aid in easy adjustment. A steel adjuster buckle and two Acetal resin tri-glides - one in each adjustment section - give you plenty of flexibility in configuring the sling to fit you and your rifle perfectly. Plus, Acetal is strong and durable, so you don't have to worry about these sliders giving out on you, even during hard, strenuous activity. Made of Type III nylon, with 1" wide ends and 2" wide padded section.
#100-025-476 **VTAC Hybrid Sling, Black, 7K50N10** \$ 55.99
#100-025-475 **VTAC Hybrid Sling, Coyote, 7K50A10** ... 55.99

VIKING TACTICS V-TAC QUICK ADJUST SLING



Simple One-Hand Transition From Firing Position To Carry

Nylon web sling adjusts from carry to firing while moving into position. After firing, a quick tug on the lanyard returns sling to carry position. Designed to carry gun, muzzle down on your back. **Padded** model features a closed-cell foam shoulder pad for greater comfort when carrying heavy weapons long distances. **Upgraded Padded** has metal buckles and hardware, plus a textured rubber pull tab to aid in fast adjustments. **Buttstock Adapter** provides a correct, top-of-stock sling mounting point on fixed-stock rifles and shotguns.
SPECS: Nylon web, Black (BLK), Coyote, O.D. Green (ODG), or Foliage Green (FolGr). 1" (2.5cm) wide. **Padded** model includes 20" (50.8cm) long x 1 1/8" (4.7cm) wide shoulder pad. Adjusts 58" (147cm) to 63" (160cm).
#100-000-669 **V-TAC Sling, BLK, 7K40Q49** \$ 44.99
#100-005-403 **V-TAC Sling, Coyote, 7K40J49** 44.99
#100-005-404 **V-TAC Sling, ODG, 7K40A49** 44.99
#100-005-405 **V-TAC Sling, FolGr, 7K40K49** 44.99
#100-002-868 **Padded V-TAC Sling, BLK, 7K44H99** 49.99
#100-005-406 **Padded V-TAC Sling, Coyote, 7K44L99** 49.99
#100-005-407 **Padded V-TAC Sling, ODG, 7K44F99** 49.99
#100-005-408 **Padded V-TAC Sling, FolGr, 7K44H99** 49.99
#100-007-482 **Upgraded Padded V-TAC Sling, BLK, 7K53M99** 59.99
#100-000-670 **V-TAC Buttstock Adptry, Blk Only, 7K12C14** ... 12.99

SHORT ACTION PRECISION POSITIONAL RIFLE SLING

Comfortable, Easy-to-Use 2-Point Sling That Gives Target Shooters Excellent Support



SAP's two-point sling combines the function of a traditional target shooting sling with a quick-release feature that makes it ideal for PRS and other precision-shooting competitions. Its unique noose cuff tightens securely around your arm to provide a solid foundation, while the quick-adjust front strap lets you adjust

SPECTER GEAR TACTICAL SLINGS



Keeps Your Hands Free & Your Weapon Ready

Heavy-duty, nylon-web slings with durable polycarbonate clasps and keepers hold your weapon in a comfortable ready position until it's time to fire. Double-stitched with #69 thread at all stress points. Available in a number of tactical styles for a wide variety of guns. All are ambidextrous.

CLOSE QUARTERS COMBAT (CQB) SLING - Provides a choice of six carry options. Lets you keep your hands free and bring the weapon into action quickly. Soft and flexible for quiet, comfortable carry; will not generate a noise signature. Easily adjustable with no unnecessary straps, buckles or fasteners. **QR** = a quick release buckle that lets you quickly disengage from the weapon in emergency situations.
SPECS: Nylon web, black. 1 1/4" (3.2cm) wide. Length varies per model.

- #100-000-376** **CQB Sling for AR-15 w/Fixed Rifle Stock, 4K29M69** \$ 32.99
- #100-002-276** **QR CQB Sling for Benelli M1/M2/M3/M4 w/Factory Sling Mounts, 4K33A29** 36.99
- #100-000-385** **CQB Sling for Rem 870 w/Fixed Stock, 4K35M99** 39.99

SPECIAL OPERATIONS PATROL (SOP) SLING - Wide, 1 1/2" nylon webbing distributes weight for comfortable carry. 1" mounting straps provide free, non-binding movement, so the sling moves with your body. Transition-release buckle lets you quickly shift from right- to left-shoulder carry or firing. Sling remains attached so you can drop the rifle to your side and keep both hands free. All models feature the ERB, quick release buckle that lets you disengage from the firearm in emergency situations unless otherwise noted in price line. Ambidextrous design fits right- and left-handed shooters.
SPECS: Nylon web, Velcro fasteners, black. 1 1/2" (3.8cm) wide. Approximately 38" (96.5cm) long.

- #100-000-797** **SOP Sling for AR-15 w/Fixed Rifle Stock, 4K36B89** \$ 40.99

GEN II VIPER SLING - Single-point, nylon sling with two elastic shock cords lets you wear the sling a little tighter, yet easily allows cross shoulder transition. Heavy-duty double-ring mash hook clips securely to any loop-style sling adapter. Built-in release buckle lets you disconnect the weapon quickly and keep the sling on your body—ideal for fast mounting/dismounting from vehicle or transition to unconventional shooting position. A second, "emergency" release buckle in the loop itself allows quick egress from the entire sling. 1 1/2" wide nylon webbing provides optimal comfort with heavier weapons. Additional Mash hook attachments available separately, below.
SPECS: Nylon webbing, polycarbonate buckles and clasp, black. Steel Mash hook. 30" (76cm) diameter, 1 1/2" (3.8cm) wide.



- #100-005-966** **Gen II Viper Sling, 4K38K69** \$ 42.99

for the perfect tension or elevation. When you've taken that nice, stable kneeling or seated shot, you can instantly exit the arm cuff with the quick escape buckle - and you're on your way to the next target. The rugged strap itself is made of 1.5" high-density nylon webbing that helps distribute weight and pressure evenly. When you're not actually shooting, this is an excellent carry sling for lugging the rifle around all day if necessary!
#100-036-468 **Positional Sling, Black, 3H86F44** \$ 90.99
#100-036-466 **Positional Sling, Coyote, 3H86H44** 90.99
#100-036-467 **Positional Sling, O.D. Green, 3H86I44** ... 90.99