

# OPTICS & ACCESSORIES INDEX

Red Dot Sights .....283-291 Scope Accessories.....291-292



## AIMPOINT ACRO P-1 & P-2 RED DOT SIGHTS

**Small in Size But Built To Take a Lickin' - Ideal for Pistol & PDW Applications**

The Acro P-1 is a compact red dot designed for use on pistols and other weapon platforms requiring a small, self-contained red dot system. The reinforced aluminum housing is 1.9" long x 1.2" wide x 1.2" high, and the P-1 is the only sight in its size category that's been completely tested - with 20,000 rounds on a .40 S&W caliber pistol slide - for resistance to shock, vibration, temperature span and other environmental stress. And it weighs only 2.1 oz.! It's optimized for installation on pistols with "optic-ready" slides, and can also be used as a backup sight for the main optic on a carbine, SBR, or PDW - anywhere a small red dot is needed. It has 10 user-adjustable brightness settings for the red, LED-powered 3.5 MOA dot. There are 4 NVD settings and 6 daylight settings, including one extra-bright setting. Change brightness setting via the sealed pressure switch on the side of the housing. It's powered by a single CR-1225 lithium button cell battery that will provide 1.5 years (15,000 hours) of CONTINUOUS use at position 6 and 8+ years on an NVD setting. When you do finally have to change the battery, it's easy: it can be accessed without removing the Acro P-1 from the weapon. Adjustable for windage and elevation using the included tool (+1 yard at 100 yards; 1 click = .6" at 100 yards). Submersible to 82 ft. Hardcoat anodized finish, matte black. Acro sight and required mount plate sold separately. Plates are machined steel; necessary screws included. Pistol-specific mount plates fit optic-ready versions of slides for these pistols ONLY. **Aimpoint Micro** mount plate allows installations of the Acro on a standard Aimpoint mount/base. Underside is drilled/tapped for the original Micro series screws.

- #100-034-000 Acro P-1 Red Dot Sight, 7A00I1A ..... \$ 599.00
- #100-034-001 Glock MOS Mount Plate, 7A00CFR ... 54.00
- #100-034-004 Smith & Wesson M&P Mount Plate, 7A00BHF ..... 54.00
- #100-034-003 CZ P10C Mount Plate, 7A00MRA ..... 54.00
- #100-034-002 H&K VP9/SFP9 Mount Plate, 7A00DAS ..... 53.00
- #100-034-005 Beretta APX Mount Plate, 7A00GRG .. 54.00
- #100-034-007 Aimpoint Micro Mount Plate, 7A00IMA ..... 24.00

**ACRO P-2** - The next generation of Acro pistol mounted optics, the Acro P-2 has a brighter, more efficient LED emitter coupled with a higher capacity CR-2032 battery to provide over 5 (FIVE) YEARS of constant-on use. Built to endure the physical demands of riding atop reciprocating pistol slides, the Acro P-2 goes above and beyond the call of duty. It is designed and tested to withstand the shock, vibration, extreme temperatures, and material stresses generated by firing over 20,000 rounds of .40 S&W ammunition. The P-2 offers 6 daylight and 4 night vision reticle brightness settings. And if you have an "oops" near the water, it is submersible to 35 meters (115 ft.). As of late 2021, the Acro P-2 is the smallest professional-grade, FULLY enclosed red dot sight currently available for pistols and other platforms.

- NEW** 100-042-831 Acro P-2 Red Dot Sight, 3.25 MOA, 8N599Z00 ..... \$ 599.00



H&K VP9/SFP9 Mount Plate



## AIMPOINT PATROL RIFLE OPTIC

**Rugged, Reliable & Versatile - Always Ready**

Parallax-free, non-magnifying red dot sight is ready at all times, with no switches or levers to fumble with. Simply install the supplied battery, turn the PRO on, and forget about it - for up to 3 years! 2 MOA center-dot, with 6 daylight and 4 night vision brightness settings, enables accurate target engagement under a broad variety of conditions. Includes a detachable spacer that allows co-witnessing with the standard iron sights on AR-15/M16/M4 weapons. Or remove the spacer to install the PRO on shotguns or submachine guns. Integrated "rail-grabber" mount with knurled, oversized knob aids in quick attach/detach on Picatinny rails. Compatible with all generations of night vision devices; may also be used with Aimpoint 3x Magnifier and Concealed Engagement Unit. Flip-up lens caps included. **SPECS:** Hard-anodized aluminum, black. 5 1/2" (13.3cm) OAL. 3" (7.6cm) high, including spacer. 13 oz. (368.g) wt. 1x magnification. 30mm tube dia. Unlimited eye relief. 2 MOA dot. Battery life: 30,000 hrs. Waterproof to 150' (45m) depth. One DLI/3N lithium battery, included.

- #100-009-902 Aimpoint Patrol Rifle Optic, 7A00LTB .. \$ 445.00



## AIMPOINT MICRO H-2 RED DOT SIGHT

**A Compact Optic Built To Work Hard - And Keep Working**



Designed using feedback from Aimpoint customers who wanted a truly "hard core" compact red dot sight, the Micro H-2 has a reinforced aluminum housing and integral flip-up covers to protect the lenses so it'll stand up to all types of environmental conditions. Cutting-edge optics and lens coating deliver superior clarity of both the target and the reticle dot itself, leading to faster target acquisition and heightened shooter confidence. Of course, it's parallax-free, with unlimited eye relief, and 12 reticle brightness settings you can adjust it to meet almost any lighting condition. Machined ramps on the body provide snag-proof protection for the windage and elevation turrets. Compatible with both Weaver and Picatinny rails or it can be piggy-backed on to a larger optic. Fully waterproof to withstand whatever Mother Nature dishes out.

**SPECS:** Aluminum body, matte black. 1x magnification. 2.6" (6.6cm) long, 1.6" (4.1cm) wide, 1.4" (3.5cm) high. 3.7 oz. (104.9g) wt. Runs 50,000 hours on one CR-2032 battery, included.

- #100-018-559 2 MOA H-2 Sight, Only, 7A00PWG ..... \$ 732.00
- #100-018-558 2 MOA H-2 Sight w/Low Mount, 7A00CCR ..... 745.00
- #100-018-347 2 MOA H-2 Sight w/LRP Mount, 7A00BRJ ..... 820.00

## AIMPOINT MAGNIFIERS

**Turns Your 1x Red Dot Into a Magnified Optic for Reaching Out to More Distant Targets**

Designed to provide an add-on magnification option for ALL of Aimpoint's non-magnifying red dot sights, these versatile, easy-to-install modules add enhanced capability for longer-range targeting without requiring a complete change of optic. They can even be popped off the rifle and used as a handheld monocular. They use the dot in Aimpoint red dot sights as the aiming reticle, eliminating the need for re-zeroing when changing between non-magnified and magnified aiming, greatly enhancing the individual shooter's on-the-fly versatility. Aimpoint Magnifiers are designed to mount behind the red dot sight and won't cause zero shifts when mounted, or when used in a flip mount. Professional models have rubber-armored bodies to protect against impact, shock and the rigors of military or police operations, and have -3 to +3 dioptic adjustments to allow crystal-clear focus for any shooter's eye. Commercial model delivers the same level of optical clarity with -2 to +2 dioptic adjustments, but at a more economical price. Available in fixed 3x or 6x powers. **3x Professional** model available alone, or with Twist Mount and Spacer included. **6x Professional** model designed specifically for use with Aimpoint Micro T-2 and Micro H-2, sold separately.

- #100-019-320 3x Commercial Magnifier, 7A00EKE ... \$ 287.00
- #100-019-321 3x Professional Magnifier, 7A00IFG .... 810.00
- #100-019-322 3x Professional Magnifier w/Twist Mount & Spacer, 7A1109170 ..... 1209.00
- #100-019-323 6x Professional Magnifier, 7A00PAA ... 849.00



**3X-C MAGNIFIER FOR AR-15** - Has a variable (-2 to +2) dioptic setting to aid in adapting to the individual shooter's eye. Internal optical adjustments make aligning the magnifier and sight quick and easy. The 3X-C's sturdy aluminum housing is encased in a shock-absorbing protective rubber cover that also provides a secure, ergonomic grip for the shooter (operating temperature: -45 deg. C to +70 deg. C). Comes with everything you need to install it on a flattop AR-15: Aimpoint's Flip Mount 39mm Ring and Twist Mount Base. The Flip Mount lets you flip the 3X-C out of the aiming path, so you can return to the 1x view through your Micro for close-range targets. The Twist Mount lets you completely remove the gun and reinstall the magnifier at will. Overall dimensions: 4" x 1.75" x 1.75".

- #100-027-547 3X-C Magnifier, 7A00PHG ..... \$ 687.00



## BURRIS AR-15/M16 AR-TRIPLER™ GEN2 MAGNIFIER

**Adds 3x Magnification To A 1x Optic For Longer Range Shots**

When installed behind a non-magnifying red-dot sight, this add-on optic provides a true 3x system for accurately engaging targets at longer ranges. Waterproof, fogproof and shockproof, the AR-Tripler has fully multicoated lenses to deliver excellent brightness and clarity. Power button allows you to select either a red or green illuminated reticle, plus adjust brightness level. Windage and elevation knobs allow you to adjust the magnifier on the red center-dot of the sight for maximum effectiveness. Designed for use with AR-style rifles firing 5.56/.223 ammunition. In situations where magnification isn't needed, the quick-attach/detach AR-QD Pivot Ring Picatinny mount lets you



## AIMPOINT MICRO T-2 RED DOT SIGHT

**Enhanced, Night Vision Compatible Edition Of This Popular Red Dot**

The Micro T-2 is a redesigned, upgraded evolution of the original T-1 that adds compatibility with all generations of night vision devices (NVD). The T-2 retains the original's ruggedness and reliability, while adding a unique coating on the front lens that reflects the 2 MOA dot's red light at nearly 100% efficiency to give the highest possible dot clarity and brightness. This provides a remarkably clear image when used with a 3rd generation NVD and when used with an Aimpoint 3XMag magnifier.

With 4 NVD-compatible brightness settings and 8 daylight settings, including one extra-bright setting, the T-2 is ideal for 'round the clock operation hunters, sport shooters, military, and law enforcement. Robust extruded aluminum housing, matte black anodized, with a mechanical control switch for added reliability. Runs on one CR-2032 lithium battery, 50,000-hour continuous-use battery life; 500,000 hours at NVD settings. The T-2 is available alone, with an integral mount for installation on any rifle, shotgun, or handgun with a Picatinny accessory rail, or with a quick-release LRP Mount that is the correct height for co-witnessing with AR-15 factory "iron" sights. Also available with a Unity Tactical FAST™ Micro Riser Mount with built-in standard height back up "iron" sights (BUIS). The FAST mount helps keep the weapon uncluttered, without reducing capability. Both front and rear BUIS are completely adjustable for windage and elevation. Perfect for backup on super short PDW/SMG platforms where scarce rail space has to be conserved for mounting lights and lasers. Or choose lightweight, slim-line **Reptilia T-1/T2 Mount** that clamps to any M1913 Picatinny rail to place the optical axis at 1.93" above the rail. Spring-loaded steel clamp and mounting bolt sit flush with the body of the mount for a low-profile, anti-sag setup. Mount is machined from billet 7075-T6 aluminum, hardcoat anodized finish.

- #100-016-034 Micro T-2 Sight w/Mnt, Blk, 7A00ATG .. \$ 809.00
- #100-018-346 Micro T-2 Sight w/LRP Mount, Blk, 7A00MQG ..... 910.00
- NEW** 100-042-935 Micro T-2 w/FAST Mnt, Blk, 9P951A00 .. 951.00
- NEW** 100-042-936 Micro T-2 w/FAST Mount, FDE, 1Q951B00 ..... 951.00
- NEW** 100-042-937 Micro T-2 w/Reptilia 1.93" Mount, Black, 2R839C99 ..... 839.99
- NEW** 100-042-938 Micro T-2 w/Reptilia 1.93" Mount, FDE, 3S839D99 ..... 839.99
- #100-018-550 Micro T-2 Sight Only, No Mount, 7A00LDD ..... 782.00



T-2 w/Std Mount



T-2 w/LRP AR-15 Mount

Orders: 800-741-0015


order on the web  
**brownells.com**

**BROWNELLS** PAGE 283



## AIMPOINT RED DOT SIGHT MOUNTS & ACCESSORIES

Handy Upgrades To Help You Get the Most from Your Aimpoint Red Dot Sight

**MICRO MOUNTS** - Precision machined aluminum and steel components provide more mounting options to increase the versatility of your Aimpoint Micro series red dot sight. **QD Riser Mount** allows mounting the Micro on any flattop AR-15/M16/M4 at the ideal height for quick, precise, head-up target acquisition. Lets you retain and co-witness your rifle's factory iron sights through the lower 1/3 of the Micro's field of view, so they won't interfere with the Micro's sight picture. Locking, quick-release lever for fast attachment and removal from rail; machined recoil lug and side rail clamp ensure a rock solid installation. Provides the correct height for use with Aimpoint 3XMag Magnifier. Requires 2 1/8" (5.4cm) of rail space. **Dovetail Mount** replaces the base that came with your Micro sight so you can mount it on any gun with a nominal 3/8" dovetail on the receiver. 

**SPECS:** LT660 & Dovetail - Aluminum, hard anodized, matte black.

**#100-003-578** LT 660 QD Riser Mount, 7A00CWX ..... \$ 144.00

**#100-003-576** Dovetail Mount, 7A00NVN ..... 88.00

**TENEBAEX KILLFLASH® ARD** - Anti-Reflection Device screws into front lens opening of 9000SC and Comp series sights. Honeycomb filter disperses light to prevent reflections from front lens giving away your position without adversely affecting sight picture. Fits under the lens cover without modification. **SPECS:** Polymer, black. Fits 9000SC and Comp series sights.

**#100-003-624** KillFlash® ARD, 7A00LPJ ..... \$ 49.00

**REPLACEMENT LENS COVERS** - Replace lost or broken lens cover with the factory original part. **Flip-Up Covers** - Spring-loaded polymer covers flip open with finger pressure. Available in black or see-through clear Tight, friction-fit installation. Fit non-magnifying (1x) 9000 and Comp series, including C3, MPS3, and M4/M4S. Rear covers fit all Aimpoints with 30mm rear objectives, including Comp and 9000 series. **Military** - One-piece, rubber, slip-on style with loop that fits over quick-release knob on QRP and QRW mounts. Fits Comp M2, ML2, M3, ML3, M4, and M4S. **Micro** - One-piece, rubber, "bikini"-style cover for Micro series sights.

**SPECS:** Fits Aimpoint Red Dot sights as indicated above. **Flip-Up Covers** - Molded polymer, black. Clear models have clear polymer windows in lid. **Military & Micro** - Rubber, black.

**#100-003-612** Flip-Up Front Cover, Blk, 7A00QFL ..... \$ 19.00

**#100-003-618** Flip-Up Front Cover, Clear, 7A00MMI ..... 19.00

**#100-003-616** Flip-Up Rear Cover, Blk, 7A00KHA ..... 19.00

**#100-003-621** Flip-Up Rear Cover, Clear, 7A00JWH ..... 19.00

**#100-003-623** Military Lens Cover, 7A12F00 ..... 12.00

**#100-003-625** Micro Lens Cover, 7A00MAK ..... 19.00

**REPLACEMENT DL1/3N BATTERY** - Factory recommended lithium battery fits 9000 series, CompC3, CompC SM, CompM2, CompML2, CompM3, CompML3, Laser Aiming Device LPI, 1000 series, 3000 series, 5000 series, 7000 series, Comp, CompC, Comp XD, CompM, CompMXD, CompML, CompMLXD. **SPECS:** 3-volt DL1/3N lithium battery

**#100-005-215** DL1/3N Lithium Battery, 5Z00MDM ..... \$ 5.49



## ATHLON OPTICS MIDAS RED DOT SIGHTS

Reliable, Affordably Priced Sights for Pistol, Rifle & Shotgun Use

The speed and versatility of a red dot goes unmatched in close range engagements. Whether you are running a red dot on an AR-15 or PCC in competition, hunting, or an optics ready pistol, Midas red dots have you covered. With 50,000 hours of battery life at medium setting and motion sensor activation, a Midas is always ready. These sights offer multiple user-adjustable illumination settings for best visibility under different ambient light environment. A built in motion detector automatically turns on the unit as soon as you pick up the gun. Smart Power Management System puts the sight into sleep mode when no motion is detected for 5 minutes. The unit automatically resumes the last illumination setting when you turn it on OR after changing the battery. Fully multicoated lenses effectively reduce reflected light and increase the transmission of light, giving you a brighter image than normal single-coated lenses. One-piece housings are made of aluminum for strength and superior mechanical integrity to protect the lenses and electronics no matter what punishment you throw at it. Tested to resist the effects of recoil up to 600 Gs for 1,000 repetitions. One-piece housings are better at keeping moisture out, thus keeping the optic fog proof for the life of the sight. Nitrogen purging dramatically reduces the moisture inside the tube to maintain fogproof and waterproof properties.

**TSR1 REFLEX SIGHT** - Features a 3 MOA red dot that enables the pistol shooter to acquire the dot very quickly while focusing on the target. The TSR1 comes with a built-in M1913 Picatinny mount, and it is also compatible the Glock M.O.S. pistol mounting plate #01.

**#100-042-197** Midas TSR1 3 MOA Red Dot, 5U229F99 ..... \$ 229.99

**TSR3 RED DOT RIFLE SIGHT** - The TSR3 is a non-magnifying red dot sight designed for tactical rifles or shotguns. It has a 36mm diameter lens and a 2 MOA dot with 10 daylight and 3 night vision brightness settings. Comes with built-in M1913 Picatinny mount.

**#100-042-199** Midas TSR3 1x36mm 2 MOA Red Dot, 6V199G99 ..... \$ 199.99

**TSP3 & TSP4 PRISM SIGHTS** - The TSP series has the same feature set as the TSR1 but with the benefit of magnification for reaching out to more distant targets than the TSR3 is equipped for. These prism red dot scopes give you great versatility, the prism providing unusually crisp, vivid images. The prism-based design also allows for a more compact scope without sacrificing optical quality. These sights are nitrogen-filled, fog-proof and shockproof, allowing for reliable operation in a wide range of adverse environments. They have selectable red/green illuminated reticles with multiple brightness levels to match your specific conditions. The reticles are etched directly on the glass to make sure you have a consistent point-of-aim at all times. Whether you have the illumination on or off, the reticle is always visible, so if your batteries run down or in the unlikely event that the electronics fail, you can still use your sight Smart Power Management System shuts off the reticle after the brightness adjustment has not been activated for 6 hours.

**#100-042-200** Midas TSP3 3x28mm Red/Green Dot, 7W259H99 ..... \$ 259.99

**#100-042-201** Midas TSP4 4x30mm Red/Green Dot, 8X256J99 ..... 269.99



## BURRIS RED DOT REFLEX SIGHTS

Fast, Precise Heads-Up Sighting; Ultra-Robust Design Handles Magnum-Power Recoil

**FASTFIRE III** - Same dependable red dot sight as the FastFire II with enhanced features, including a tactile pushbutton power switch with three controllable levels of brightness, plus an automatic brightness setting. Battery access from the top lets you change the battery without removing the sight from the gun. Low battery indicator and automatic power shutoff after 8 hours help keep you from running out of power at the wrong time. Windage and elevation adjustments can be made quickly with a coin - no special tool needed - with a 3° (190" at 100 yards) adjustment range. Available with 3 or 8 MOA dot, with integral quick-attach/detach Picatinny mount.

**SPECS:** Aluminum, stainless steel, and bronze, matte black finish. 1.9" (48.2mm) long x 1" (25.4mm) wide x 1" high. 9 oz. (25g) wt. Runs on one CR-1632 Lithium battery. Includes battery, protective cover, mounting screws, wrench, and instructions. FastFire III is not compatible with the AR-F3 FastFire Mount or the Picatinny Protector Mount.

**#118-000-052** 3 MOA FastFire III, w/Picatinny Mount, 8A199I99 ..... \$ 229.00

**#118-000-053** 8 MOA FastFire III, w/Picatinny Mount, 8A00IJR ..... 229.00

**PISTOL MOUNTS** - While the Burris FastFire III sight comes with a MIL-STD 1913 Picatinny mount that'll enable attaching it to the vast majority of long guns, Burris also offers specialty adapters for mounting it directly to the rear sight dovetails of popular pistols. These mounts accept both FastFire II and III models, as well as the older Doctor sights.

**SPECS:** Aluminum, matte black. Mounting screws included.

**#118-000-013** 1911 Standard FastFire Mnt, 8A46I54 ..... \$ 46.99

**#118-000-014** 1911 Novak FastFire Mnt, 8A46M54 ..... 46.99

**#118-000-015** 1911 Bo-Mar/Kimber FastFire Mount, 8A46L54 ..... 46.99

**#118-000-012** Springfield XD FastFire Mnt, 8A46J54 ..... 46.99

**#118-000-073** S&W M&P FastFire Mount, 8A46C54 ..... 46.99

**PICATINNY PROTECTOR MOUNT** - Lightweight mount with raised "wings" protects your FastFire sight from damage. Mounting platform is contoured for a perfect fit and attaches with two Allen head screws. Extra-large, steel cross-bolt and clamping bar provide a tight, positive lock on Picatinny rails.

**SPECS:** 6061 T6 aluminum, anodized, matte black finish. 2" (10cm) long, 1 1/8" (3.5cm) wide, 1 1/8" (3.2cm) high. 1.3 oz. (36.8g) wt.

**#118-000-016** Picatinny Protector Mnt, 8A73P14 ..... \$ 74.99

**AR-F3 FLATTOP FASTFIRE SIGHT** - Features a Burris FastFire III 3-MOA dot optic, enclosed in a specially designed mount that allows the unit to be attached to flattop upper receivers. Rugged aluminum mount positions the optic to co-witness iron sights on AR-style rifles. Attaches easily to Picatinny rails.

**#118-000-067** AR-F3 Flattop FastFire Sight, 8A00BBB ..... \$ 299.00



## C-MORE SYSTEMS "RAILWAY" RED DOT SIGHT

Fast, Instinctive Reflex Sight; Fully Adjustable for Brightness & Windage/Elevation

Classic red dot sight system can be installed on a variety of handguns, rifles and shotguns. Tough electronics stand up to recoil even from hard-hitting magnums. Standard dial rheostat varies reticle brightness for smooth adjustments. Runs on readily available 3-volt lithium batteries, with a runtime of up to 1,500 hours. Gives up to 800 MOA of windage/elevation adjustments; locks in with screws, so you can achieve - and maintain - pin-point precision. Clamps to any Picatinny or Weaver rail. Single crossbolt gives you great flexibility in where you position the sight on the rail. Housing is made of reinforced molded polymer. Like all C-More sights, the Railway uses interchangeable dot modules, so you change the size of your sight's dot any time. **Extra dot modules sold separately - see our website.**

**#100-200-335** Railway Red Dot Sight w/8 MOA Dot, 4H00LWN ..... \$ 253.99

## AIMPOINT COMPM4/COMPM4S RED DOT SIGHT

Civilian Version of Combat-Proven U.S. Army "Close Combat Optic"

The latest civilian version of the U.S. Army's M68 CCO (Close Combat Optic), and the most advanced sight produced by Aimpoint. Super efficient electronics deliver up to 8 years of continuous use from a single AA battery. Optics feature band pass objective lens coating for superb light transmission and optimum 3rd generation NVD compatibility. Newly improved rotary brightness switch provides 7 NVD settings and 9 daylight settings, plus one extra-bright setting for outdoor use with anti-reflective goggles. Excellent choice for varmint hunters needing a rugged red dot optic with low light capabilities. The 6000-series aluminum housing with hard-anodized finish delivers maximum strength without unnecessary added weight. Lens surfaces are optically ground (not cast) for superior clarity. Proprietary housing and lens sealing material keeps electronic and lens surfaces dry, fog-free and fully functional regardless of weather conditions. Integral, QRP2 mount (no additional mounting ring required) features a single, oversized thumbscrew for fast installation and removal from Picatinny rails. Mount includes a separate vertical spacer for fast adaptation to a wide range of firearms. Can be quickly converted to a 3x long-range red dot reticle scope by installing an optional Aimpoint 3XMag magnifying module, sold separately. **CompM4S** has the same operating features as the **CompM4** and has the battery compartment positioned low, on the right side of the unit, for more clearance and improved view over the top of the optic.

**SPECS:** Anodized finish, matte black. 4.7" (120 cm) long x 2.8" (7.2m) wide x 2.8" high. 11.8 oz. (335 g) wt. including mount. 1X magnification. Windage & Elevation: 1/2" adjustment 100 yds (13mm 100m). ACET = 80,000 hrs on one battery on daylight setting, 500,000 hrs on NV setting. Includes alkaline battery (1.5v, AA). Submersible to 150 feet (45m).

**#100-003-002** CompM4 2MOA, 7A00ARG ..... \$ 898.00

**#100-003-734** CompM4S 2MOA, 7A00GGE ..... 898.00



## HOLOSUN

### HM3X MAGNIFIER

Extends the Range of Your Non-Magnifying Red Dot Sight

The HM3X is an aluminum-bodied add-on 3x magnifier for your Holosun red dot sight that includes a quick-release, ambidextrous,



flip-to-side mount with absolute and lower 1/3 co-witness mounting capability. It offers 2.75" of eye relief, IP67 certified water resistance, with windage and elevation adjustment for precision zeroing.

**#100-034-010** HM3x Magnifier, 9Z00FRL ..... \$ 199.99

QUESTIONS BEFORE YOU BUY — Ask Our Full-Time Tech Staff

GUARANTEED. FOREVER.®  
SINCE 1939



### EOTECH

## HOLOGRAPHIC SIGHT

**Provides Extremely Fast, Heads Up Target Engagement For Close Quarters & Long Range Shooting**

Weatherproof, shockproof holographic rifle sight has a variable-intensity reticle that is visible in any light. As long as the operator can see through any portion of the window, the entire reticle is visible on the target. All models (except 552.XR308) feature a dot-within-a-circle reticle that presents a see-through pattern for lightening-quick target acquisition. Heads-up display eliminates blind spots and tunnel vision. Gives true, both eyes open shooting for instant target identification. Electronics are encapsulated in a shock absorbing resin compound and sealed against dirt and water. Shatterproof lens has an anti-reflective coating. Light signature is not visible from the front. All user controls are flush with the housing, no protruding knobs or mounting rings to snag or block vision. Integral mount fits Weaver-style and Picatinny bases. Aluminum "roll bar" hood protects display. **Model 552** and **552.XR308** are night vision compatible with a brightness range of 1,000:1 with NV switch engaged. **Model 552.XR308** has a ballistic drop compensated reticle for .308 ammunition, with hash marks calibrated for 600, 900, and 1,200 meters. **Model 512** has no provisions for night vision equipment.

- 512**: Polycarbonate body, aluminum hood, matte, black. Lens - 3/16" thick, 3-layer, shatterproof laminate glass. Reticle size: 1 MOA dot and 65 MOA ring. **512**, **552** & **552.XR308** - 5/16" (13.5cm) long, 1 1/4" wide, 2 1/8" high. 11.5 oz. (326 g) wt. Uses two AA batteries, included. **512.LBC** - 5/16" (13.7cm) long, 2" (5.1cm) wide, 2 1/4" (5.7cm) high. 10.9 oz. (309 grams) wt. **552.LBC2** - 5/16" long, 2 1/4" (7cm) wide, 2 1/4" high. 12.6 oz (357g) wt. **553** - 4 1/8" (12.4cm) long, 1 1/8" wide, 2 1/4" (7.1cm) high, 12.2 oz. (345g) wt. Uses two CR-123A lithium batteries, included.
- #100-001-738** 512 EOTech Holographic Sight, 9K00CMC ..... \$ 475.00
- #100-000-909** 552 EOTech Holographic Sight, 9K00MZA ..... 575.00
- #100-003-196** 552XR308 EOTech Holographic Sight, 9K00DPQ ..... 629.00

**518/558** - Latest development of the classic 512 series offers all the features of the top-of-the-line EXPS sights, plus the convenience of running on easy-to-find AA batteries (lithium, alkaline, and rechargeables all work). Side-mounted control buttons make it easy to pair up this sight with an EOTech magnifier. Also compatible with EOTech's drop-in Laser Battery Caps to enhance your aiming options with visible and IR lasers. Built-in mount with quick-release lever fits MIL-STD 1913 Picatinny rails. Reticle is a red 65 MOA ring with a 1 MOA dot in the center. The **518** has 20 daylight reticle brightness settings. The **558** is compatible with Gen I-III night vision devices (NVD), with 20 daylight settings and 10 NVD reticle brightness settings.

- 518**: Aluminum housing, hardcoat anodized, matte black. 5.6" long x 2.2" wide x 2.9" high.
- #100-017-311** 518 EOTech HWS, 9K00CNK ..... \$ 545.00
- #100-017-310** 558 EOTech HWS, 9K00LKD ..... 639.00

### REPLACEMENT PARTS

Genuine factory replacement parts fit perfectly and help you keep your EOTech sight running like new. Hood installation requires the four, T-15 Torx®-head screws in the **Hood Mounting Screw Kit**, available separately. Polymer **Battery Compartments** are available for N-cell powered 500 series, pre-2009 model 512/552 sights that use AA-cells, and model 553 (two CR-123A cells). **Battery Caps** with new style tether available to replace lost or damaged battery caps on XPS/EXPS sights. **Mounting Hardware** kit contains an Allen head cross-bolt and wrench, Weaver-style



- slotted mount bolt, plastic washer, and Weaver lock bar. Fits 511, 512, 551, 552 sights only.
- SPECS:** Hood Screws/Mounting Hardware Kit - hardened steel, matte black. Battery Compartments - Reinforced molded polymer.
- #100-005-847** Hood Mounting Screw Kit, 9K00HPF ..... \$ 6.99
- #100-005-848** 511/512/551/552 Mounting Hardware, 9K00GTG ..... 22.00
- #100-005-842** Pre-2009 512/552 Battery Compartment, 9K00EBP ..... 20.00
- #100-008-121** Post-2009 512/552 Battery Compartment, 9K00EGM ..... 13.99
- #100-008-123** XPS/EXPS Battery Cap w/Cable Tether, 9K00KKA ..... 22.00

**XPS SERIES** - The most compact EOTech holographic weapon sight series yet. Runs on a single CR-123 battery, yet delivers up to 600 hours of continuous operation. Overall sight length is less than 3 1/2" because the battery is mounted crossways, at the front of the housing. Sealed, waterproof buttons let you activate the high-visibility red reticle and precisely adjust the brightness level for any ambient light conditions. Automatically shuts off after 8 hours (user may reset to 4 hours) to preserve battery life. Fully adjustable for windage and elevation in 1/2 MOA clicks. Non-magnifying, fogproof optics of shatter-resistant, anti-glare coated laminate provide exceptional clarity. Base requires only 2 1/4" of rail space; fits MIL-STD 1913 Picatinny rail. O-ring sealed battery cap keeps out moisture (submersible to 10-ft. depth). Standard XPS models have rear-mounted control buttons. **EXPS2-0** - reticle is an easy-to-see 65 MOA circle with a 1 MOA aiming dot in the center. **EXPS2-0GRN** has a green reticle that is approximately 6X easier to see than red in daylight. This provides much faster target acquisition during operations in bright light. 65 MOA circle with 1 MOA center dot. **EXPS2-1** has only 1 MOA center dot without the circle. **EXPS2-2** has the 65 MOA circle with a dot for up to 200 yards and a second dot for ranges out to 500 yards. **EXPS2-300** has a specially engraved hood with ballistic information for the 300 AAC Blackout cartridge, a 65 MOA circle and two vertically-aligned aiming dots. **EXPS3-0** is night-vision compatible with a night vision brightness range of 1,280:1 with NV switch engaged. **EXPS3-2** has a red reticle with 65 MOA ring with two, vertical 1 MOA dots.

- SPECS:** Aluminum housing, hardcoat anodized, matte black. 3.675" (9.3cm) long x 2.125" (5.4cm) wide x 2.375" (6cm) high. 8.8 oz. (250g) wt. Windage and elevation adjustment range +/-40 MOA in 1/2 MOA clicks (1/2" at 100 yards). Brightness adjustment range: 146,000:1, brightest to lowest. 20 brightness settings; night-vision compatible models have additional 10 NV settings. Brightness range in NV mode: 1,280:1.
- #100-004-277** XPS2-0 Sight, 9K00KWE ..... \$ 545.00
- #100-028-986** XPS2-0 Sight w/Green Reticle, 9K00EGA ..... 649.00
- #100-036-447** XPS2-0 Sight w/GRAY Housing, 9K00QFF ..... 545.00
- #100-012-625** XPS2-1 Sight, 9K00BPQ ..... 545.00
- #100-012-626** XPS2-2 Sight, 9K00NEB ..... 545.00
- #100-012-627** XPS2-300 Sight, 9K00AII ..... 555.00
- #100-004-498** XPS3-0 Sight, 9K00LSQ ..... 639.00
- #100-028-984** XPS3-2 Sight, Black, 9K00IHG ..... 639.00

**EXPS SERIES** - Extreme-XPS (EXPS) models feature a battery compartment positioned above the base so the sight can be mounted closer to the Delta ring. A slightly higher base positions the viewing window to co-witness with iron sights. Quick-release rail mounting system has a release lever that fits flush along the side of the sight, so the EXPS is no bulkier than the XPS. A locking tab prevents accidental lever release. Control buttons on the left side of the housing. **EXPS2-0/EXPS3-0** - 65 MOA circle/1 MOA center dot reticle. **EXPS2-0GRN** has a green reticle that's 6 times more visible in bright daylight than standard red. 65 MOA circle/1 MOA center dot. **EXPS2-2/EXPS3-2** - 65 MOA circle with two vertically-aligned center dots, one for targeting out to 200 yards, other out to 500 yards. - 65 MOA circle/1 MOA center dot reticle. **EXPS3-4** - four stacked dots, representing 0-300, 400, 500 and 600 yard aiming points. **EXPS3** models are Gen I-III+

- night-vision compatible.
- SPECS:** 3.675" long x 2.25" (5.7cm) wide x 2.75" (7cm) high. 11.2 oz. (317g) wt. Windage and elevation adjustment range +/-40 MOA in 1/2 MOA clicks (1/2" at 100 yards). Brightness adjustment range: 146,000:1, brightest to lowest. 20 brightness settings; night-vision compatible models have additional 10 NV settings. Brightness range in NV mode: 1,280:1.
- #100-012-623** EXPS2-0 Sight, Black, 9K00FCS ..... \$ 589.00
- #100-028-985** EXPS2-0GRN Sight w/Green Reticle, Black, 9K00QAF ..... 689.00
- #100-012-624** EXPS2-2 Sight, Black, 9K00PKK ..... 589.00
- #100-005-734** EXPS3-0 Sight, Black, 9K00AVM ..... 689.00
- #100-012-620** EXPS3-0 Sight, Tan, 9K00PGC ..... 689.00
- #100-005-735** EXPS3-2 Sight, Black, 9K00LYL ..... 689.00
- #100-012-621** EXPS3-2 Sight, Tan, 9K00FQL ..... 689.00
- #100-006-647** EXPS3-4 Sight, Black, 9K00JEL ..... 689.00

**G33.STS MAGNIFIER** - Third-generation add-on optic system helps greatly increase the effective reach of any EOTech Holographic Weapon Sight (HWS) without compromising close-range ability. 3x Magnifier mounts directly behind the HWS, requires no adjustments to the HWS itself and leaves the point of aim unchanged. Finger-adjustable windage and elevation knobs make sight corrections easy. Sealed, fogproof, submersible to 33 ft., and fully adjustable for windage and elevation. Switch-To-Side (STS) mount lets you instantly transition between magnified and unmagnified viewing with a slap of your hand. Mount can be installed to flip to either left or right side. Quick-detach lever enables easy mount/dismount on any Picatinny rail, and included riser allows optic to align with 7mm raised sights. Available in black or tan.

- SPECS:** Aluminum, hardcoat anodized, matte black. 3.9" (9.9cm) long. 11.9 oz. (337g) wt. Actual magnification 3.25x. Eye relief 2.2" (5.5cm). Field of view 7.3°. Operating temperature range -40° to 160° F.
  - #100-010-865** XG33.STS Magnifier, Blk, 9K00GVM ..... \$ 579.00
  - #100-012-628** XG33.STS Magnifier, Tan, 9K00KLK ..... 579.00
- HHS SIGHT/MAGNIFIER SETS** - Combines an EXPS series sight with the G33.STS magnifier to provide a sighting system with maximum versatility. Magnifier aids target acquisition at longer ranges and can be quickly flipped to the side for clear access to the non-magnifying EXPS alone in close-quarter engagements. Both units feature quick release levers and will attach easily to any flattop AR-15/M16 rifle. **HHS I** has a night vision compatible EXPS3-4 sight featuring a ballistically compensated reticle calibrated for the 5.56 NATO cartridge fired from a carbine-length barrel, with aiming dots for engaging targets at 0-300m, 400m, 500m, and 600m. **HHS II** has an EXPS2-2 sight featuring two vertically-aligned 1 MOA aiming dots ballistic-matched for the M4 carbine at 50/200m and 500m. Not night vision compatible. **HHS V** pairs an EXPS3-4 sight with EOTech's powerful G45 5x magnifier for longer-range target identification and engagement, plus instant transition to 1x operation via the Switch-To-Side (STS) mount that offers quick disengagement of the G45. Night vision compatible, wide-field optical performance in low light. **EXPS2-0GRN + Magnifier Set** contains the G33.STS with flip-to-side mount plus an EXPS2-0 sight that features a super-high-visibility GREEN reticle (65 MOA circle/1 MOA center dot) that's almost 6 times as visible in bright daylight as the standard red reticle.

- SPECS:** Aluminum housing, hardcoat anodized, matte black. 8.1" (20.6cm) approx. OAL with magnifier installed behind sight. 2.25" (5.7cm) wide, 2.75" (7cm) high. 11.2 oz. (317g) wt. EXPS3-4 runs on one CR-123A lithium battery, included. Battery life is 500-600 hrs at setting 12.
- #100-007-265** HHS I EXPS3-4/Magnifier Set, 9K00MKI ..... \$ 1179.00
- #100-011-155** HHS II EXPS2-2/Magnifier Set, 9K00EHP ..... 1109.00
- #100-043-842** HHS V EXPS3-4/G45 Magnifier Set, 1J1275V00 ..... 1275.00
- #100-028-988** EXPS2-0GRN Sight/G33.STS Magnifier Set, 9K00INR ..... 1215.00

## J.P. ENTERPRISES JPOINT® SIGHT

**Provides Fast Target Acquisition For All Weapon Types**



Compact and lightweight, this microelectronic reflex sight provides a nearly unrestricted field of view for rapid target acquisition. Small size doesn't affect gun balance and handling. Features an always-on, micro-chip control that requires no switches or adjustments. LED insert senses light level and automatically sets the brightness of the 4 MOA dot for optimum visibility in all ambient light conditions. Snap-on, protective cover extends battery life, protects lens from dust and dirt. Has 25° of windage/elevation adjustment at 20 yds. Fits the same bases and mounts as the Fire Point and Tasco Optima sights.

- SPECS:** Polymer body, black, matte finish. 1" (2.5cm) wide, 1.6" (4.1cm) long, .9" (23mm) high. 1/2 oz. (14 g) weight. Uses (1) CR2032 lithium battery, included. 2 to 3 years of battery life.
- #452-000-016** 4 MOA JPoint Sight, 2E00FAN ..... \$ 284.95

## LEUPOLD DELTAPoint MICRO RED DOT SIGHT



**Designed for Concealed Carry Pistols, Ultra-Low-Profile Red Dot Fits Factory "Iron" Sight Rear Dovetail**

For folks who want a rugged, reliable red dot sight for their concealed carry pistol but don't want to deal with replacing factory sights or complicated mounting systems, the DeltaPoint Micro is what they've been looking for. Its very low-profile, concealable design really makes it stand out from the competition. Mounted directly to the rear sight dovetail, the DeltaPoint Micro sits at the same height as factory iron sights and aligns the red dot with the front sight, giving the shooter exceptionally fast target acquisition and improved accuracy. With 8 levels of illumination, you can easily adjust the brightness of the dot to match current conditions. **Glock** model does not fit MOS. **Smith & Wesson** model does not fit M&P Shield EZ or M&P CORE.

- #100-045-152** DeltaPoint Micro 3 MOA Sight for Glock, 1C00STU ..... \$ 399.99
- #100-045-153** DeltaPoint Micro 3 MOA Sight for S&W M&P, 2D00UVW ..... 399.99

## MEPROLIGHT MEPRO M21 REFLEX SIGHT

**Glowing Reticle Is Easy To See In All Light Conditions**



Ultra-bright light-gathering, fiber optics above the sight and below the lens plus a Tritium insert provide a crisp reticle in bright daylight or low light that's easy to see for quick target acquisition. No batteries to fail at the wrong time, no switches to break - the Mepro 21 is always on and ready to use. Plus, the bright reticle is easy to pick up under stress - available in a variety of different shapes. 30mm lens gives an excellent field of view and has a multi-layered coating to enhance light transmission. Dual-lever, quick-release mounting system provides accurate return-to-zero on Picatinny rails. *Ships directly from manufacturer. Please allow 10 additional business days for shipping.*

- SPECS:** Cast alloy housing, matte black. 4 1/2" (11.4cm) long, 1 1/2" (4.2cm) wide. 13 oz. (368 g) wt.
- #387-000-093** Mepro 21, Triangle, 2B00JID ..... \$ 449.99
- #387-000-091** Mepro 21, 4.3 MOA Dot, 2B00HRB ..... 449.99
- #387-000-092** Mepro 21, 5.5 MOA Dot, 2B00DBN ..... 449.99
- #387-000-090** Mepro 21, Bulls-eye, 2B00CRP ..... 449.99
- #387-000-094** Mepro 21, X-Reticle, 2B00PNC ..... 449.99

Orders: 800-741-0015

order on the web  
**brownells.com**

**BROWNELLS** PAGE 285

**NEW!** Items**HOLOSUN****RED DOT SIGHTS**

A Full-Featured, Compact, Pistol-Mountable Red Dot at a Surprisingly Low Price

Holosun's red dot optics provide lightning fast, both-eyes-open target engagement. Glass lenses deliver super-sharp, edge-to-edge clarity, and a large field-of-view, so a Holosun sight will do the job for you, whether your "game" is competition, hunting, or tactical business. These sights come with varying combinations of the following features. Holosun's **Solar Failsafe** back-up system uses ambient light - natural or artificial - to keep the sight powered on in case of battery failure. The Failsafe also acts as an ambient light sensor, automatically adjusting the reticle's brightness to the surrounding light. To preserve battery life, **Shake Awake** technology shuts the reticle off after a period of no movement, then turn right back on when movement is detected. It'll come back on at the last brightness setting. You'll get up to 50,000 hours of operation from a single CR-2032 lithium button cell. The **Multi-Reticle System (MRS)** lets you change the reticle configuration to suit your shooting situation, all at the push of a button. The zero is preserved from one reticle setting to another; no need to re-zero the optic when switching between reticles! Some models available with **Super Green LED** that is up to 4 times more efficient than the standard red LED. Excellent for users who have difficulty seeing in the red color spectrum OR need extra brightness for use in daylight settings. There are a LOT of models to choose from. Features for individual models explained below.

**407/507 SERIES PISTOL-MOUNT SIGHTS**

Micro reflex sight is an ultra-compact red dot optic with an open frame and clear glass for lightning fast, both-eyes-open target engagement. Engineered to withstand the recoil of any pistol, the sight housing is made of extra-strong, shock-resistant 7075 T6 aluminum alloy (don't send plastic to do metal's job!) The 32x24mm open lens is parallax free, with unlimited eye relief so can always get the dot on the target, even if your eye is not perfectly lined up behind the sight. Some models also available with GREEN reticles, as listed below. **HS407C-X2** is an update of the original 407C that has a circle-dot reticle, with 12 brightness settings (10 daylight, 2 night vision), and up to 50,000 hours of battery life at setting 6. Also has Solar Failsafe and Shake Awake on-switch. **HS407K-X2** has a 6 MOA dot, deletes the solar backup, and retains Shake Awake. **HS507C-X2** now has Lock Mode, which locks the buttons to prevent inadvertent setting changes; buttons are now also repositioned to be lower so they're less likely to be accidentally activated. Robust 7075 T6 aluminum housing. Additional features include Super LED with up to 50,000 hours of battery life, Solar Failsafe, circle-dot reticle, and Shake Awake. **HS507K-X2** deletes the Solar Failsafe but retains all the other HS507C-X2 features. **HS510C** - Red MRS reticle: 65 MOA circle w/2 MOA dot, 65 MOA circle only, 2 MOA dot only. Comes with integral QD Picatinny mount. Titanium alloy shock-resistant hood for extra protection of glass and electronics. **HE510C Elite** is the same sight upgraded with the Super Green LED reticle.



HS510C Sight

<b>NEW 100-043-427</b>	HS407C-X2 2 MOA Red Circle Dot, 8R00BCD .....	\$ 239.99
<b>NEW 100-043-428</b>	HS407C-X2 2 MOA Green Circle Dot, 9S00ABC .....	254.99
<b>NEW 100-043-429</b>	HS407C-X2 8 MOA Red Ring, 1T00DEF .....	269.99
<b>NEW 100-043-423</b>	HS407K-X2 6 MOA Red Dot, 4M219Y99 .....	219.99
<b>NEW 100-048-111</b>	HE407K-GR X2 6 MOA Green Dot, 6Y230N00 .....	234.99
<b>NEW 100-043-424</b>	HS507K-X2 2 MOA Red Circle Dot, 5N289Z99 .....	289.99
<b>NEW 100-043-425</b>	HS507C-X2 2 MOA Red Circle Dot, 6P309A99 .....	309.99
<b>NEW 100-043-426</b>	HE507C-GR-X2 2 MOA Green Circle Dot, 7Q339B99 .....	339.99

<b>NEW 100-048-110</b>	HE507K-GR X2 MRS Green Circle Dot Red Dot, 5X313M50 .....	\$ 319.99
<b>100-029-501</b>	HS510C Sight, 9Z00KHG .....	309.99
<b>#100-029-517</b>	HE510C Elite Sight w/Green LED, 9Z00NYN .....	339.99

**HE508T-RD X2** - The HE508T-RD X2 is an open reflex optical sight designed for pistol applications with an ultra-lightweight Titanium housing and. The X2 Series offers two improvements: Lock Mode, when activated, locks the buttons to prevent inadvertent setting changes and the buttons have been repositioned to be lower to make them less susceptible to accidental operation. The reticle is a 2 MOA dot inside a 32 MOA circle, with 12 brightness settings (2 night vision compatible), while Holosun's Super LED produces up to 50,000 hours of battery life. Also features Solar Failsafe backup to preserve battery life and Shake Awake automatic switch-on as soon as the sight is moved (and of course auto shutoff after a period of inactivity).

<b>NEW 100-043-430</b>	HE508T-X2 2 MOA Red Circle Dot, 2U00FGH .....	\$ 369.99
<b>NEW 100-043-431</b>	HE508T-X2 2 MOA Green Circle Dot, 3V00HJK .....	399.99

**HS-510C SIGHT + HM3X MAGNIFIER COMBO** - Adds versatility and longer-range sighting to your carbine. You can seamlessly transition from unmagnified use of your HS510 to 3x magnification. HM3x Magnifier has a quick-detach Picatinny mount and Flip-To-Side capability. See separate listing for more info.

<b>#100-039-562</b>	HS510C Sight + HM3x Magnifier, 9Z00BUD .....	\$ 474.99
---------------------	--	-----------

**403/503-SERIES AR-15/MSR SIGHTS**

**HS403B** is a traditional red dot sight designed for AR-15 use that will co-witness the AR's iron sights with its 2 MOA dot in the lower 1/3 of the optic's field of view (optional low mount included). Has 10 daylight and 2 NV reticle brightness settings. Mounts securely to a flat-top Picatinny rail (no QD). Does not have solar backup or MRS. **HE403B Elite** is the same sight upgraded Super Green LED reticle. **HS403C** is the same sight EXCEPT it runs solely on solar power via ambient light - no battery needed.

**HE403C-GR** adds to the HS403C the Green Super LED and a CR-2032 battery backup for "Failsafe" operation in any light.

**HS403R** has a rotary knob that lets you quickly select the brightness setting.

**HE403R-GD** sports the rotary brightness selection knob AND adds Holosun's Super Gold LED illumination that boosts the battery life to a whopping 100,000 hours!

**HS503CU** is the 403 with the addition of Shake Awake power control switching system with both solar AND battery power sources. It has an MRS reticle that can be switched between 65 MOA circle w/2 MOA dot, 65 MOA circle only, or 2 MOA dot only.

**HE-503R-GD** has the same rotary brightness control knob as the HE403R, plus a Super Gold LED with 100,000 hour battery life, and the reticle can be switched between a 2 MOA dot and a 65 MOA circle.

**HE503CU Elite** is the HS503CU upgraded to the with the Super Green LED.

<b>#100-029-502</b>	HS403B Battery ONLY Sight, 9Z00ISP .....	\$ 159.99
<b>#100-029-518</b>	HE403B Elite Sight w/Green LED, 9Z00MZG .....	184.99
<b>#100-029-503</b>	HS403C Solar ONLY Sight, 9Z00GGR .....	205.99
<b>#100-036-593</b>	HE403C-GR Solar + Battery Sight w/ Green 2 MOA Dot, 9Z00KYA .....	219.99
<b>#100-034-008</b>	HS403R Sight w/Rotary Control + 2 MOA Dot, 9Z00CFC .....	174.99



<b>#100-034-009</b>	HS403R Sight w/Rotary Control + 2 MOA Dot/65 MOA Ring, 9Z00AUG .....	249.99
<b>#100-034-912</b>	HE403R-GD Sight w/Rotary Control + 2 MOA GOLD Dot, 9Z00GKK .....	189.99
<b>#100-029-504</b>	HS503CU Sight, 9Z00ECM .....	255.99
<b>#100-034-911</b>	HE503R-GD w/Rotary Control + GOLD 2 MOA Dot/65 MOA Circle, 9Z00IWM .....	279.99
<b>#100-029-519</b>	HE503CU Elite Sight w/Green LED, 9Z00GKK .....	289.99

**ADVANCED ENCLOSED MICRO SIGHT (AEMS)** - Combines a large field of view in a compact, lightweight package. AEMS has double the glass surface area and is 11% shorter than standard 20mm micro style optics and weighs just 3.9 oz. The lenses are entirely enclosed within the sight housing to fully protect them from the elements. The reticle can be set to a 2 MOA dot, a 32 MOA circle - or a 2 MOA dot inside the 32 MOA circle. It's equipped with Holosun innovations like Solar Failsafe, Shake Awake motion-on with last-setting recall, and up to 50,000 hours of battery life. AEMS has a 7075 aluminum housing with removable, clear, flip-down lens covers. The included lower 1/3 co-witness mount is removable to provide excellent adaptability for use on multiple firearms platforms.

<b>NEW 100-043-828</b>	AEMS Sight w/Red 2 MOA/32 MOA Circle Dot, 4W00KLM .....	\$ 399.99
------------------------	---	-----------

<b>NEW 100-043-249</b>	AEMS Sight w/GREEN 2 MOA/32 MOA Circle Dot, 3L429X99 .....	429.99
------------------------	--	--------

**HS512C RIFLE/CARBINE SIGHT** - The HS512C is an enclosed reflex optical sight designed for rifle and carbine applications. Features include Holosun's Super LED with up to 50K hour battery life, Multi-Reticle System, Failsafe solar plus batter power, and Shake Awake. Ten daylight and two night vision settings, 50 MOA windage/elevation adjustment range in 1/2 MOA clicks. Comes with built-in quick-release Picatinny mount.

<b>#100-034-011</b>	HS512C Red Dot Sight, 2 MOA Dot/65 MOA Circle, 9Z00PVP .....	\$ 359.99
<b>NEW 100-048-112</b>	HE512T-RD MRS Red Circle Dot, 7Z489P99 .....	499.99

**515-SERIES RUGGEDIZED CARBINE/SBR/PDW SIGHTS** - Built for the battlefield, the rugged **HS515GM** is flat-top AR-15 ready with an integral QR Picatinny mount, clear flip-up lens caps, a killFLASH filter, and windage/elevation turrets shrouded to prevent snagging on gear, clothing, or vegetation. Pressure tested for submersion up to 30 meters for 30 minutes. The red MRS reticle has a 65 MOA circle with a 2 MOA inside, 65 MOA circle only, or 2 MOA dot only. You get 10 daylight and 2 NV compatible brightness settings and the Shake Awake, automatic on/off switching system. Battery power only. **HS515CM** adds to the 515GM's feature set dual battery and solar power.

<b>#100-029-508</b>	HS515GM Sight, 9Z00MAC .....	\$ 319.99
<b>#100-029-507</b>	HS515CM Sight, 9Z00NTL .....	349.99
<b>#100-036-594</b>	HE515CM-GR Green Circle Dot + QD Mount, 9Z00JMQ .....	379.99
<b>#100-036-595</b>	HE515GM-GR Green Circle Dot + QD Mount, 9Z00MNP .....	349.99
<b>#100-036-596</b>	HE515CT-GR Green Circle Dot, 9Z00HCN .....	459.99
<b>#100-036-597</b>	HE515CT-RD Red Circle Dot, 9Z00CUI .....	429.99
<b>#100-036-598</b>	HE515GT-GR Green Circle Dot + QD Mount, 9Z00PKE .....	429.99
<b>#100-036-599</b>	HE515GT-RD Red Circle Dot + QD Mount, 9Z00BES .....	399.99

**HE530 SERIES** - The HE530C-RD is a 30mm optical sight designed for rifle and carbine applications. Features include an ultra-light-

**NEW!** Items**LEUPOLD DELTAPoint PRO RED DOT SIGHTS**

Speedy, Intuitive Targeting In A Rugged, Ultra-Compact Package

Leupold's highly versatile DeltaPoint™ Pro reflex sight is equally effective when mounted on a handgun, shot-

gun, or tactical rifle. Gives classic intuitive red dot targeting that helps master marksmen and novice shooters alike hit the target with speed and precision. Lightweight aluminum housing is shrouded by spring steel for maximum shock resistance. Non-magnifying aspheric lens gives a wide field-of-view with superb image quality, while Leupold's Motion Sensor Technology™ immediately detects any movement of the sight and turns it on - no need to fumble with switches. Auto-Brightness sensor immediately adjusts optimal reticle intensity, yet can be overridden if you want manual control. For tactical situations, the built-in light tunnel reduces the light signature caused by the reticle. Tool-less entry to battery compartment makes changing the batteries easy. 60 MOA elevation/windage adjustment in 1 MOA increments, with no need for adjustment lock screws. Includes battery, and protective cover. **Night Vision** model lets you adjust the brightness settings to fine-tune the red dot to match the sensitivity of your night vision equipment. DP sights come in matte black or, for some models, Flat Dark Earth (FDE). **Cross Slot Mount** lets you attach sight on a Picatinny or Weaver rail. Made specifically for handguns, the **Rear Iron Sight Mount** attaches to the end of the optic to provide a co-witness between the iron sights and the red-dot, plus it proves a back-up in case of battery failure. **AR Mount** enables you to mount a DeltaPoint Pro sight on a Picatinny rail at the correct height for most AR-15 platform rifles. Machined aluminum, hardcoat anodized, matte black.

**SPECS:** Aluminum housing, hardcoat anodized, matte black. 1.8" (46.5mm) long x 1.3" (33mm) wide x 1.3" high. 1.95 oz. (41g) wt. Waterproof tested to 66 feet. Runs on one CR-2032 battery.

<b>#526-000-275</b>	DeltaPoint Pro, 2.5 MOA Dot, 4K00IYR .....	\$ 399.99
<b>#100-040-733</b>	DeltaPoint Pro in FDE, 2.5 MOA Dot, 4K00EDC .....	449.99
<b>NEW 100-045-150</b>	DeltaPoint Pro, 6 MOA, 8A00PQR .....	449.99
<b>NEW 100-045-151</b>	DeltaPoint Pro in FDE, 6 MOA, 9B00RST .....	449.99
<b>#100-034-067</b>	DeltaPoint Pro w/AR Mount, 2.5 MOA Dot, 4K437B99 .....	499.99
<b>#526-000-863</b>	Night Vision DeltaPoint Pro, 2.5 MOA Dot, 4K00CDC .....	449.99
<b>#526-000-864</b>	Night Vision DeltaPoint Pro in FDE, 2.5 MOA Dot, 4K00BGD .....	499.99
<b>#526-000-279</b>	DeltaPoint Pro Rear Iron Sight Mount, 4K00HIN .....	85.99
<b>#526-000-277</b>	DeltaPoint Pro Cross Slot Mount, 4K00GME .....	45.99
<b>#100-034-068</b>	DeltaPoint Pro AR Mount, 4K00PSM .....	54.99

weight Titanium housing, Failsafe solar plus battery power, Shake Awake, 12 brightness settings, Super LED with up to 50,000 hour battery life, Multi-Reticle System, absolute co-witness QD mount, KillFlash, and clear lens caps.

<b>#100-036-600</b>	HE530C-RD Red 2 MOA Dot/65 MOA Circle, 9Z00HDS .....	\$ 499.99
<b>#100-036-602</b>	HE530G-RD Red 2 MOA Dot/65 MOA Circle + QD Mount, 9Z00NHS .....	469.99
<b>#100-036-601</b>	HE530C-GR Green 2 MOA Dot/65 MOA Circle, 9Z00GEA .....	529.99
<b>#100-036-603</b>	HE530G-GR Green 2 MOA Dot/65 MOA Circle + QD Mount, 9Z00CGM .....	499.99

**GUARANTEED. FOREVER.®**  
**SINCE 1939**

**NEW!**

### SIG SAUER RED DOT SIGHTS

Whatever Your Particular Needs,  
SIG Has the Right Sight for You!

Mini-reflex sights offer multiple brightness settings and SIG's MOTAC (Motion Activated Illumination) system that automatically turns on the reticle when the sight is moved and shuts it off after a short period of total non-movement. Easy-to-access battery compartments for quick battery changes. Matte black finish, unless otherwise specified.

**ROMEO ZERO** - A fast, extremely accurate, ultra-compact micro reflex sight optimized for everyday concealed carry and pistols with slim slide profiles. The Romeo Zero provides the rapid target acquisition of a reflex sight in a package that doesn't cost much more than good "iron" sights. It has a ruggedized, WeaponsGrade™ textured polymer housing, with a stippling pattern that matches the SIG P365 and P365XL grip pattern, for an integrated look when installed on those guns. Features: 8 vivid, user-configurable daytime illumination levels, MOTAC™ (Motion Activated Illumination System) that powers up when it senses motion and powers down when it does not. A high-efficiency point source LED emitter produces a crisp dot that is 8 times more efficient than conventional red dots. The parallax-free SpectraCoat™ HD Polymer Lens has 10 times the impact resistance over traditional glass lenses. The 10-year battery life is unrivaled in micro reflex sights.



**#100-043-178 Romeo Zero Sight - 3 MOA, 2R189H99..... \$ 199.99**

**#100-043-179 Romeo Zero Sight - 6 MOA, 3S189J99..... 199.99**

**ROMEO1 PRO** - Brings a new level of durability and performance to the miniature open-reflex red dot sight world. An upgraded point-source emitter provides much greater brightness in day or night conditions than traditional red dots with your choice of 12 brightness settings (10 daytime, 2 night vision), with 20,000+ hours of runtime on one CR-1632 battery. The molded glass aspheric lens has upgraded high performance coatings for superior light transmittance and zero distortion to give you fast, responsive target acquisition and accuracy. The TrueHold™ Lockless Zeroing System has twin adjustment springs designed to endure handgun recoil and return to zero after every shot. An aircraft-grade aluminum housing protects the glass and electronics inside AND ensures corrosion resistance under the harshest environments. Comes with a ruggedized protective shroud in the box for added protection of the sight when it is not in use. Fits SIG pistols with PRO-cut slides, including M17, P320-M17, P320 XFive Legion, P320 XCompact, P320 XFull, and P320 Pro Series. Will NOT fit slides cut to accept a standard Romeo1 sight.



**#100-043-175 Romeo1PRO 3 MOA Red Dot, Black, 7N00ABC..... \$ 399.99**

**#100-043-176 Romeo1PRO 6 MOA Red Dot, Black, 8P00CDE..... 399.99**

**#100-043-177 Romeo1PRO 6 MOA Red Dot, Flat Dark Earth, 1Q00EFG..... 419.99**

**ROMEO3MAX** - Developed in collaboration with Team SIG Captain Max Michel and quickly established as an advantage in competition, the Romeo3Max is a compact open reflex sight with a big 30mm diameter, round lens designed to provide a superior field-of-view. A special high-transmittance red-notch filter produces a vivid red dot with excellent brightness and zero distortion. 12 illumination intensity levels, MOTAC activation, and up to 20,000 hours of runtime on one readily available CR-2032 battery. Side-loading battery compartment allows for quick battery replacement without having to remove the sight from the gun. Comes with a low-profile M1913 Picatinny mount.



**#100-043-170 Romeo3MAX 3 MOA Red Dot, 2H00TUV..... \$ 599.99**

**#100-043-171 Romeo3MAX 6 MOA Red Dot, 3J00VWX..... 599.99**

**ROMEO3XL** - This open reflex sight is an excellent sighting solution for AR-15s and other MSRs, shotguns, carbines, submachine guns, and even full-size handguns. The Romeo3XL is beefed up to handle the recoil punishment of these firearms, and it offers a larger (compared to the Romeo-3Max) 35mm objective lens to give the shooter an excellent view not only of the target but of the area around it. A special high-transmittance red-notch filter ensures an extremely vivid red dot with excellent brightness and zero distortion. Other features: 12 illumination intensity levels (10 daytime, 2 night vision), MOTAC activation, and up to 20,000 hours of runtime on one CR-2032 battery. Comes with a low-profile M1913 Picatinny mount.



**#100-043-172 Romeo3XL 3 MOA Red Dot, 4K00XYZ..... \$ 599.99**

**#100-043-173 Romeo3XL 6 MOA Red Dot, 5L00ZBA..... 599.99**

**ROMEO5 TREAD & ROMEO5XDR** - Robust, compact red dot sight with 1x aiming solution optimized for today's AR-15s and other MSRs, shotguns, carbines, submachine guns, and full-sized handguns. Its ultra-low parallax means the point-of-aim IS point-of-impact, and the red dot remains parallel to the bore of your gun, no matter what your viewing angle is relative to the optical axis of the sight. Unlimited eye-relief allows you to acquire the aiming point and the target regardless of the position of your eye behind the sight. 2 MOA red dot provides 10 illumination settings (8 daylight plus 2 night vision) for visibility in all light conditions. Runs on one readily available CR-2032 battery that can be swapped in and out quickly via the side-loading door. You'll get 40,000+ hours or more of life on one battery. Dependable waterproof (IPX-7 rated for complete water immersion up to 1 atmosphere) and fog-proof performance. Integrated M1913 Picatinny mount provides industry-standard mounting options for a wide range of applications, and includes a M1913 Picatinny low-mount riser and a co-witness 1.41" riser mount. **Romeo5 Tread** is optimized for use on the SIG M400 Tread but is an excellent sight choice for any similar firearm. **Romeo5XDR** has a GREEN reticle (so not technically a "red dot") that can be toggled between the basic 2 MOA dot and a 65 MOA circle-dot reticle. It runs off one readily available AAA battery with up to 50,000+ hours of battery life.



**#100-043-167 Romeo5 TREAD 2 MOA Red Dot, 8E179P99..... \$ 199.99**

**#100-043-168 Romeo5 XDR Predator Dot Dual Reticle, 9F00PQR..... 249.99**

**ROMEO-MSR** - The Romeo-MSR is a sealed compact red dot OR green dot sight intended for AR-15, MSR, carbine, shotgun, and air rifle use. The brightness is adjusted via the top-mounted rotary dial, with 10 daytime and 2 night vision settings for quick target engagement in any lighting conditions. High-performance lens coatings for excellent light transmission and dot contrast in any situation. Ultra-compact size and weight makes it suitable for a wide variety of firearms, while the unlimited eye-relief and parallax-free operation mean your eyes do not have to be lined up directly behind the centerline of the sight for accurate target acquisition and shooting. Runs on one CR-1632 battery for 20,000+ hours; easy-access top-loading battery compartment. Includes detachable, see-thru flip-up lens covers. Comes with 1.41" high M1913 Picatinny skeletonized riser mount for absolute co-witness.



**#100-043-165 Romeo-MSR 2 MOA Red Dot, 6C00KLM..... \$ 149.99**

**#100-043-166 Romeo-MSR 2 MOA Green Dot, 7D00MNP..... 169.99**

**NEW!**

### SWAMPFOX OPTICS REFLEX SIGHTS

Better Shooting Through Better Technology!  
- Robust, Versatile Red Dots With "Rich" Feature Sets

**LIBERTY & JUSTICE** - The folks at Swampfox like evocative names for their red dot sights, so it's not surprising these two twin reflex pistol sights carry the paired names **Liberty** and **Justice**. What's the difference between them? Justice's lens is 5mm wider than Liberty's, coming in at 27mm vs Liberty's 22mm. Except for the window size, they are identical. Both fit the popular Trijicon RMR mount footprint. Which one you choose depends on which one fits best on your particular gun. These open reflex red dot sights are intended for every day carry and law enforcement duty use on pistols, carbines, and shotguns. Narrower and shorter than the Kingslayer series, L and J are made from robust yet extremely lightweight 7075 T6 aluminum and are packed with advanced features that make every day use worry free, including 10 reticle brightness settings, greatly extended battery life from the CR-1632 battery, Shake 'N Wake motion-sensing auto-on switch (shuts off automatically when the sight has not moved after a certain period of time), scratch-resistant hardcoat finish.



**#100-047-470 Liberty 1x22mm 3 MOA Red Dot Sight, 4C194T99..... \$ 209.00**

**#100-047-727 Liberty 1x22mm 3 MOA GREEN Dot Sight, 2U202S49..... 225.00**

**#100-047-471 Justice 1x27mm 3 MOA Red Dot Sight, 5D208U00..... 219.00**

**#100-047-728 Justice 1x27mm 3 MOA GREEN Dot Sight, 3V209T69..... 233.00**

**KINGSLAYER** - The Kingslayer is the predecessor of the Liberty/Justice pair, so it's a little larger but still a very compact (1.8" long x 1.1" wide x 1" high) open reflex dot sight that allows you to quickly acquire a sight picture with both eyes open while focusing on the target. For pistol slide platforms, remove the included M1913 Picatinny mount and use the RMR-compatible footprint underneath. With the Picatinny mount installed, Kingslayer works great on rifle and shotgun applications. Kingslayer is waterproof, fog resistant, and fitted with a multicoated, scratch resistant, anti-glare lens. And it's built like a tank, so it will maintain its zero on reciprocating pistol slides, 12 gauge shotguns, and even .308 battle rifles. Runs on one CR-1632 battery; 1,500 hour battery life. 10 reticle brightness settings.



**#100-047-467 Kingslayer 3 MOA Red Dot Sight, 1Z161R00..... \$ 170.00**

**#100-047-468 Kingslayer 3 MOA Dot/65 MOA Red Circle Sight, 2A161S00..... 170.00**

**#100-047-466 Liberator Mini GREEN Circle/Dot Reticle, 9Y118Q00..... 124.00**

**SENTINEL** - This ultra-compact micro red dot sight is designed for every day carry on slimline pistol slides - pretty much any slide with an RMsC mount, either factory or gunsmith cut. So the Sentinel will fit Glock® 43X and Glock® 48 MOS, Sig P365XL, Springfield Hellcat OSP, Canik Elite SC, Smith & Wesson Shield 2.0 Optics Ready, Walther PPS M2 Optics Ready, and similarly equipped compact and micro-compact EDC pistols. It's called the "Sentinel" because it's always on duty. The **Sentinel-A (Auto)** model truly never sleeps. A photosensitive sensor on the left side of the sight body controls dot brightness relative to ambient light in all conditions, day or night. There are no manual controls at all, not even Swampfox's Shake 'N Wake system so there is NO way for the Sentinel-A to be accidentally shut off. EVER. If you're comfortable exercising more control, the **Sentinel-M (Manual)** has the Shake 'n Wake system



**NEW!**

### SPRINGFIELD ARMORY HEX WASP REFLEX SIGHT

A Rugged, Compact, Always-On  
Red Dot Sight That Fits the Popular  
RMsC Mount Footprint



Designed for low-profile, direct mounting to the slide, the HEX Wasp is perfectly suited to today's compact concealed carry pistols and offset rifle mounting. It fits the standard Trijicon RMsC mount footprint, also called the Springfield Micro, so there are plenty of pistols ready and waiting for a Wasp to land on them. The Wasp is always powered on, so there's no fumbling with a switch under stress to get your sight into action, and it will run for 65,000 hours on a single CR-2032 battery. It features an auto-dimming sensor that regulates dot brightness based on ambient light conditions. The housing is precision machined from 6061 T6 aluminum (not plastic) and is hardcoated anodized to resist corrosion and surface wear. Anti-glare serrations on the rear help you keep your eyes focused on the target. There's even a co-witness channel that gives you an unobstructed view of your pistol's backup "iron" sights. An extended shroud up front protects the glass AND allows one-handed racking of the slide using the sight in an emergency - try doing that with other reflex sights! The Hex Wasp has a scratch-resistant, anti-glare glass lens. Despite the sight's small size, you get a full 90 MOA of windage and elevation adjustment in 1/2 MOA increments. The HEX Wasp is a rugged, reliable companion for your optics-ready everyday carry pistol.

**#100-047-155 HEX Wasp Reflex Sight, 4T264K29..... \$ 269.99**

**NEW!**

### SWAMPFOX OPTICS LIBERATOR MINI RED DOT SIGHT

Built To Take the Hard Knocks & Still  
Deliver Precise Aiming Out To 200 Yards



Liberator is a super compact, accurate micro dot sight optimized for lightning fast sight picture acquisition with both eyes open while focusing on the target. Lightweight but tough, it is built to withstand 800 Gs of impact and is waterproof, fog resistant and features hydrophobic and anti-scratch lens multi-coatings. The 2 MOA center dot is small enough to take precision shots out to 200 yards, while the 65 MOA circle attracts and centers the eye immediately. 10 reticle brightness settings keep you prepared for any ambient light. Get up to 3,000 hours on a CR-2032 battery at medium setting. After 4 hours without movement, reticle will shut off to save battery life. Pressing the brightness increase button instantly turns the Liberator back on with the reticle at its previous brightness level. Use the included absolute co-witness mount for AR-15s or use the included low mount for AKs or shotguns. The scope body is compatible with industry standard T1 mounts. Choose from 3 MOA red dot, red circle dot, or green circle dot reticles.

**#100-047-465 Liberator Mini Red Circle/Dot Reticle, 8X118P00..... \$ 124.00**

**#100-047-466 Liberator Mini GREEN Circle/Dot Reticle, 9Y118Q00..... 124.00**

- move the sight and it turns on - and manual adjustment of the reticle brightness to one of 10 settings. Install a CR-2032 battery underneath the Sentinel, and you're good to go for TWO years straight. And no plastic here - it has a hardcoated 7075 aluminum housing and a multi-coated glass lens.

**#100-047-472 Sentinel Micro 1x16mm Red Dot - Auto Adj, 6E246V00..... \$ 259.00**

**#100-047-473 Sentinel Micro 1x16mm Red Dot - Manual Adj, 7F207W00..... 239.00**

**#100-047-729 Sentinel Micro 1x16mm GREEN Dot - Auto Adj, 4W242U09..... 269.00**

**#100-047-730 Sentinel Micro 1x16mm GREEN Dot - Manual Adj, 5X224V99..... 250.00**

Orders: 800-741-0015

order on the web  
**brownells.com**

**BROWNELLS** PAGE 287

OPTICS & ACCESSORIES

RED DOT SIGHTS

**NEW!**

**SWAMPFOX OPTICS  
BLADE & TRIHAWK  
PRISM SIGHTS**



**Rugged, Full-Featured Tactical Sights  
With Super-Crisp Reticles**

Holy Francis Marion, Batman! Brownells now carries Swampfox optics! The **Blade** 1x25mm prism sight eliminates the fuzzy-looking reticle that people with astigmatism see when they shoot red dot sights. Robust construction, easy-to-access controls, a motion-sensing on/off switch, and flip-up lens caps included. The battery compartment is snuggled between the sight body and the built-in mount, so it's easy to access but won't obstruct your peripheral vision. This is an excellent sight for home defense and law enforcement. Auto-On Shake N' Wake technology turns on the sight as soon as you move it - no buttons to fumble for under stress. Blade's revolutionary Bullet Rise Compensating reticle compensates for optical height over bore at 5, 10, and 15 yards when mounted on an AR-15. Available with red or green illumination, Blade's etched reticle appears black when illumination is off, so you can still use the sight in daylight. The **Trihawk** is basically the Blade with 3x magnification - and a wide field of view. Looking through it, you'll see a 52-ft. field of view from edge to edge at 100 yards. Trihawk still offers greater eye relief than comparable prism scopes, and its Trident reticle enables fast acquisition up close while also providing capability for medium-range engagements. Choose from red or green glass etched "Shake 'N Wake" reticle illumination with either an MOA ladder or 5.56/.308 BDC. Both optics have 8 daylight and 2 night vision reticle brightness settings. +/-45 MOA windage/elevation adjustments in 1 MOA clicks. They run on a single CR-123 lithium battery and come with a rugged Picatinny mount.

- #100-047-517 **Blade 1x25mm Prism Sight**, Red BRC Reticle, 9H227Y00 ..... **\$ 239.00**
- #100-047-516 **Blade 1x25mm Prism Sight**, GREEN BRC Reticle, 8G227X00 ..... **239.00**
- #100-047-518 **Trihawk 3x30mm Prism Sight**, Red BDC Reticle, 1J00YZA ..... **269.00**
- #100-047-519 **Trihawk 3x30mm Prism Sight**, GREEN BDC Reticle, 2K00ABC ..... **269.00**
- #100-047-520 **Trihawk 3x30mm Prism Sight**, Red MOA Reticle, 3L00CDE ..... **269.00**
- #100-047-521 **Trihawk 3x30mm Prism Sight**, GREEN MOA Reticle, 4M00EFG ..... **269.00**

**NEW!** Items

**TRIJICON  
MRO™ - MINIATURE RIFLE OPTIC**



**Rugged, Reliable, Feature-Packed, Designed To Help You Keep Your Eye on the Targe AND What's Around It**



Trijicon's Miniature Rifle Optic is a sealed, compact reflex sight intended for use on rifles, carbines, and shotguns to provide fast target acquisition. The large aperture and tapered light path maximize the viewing area through the sight, while they give you better situational awareness AND fast target engagement. This is especially helpful when operating in the non-standard shooting positions you might encounter in hunting, military, or law-enforcement situations. Combine all this with a large, 25mm objective lens for extra light gathering capability, ambidextrous brightness controls, super-durable lens coatings, and a fully sealed, waterproof housing of forged 7075 T6 aluminum with a hardcoat anodized finish... and you have one of the BEST mini reflex sights on the market! You get a crisp, 2 MOA dot reticle in red or green with 70 MOA windage and elevation adjustments in 1/2 MOA increments. The MRO's sealed, waterproof adjustment knobs are flush with the surface of the housing to prevent accidental movement or snagging, and they are easily turned with a small screwdriver or even a spent cartridge case. Select from 8 different settings with the top-mounted brightness knob. There's even an exceptionally bright setting for full sunlight conditions, plus 2 that are compatible with night vision gear. The mid-position "OFF" setting helps you quickly select the brightness level without cycling through all the positions. Sight body is nitrogen filled for fogproof performance. Get your MRO with either a traditional **Red** dot or a **Green** one, with four mounting options: **No Mount, Low Mount, Lower 1/2 Co-Witness Mount, or Full Co-Witness Mount.** Mounts are also available separately to modify optical height to meet your specific needs. **USA**

*SPECS: 7075-T6 aluminum, anodized, matte black. 2.6" (6.6cm) long, 1.7" (4.3cm) wide, 2" (5.1cm) high w/o mount. 4.1 oz. (116.2g) wt. Waterproof to 100' (30.5m). Uses one CR-2032 battery, included.*

- #892-000-167 **Red Dot MRO ONLY, No Mount, 2H00NMS** ..... **\$ 420.00**
- #892-000-414 **Green Dot MRO ONLY, No Mount, 2H00BKJ** ..... **459.99**
- #892-000-168 **Red Dot MRO w/Low Mount, 2H00KVM** ..... **459.99**
- #892-000-415 **Green Dot MRO w/Low Mount, 2H00EQA** ..... **489.99**
- #892-000-169 **Red Dot MRO w/Full Co-Witness Mount, 2H00CPE** ..... **469.99**
- #892-000-416 **Green Dot MRO w/Full Co-Witness Mount, 2H00ACG** ..... **499.99**
- #892-000-170 **Red Dot MRO w/Lower 1/2 Mount, 2H00JBD** ..... **469.99**
- #892-000-417 **Green Dot MRO w/Lower 1/2 Mount, 2H00AVG** ..... **499.99**
- #892-000-171 **MRO Low Mount Adapter, 2H00IKG** ..... **42.99**
- #892-000-172 **MRO Full Co-Witness Mount Adapter, 2H00ARA** ..... **53.99**
- #892-000-173 **MRO Lower 1/2 Co-Witness Mount Adapter, 2H00GFI** ..... **45.99**

- #892-000-500 **SRO Red Dot Sight, 1 MOA Dot, 2H00EVA** ..... **\$ 549.99**
- #892-000-501 **SRO Red Dot Sight, 2.5 MOA Dot, 2H00KLA** ..... **549.99**
- #892-000-502 **SRO Red Dot Sight, 5 MOA Dot, 2H00CIA** ..... **549.99**
- #892-000-503 **SRO Mounting Kit for Glock/Springfield, 2H00CHK** ..... **15.99**
- #892-000-504 **SRO Repl Battery Cap, 2H00DHS** ..... **24.99**

**TRIJICON SRO™ -  
SPECIALIZED REFLEX OPTIC**

**Easy To Acquire Dot for Fast, Instinctive Targeting; Purpose-Designed for Mounting on Pistol Slides**



The Trijicon Specialized Reflex Optic (SRO™) adjustable LED red dot can be used in a wide variety of pistol and other shooting applications such as target shooting or plinking. The wide field of view and clean, crisp dot makes it easy for users to find and track the dot in both target and competition applications, helping to improve shooting accuracy and speed. Every SRO features both manual and automatic LED brightness modes and a 3-year battery life. The SRO is designed to survive the rigors of slide-ride on pistols and is engineered for hard use. It shares a similar electronics design with the proven Trijicon RMR®. Like the RMR the SRO is forged from 7075 T6 aluminum, making it much more durable than red dot sights with plastic housing. This forged housing protects both the lenses and electronics, and it has been tested to survive typical pistol mounted drops. **Note:** Installing an SRO on the Glock® MOS system or the Springfield OSP pistol requires a special mounting kit, sold separately, below. **USA**

TRIJICON®

**RMR & RMR TYPE 2 SIGHTS**



**Compact, Ruggedized Red Dot Sight System For Fast, Accurate Targeting**

As tough as Trijicon's legendary ACOG® scopes, the low-profile RMR™ (Ruggedized Miniature Reflex) sight enables fast, both-eyes-open, target acquisition—even in poor lighting conditions. Unlimited eye relief allows natural presentation from almost any shooting position, plus clear, unobstructed panoramic views for maximum situational awareness. Mount an RMR on your rifle to supplement your ACOG, and you're ready to address targets at any range. Performs in the harshest operating conditions thanks to a computer-optimized geometric housing of high-strength, military-grade, forged aluminum that absorbs shock and diverts stress away from the lens. Simple to operate, no switches to toggle, or forget to activate under stress, because the sight is always on. The True-Color 28-layer coated, non-magnifying lens delivers a crisp, clear shooting picture. Fully adjustable for windage and elevation, 1 MOA per audible click. Each RMR is pre-adjusted at the factory to be parallax-free at 50 meters. Battery-free dual illumination system uses a combination of powerful, light-gathering fiber optics and self-illuminating Tritium to project a bright dot on the sight in any light conditions from pitch darkness to broad daylight. Automatically adjusts brightness and contrast of reticle to ambient light. **RMR Type 2 LED** relies solely on a battery-powered LED for illumination. But don't worry: the battery is good for up to 2 years of typical use and up to 5 years in dark storage. The RMR Type 2 has the same footprint and fits any mount for an original Type 1 RMR. Available with a **Fixed** output reticle for the ultimate in simplicity or **Adjustable** model with eight brightness levels that can be set manually - or the user can select auto mode that automatically selects the brightness suitable for ambient light conditions. *More RMR sights and RMR models with included mounts are listed on Brownells.com. USA*

*SPECS: 7075 T6 aluminum housing, hardcoat anodized, matte black. Acrylic lens. 1 3/4" (4.5cm) long, 1 1/8" (2.8cm) wide, 1" (2.5cm) high. 1.2 oz (34g) weight. Waterproof to 66 feet (20m). Carry case, CR-2032 battery, and instructions included. Mounts sold separately, below.*

**RMR DUAL-ILLUMINATION SIGHTS**

STOCK #	MODEL	RETICLE SIZE/COLOR	PRICE
#892-000-063	RM03	13 MOA Amber	2H00CDP \$ 419.99
#892-000-064	RM04	7 MOA Amber	2H00MBA \$ 419.99
#892-000-065	RM05	9 MOA Amber	2H00MSA \$ 419.99
#892-000-095	RM08A	12.9 MOA Amber Triangle	2H00HCJ \$ 419.99
#100-012-359	RM08G	12.9 MOA Green Triangle	2H00BUB \$ 419.99

**RMR TYPE 2 LED RED DOT SIGHTS**

STOCK #	MODEL	TYPE	RETICLE SIZE/ COLOR	HOUSING COLOR	PRICE
#892-000-300	RM01	Fixed	3.25 MOA Red	Black	2H00HBH \$ 499.99
#892-000-311	RM02	Fixed	6.25 MOA Red	Black	2H00JUF \$ 479.99
#892-000-321	RM06	Adj.	3.25 MOA Red	Black	2H00ALI \$ 529.99
#892-000-322	RM06	Adj.	3.25 MOA Red	Gray	2H00KMC \$ 549.99
#892-000-324	RM06	Adj.	3.25 MOA Red	FDE	2H00FHQ \$ 549.99
#892-000-323	RM06	Adj.	3.25 MOA Red	O.D. Green	2H00MWP \$ 549.99
#892-000-332	RM07	Adj.	6.25 MOA Red	Black	2H00QKD \$ 509.99
#892-000-333	RM07	Adj.	6.25 MOA Red	Gray	2H00MJG \$ 549.99
#892-000-335	RM07	Adj.	6.25 MOA Red	FDE	2H00NIH \$ 549.99
#892-000-334	RM07	Adj.	6.25 MOA Red	O.D. Green	2H00JPF \$ 549.99
#892-000-342	RM09	Adj.	1 MOA	Black	2H00LTJ \$ 509.99
#892-000-343	RM09	Adj.	1 MOA	Gray	2H00HZS \$ 549.99
#892-000-345	RM09	Adj.	1 MOA	FDE	2H00GFK \$ 549.99
#892-000-344	RM09	Adj.	1 MOA	O.D. Green	2H00MSP \$ 549.99

TRIJICON

**MRO PATROL RED DOT SIGHT**



**Fast Target Engagement in ANY Ambient Light With Maximum Situational Awareness**

The MRO Patrol red dot reflex sight gives you quick target acquisition while allowing you to keep both eyes open and maintain your peripheral vision for excellent situational awareness. Sporting a 25mm objective lens for enhanced light gathering, the MRO Patrol has a crisp, 2 MOA red dot reticle that's large enough to be easy to acquire, yet small enough that it doesn't obscure distant targets. It adds to the original MRO's features a flip-up objective and ocular lens caps, plus an ARD KillFlash for the objective that eliminates glare and prevents light reflection off the lens that could give away your position to the wrong people. The Patrol's rich feature set includes 8 reticle brightness settings, 70 MOA windage/elevation adjustment range in 1/2 MOA increments, and high-grade parallax-free multi-coated anti-reflective lenses. The aluminum sight body is sealed to be waterproof and Nitrogen filled for totally fogproof performance. Controls are fully sealed to keep out moisture, dust, and other contaminants. The top-mounted brightness control knob has 8 settings, including an exceptionally bright setting for full sunlight conditions and two settings compatible with night vision gear. "OFF" position in the middle of the settings lets you quickly adjust the brightness level without cycling through all the settings. Powered by one CR-2032 battery. Available with **NO MOUNT**, or with two optional Picatinny mounts that allow co-witnessing with AR-15 "iron" sights: a 1/2 Lower Co-Witness Mount or a Full Co-Witness QD Mount. **USA**

- #892-000-254 **MRO Patrol w/Lower 1/2 Co-Witness QR Mount, 2H00LZJ** ..... **\$ 669.99**
- #892-000-255 **MRO Patrol w/Full Co-Witness QD Mount, 2H00KUM** ..... **689.99**
- #892-000-256 **MRO Patrol w/NO MOUNT, 2H00PZP** ..... **632.99**

**RMR SIGHT MOUNTS** - Strong, light-weight aluminum mounts provide a secure, solid platform for Trijicon's RMR™ red dot sights. **RM33** provides a low-profile mount on Picatinny rails; attaches to rail with a full-length locking bar and two recessed hex-head setscrews. **RM34** offers Picatinny rail mounting with extra elevation; attaches to rail with a full-length locking bar and an easy-to-grasp, grooved, thumbscrew for fast attachment. Steel **RM44** allows an RMR to be mounted on Glock pistols in place of the rear sight. Machined aluminum **RM55** positions the RMR at a 45° angle, on the left or right side of a Picatinny rail. Mount behind your primary optic for fast transition from a magnified view to close-in sighting by rotating the rifle slightly. Locking bar and easy-to-grasp grooved thumbscrew ensure fast attachment.

*SPECS: Aluminum, hardcoat anodized matte black. Heights measured from top of rail to bottom of sight. Fits Picatinny rails. **RM33** - 1/2" (6.4mm) high. **RM34** - 1/8" (2.2cm) high. **RM44** - Steel, oxide coated, matte black. 3/16" (3.6mm) high. **RM55** - Aluminum, hardcoat anodized matte black. Offset 45°.*

- #892-000-057 **RM33 Mount, 2H00IGE** ..... **\$ 91.99**
- #892-000-058 **RM34 Mount, 2H00CUC** ..... **131.99**
- #892-000-084 **RM44 Glock Pistol Mnt, 2H00LUB** ..... **94.99**
- #892-000-085 **RM55 Rail Offset Adapter, 2H00EME** ..... **84.99**



**GUARANTEED. FOREVER.®  
SINCE 1939**



**Trijicon Ascent®**

**Trijicon Credo®**

**Trijicon Tenmile®**



**Trijicon MRO® HD**



**Trijicon®**

Brilliant Aiming Solutions™

Available at



**NEW!**


## TRIJICON RMRcc RUGGEDIZED MINIATURE REFLEX SIGHT FOR CONCEALED CARRY



**Ultra-Compact, Low-Profile Yet  
Feature-Rich Red Dot Sight for  
Today's Concealed Carry Pistols**

The RMRcc is a physically downsized version of Trijicon's enormously popular RMR red dot sight. The RMRcc is specifically designed for today's ultra-compact personal-defense pistols. It has a thinner, lower profile to reduce the risk of getting hung up during the draw, so it's fast and easy to deploy in emergencies when seconds count. It will fit pistols as small as a Glock<sup>®</sup> 43 or a SIG P365 - and it's a great low-bulk sight upgrade for larger guns like the Glock<sup>®</sup> 19, too. You'll shoot more accurately with a single, crisp, clear aiming point superimposed on your target. Once the RMRcc is zeroed in, the spot where you see the dot is where your bullet will impact. Your eyes never need to leave the threat which allows you to stay focused on the situation. The RMRcc also delivers the same reliability you expect from the RMR. Its slimmer dimensions fit a variety of pistols to provide comfort AND peace of mind during everyday carry.

We said "physically downsized" above because the RMRcc retains ALL the powerful features of the original RMR. With asy-to-use buttons, power from the readily available CR-2032 battery for up to 4 (FOUR) YEARS of illumination, and a wide variety of mounts to fit today's popular concealed-carry pistols, the RMRcc is fully up to the job, despite its diminutive size. The RMRcc has 8 brightness settings, including 1 super-bright mode for daylight use and 2 night vision modes. The multi-coated lens offers wide-band, "true color" light transmission with minimal changes to the target area's color. No need for special tools to adjust windage and elevation in precise 3 MOA increments per click. "Ruggedized" electronics and battery contacts mean your RMRcc won't let you down when you most need it. Button "lock in" and "lock out" modes let you lock in your preferred brightness settings indefinitely OR lock them out to ensure the Auto-Brightness feature is on full time (ideal for everyday carry or hunting). A sturdy all-aluminum housing protects the glass and the electronics inside, so it's ready to run hard; it's waterproof to 20m (66 ft.), too.

The RMRcc has its own unique mounting footprint and will not fit standard RMR mounts or slide cuts. But don't worry, mounting plates for popular pistols are listed below. 

<b>#892-100-020</b>	<b>RMRcc Sight - 3.25 MOA Dot, 8A00ZBA</b> .....	<b>\$ 489.99</b>
<b>#892-100-021</b>	<b>RMRcc Sight - 6.5 MOA Dot, 9B00ABC</b> .....	<b>489.99</b>

**RMRcc MOUNTING PLATES** - Strong, lightweight steel mounts provide a secure, solid platform for Trijicon's RMRcc reflex sights. These mounting plates enable the RMRcc to be mounted neatly and conveniently on a variety of pistols in place of the rear sight. Attachment screws, hex wrench & instructions included.



STOCK #	FITS	PRICE
<b>#892-100-027</b>	Glock® (non-MOS models)	<b>6H00NPQ \$ 82.99</b>
<b>#892-100-031</b>	Glock® MOS	<b>1M00WXY \$ 56.99</b>
<b>#892-100-029</b>	Kimber Micro 9	<b>8K00STU \$ 82.99</b>
<b>#892-100-028</b>	Kimber Ultra Carry	<b>7J00QRS \$ 82.99</b>
<b>#892-100-025</b>	SIG Sauer P365	<b>4F00JKL \$ 82.99</b>
<b>#892-100-032</b>	SIG Sauer P365 XL	<b>2N00YZA \$ 56.99</b>
<b>#892-100-024</b>	Smith & Wesson M&P Bodyguard	<b>3E00GHJ \$ 82.99</b>
<b>#892-100-034</b>	Smith & Wesson M&P Core	<b>4Q00CDE \$ 56.99</b>
<b>#892-100-022</b>	Smith & Wesson M&P Shield	<b>1C00CDE \$ 82.99</b>
<b>#892-100-023</b>	Smith & Wesson M&P Shield EZ	<b>2D00EFG \$ 82.99</b>
<b>#892-100-026</b>	Springfield Hellcat & SIG P938	<b>5G00LMN \$ 82.99</b>
<b>#892-100-033</b>	Glock® 43X MOS/48 MOS, Springfield Hellcat OSP & S&W M&P Shield CORE	<b>3P00ABC \$ 56.99</b>
<b>#892-100-030</b>	Walther PPS	<b>9L00UVW \$ 82.99</b>

## VORTEX SPARC II RED DOT SIGHT



**Gets Your AR-15/M16 or Tactical  
Shotgun On Target Fast**

Compact and lightweight, the "Speed Point Aiming for Rapid Combat" (SPARC) sight is ideal for the AR-15/M16 platform or tactical shotgun. Machined from aircraft grade aluminum, the single-piece body is O-ring sealed and nitrogen purged for waterproof and fogproof performance. Fully multi-coated lenses increases light transmission for vibrant colors and parallax-free shooting. Digital rear facing controls adjust the 2 MOA red aiming dot with 10-step adjustable brightness for operation in a wide range of lighting conditions. Click adjustable in 1 MOA increments for windage and elevation, with a 90 MOA maximum range of adjustment. Versatile multi-height mount system accommodates most firearms including AR-15s needing absolute or lower 1/3 co-witness heights, and mounts on standard Weaver or Picatinny rails.

**SPECS:** 6061 T6 aluminum, hardcoat anodized, matte black. Fully coated optics. 2 MOA red aiming dot, 22mm obj. dia. 3.1" (7.9cm) OAL. 5.9 oz. (167.3g) wt. Fits MIL-STD 1913 Picatinny rails and Weaver-style bases.

**#100-037-297 SPARC AR Red Dot Sight, 3B00QWL** . . . **\$ 199.99**

## TRUGLO RED DOT SIGHTS

**Fast Sight Pickup, Wide Field Of View**

These sights offer unlimited eye relief and a wide field of view, making them extremely versatile for sport, tactical, and hunting applications. Shock-resistant up to .50 caliber for reliable service on almost any firearm platform. Integral, Weaver-style base on all models gives rock-solid mounting and easy installation.

**30mm RED DOT SIGHT** - Rugged, waterproof and fog-proof sights sights feature a 5 MOA dot size for fast target acquisition, 11 brightness control settings, fingertip windage and elevation adjustments, and lens covers. Multi-coated lenses provide more than 95% light transmission for superior clarity and brightness. **Traditional model** features a single red-colored dot reticle. **Dual Color** offers the same dot reticle with selectable illumination in red or green for improved visibility in all light conditions. Both have 1 MOA click adjustments. **SPECS:** Aluminum body, black, matte finish. 3.75" (9.6cm) long x 2" (6.4cm) wide. 7.9 oz. wt. Includes instructions, lens covers, and CR2032 battery. 1X magnification x 30mm objective.

**#902-000-090 Traditional Red Dot, 2K00IBM** . . . . . **\$ 45.99**

**#902-000-105 Dual Color Red Dot, 2K00HHN** . . . . . **\$ 53.99**

**MR/DC OPEN RED DOT SIGHT** - Water- and shock-resistant sights feature a tubeless design for maximum simplicity and minimal weight. Delivers maximum versatility with four different reticle settings: 10 MOA dot, 15 MOA peep, 3 MOA center dot, and standard crosshair. Offers dual-color, red or green illumination with five brightness settings in both colors. Precise 1 MOA click adjustments for windage and elevation. Special lens coatings completely eliminate double dot and split images. **SPECS:** Aluminum body, black, matte finish. 3.3" (8.4cm) long x 1.4" (3.5cm) wide. 4.1 oz. wt. 1X magnification, 34mm window. FOV - 74' at 100 yd. Includes instructions, lens cover, and CR2032 battery.

**#902-000-118 MR/DC Red Dot, 2K00JLJ** . . . . . **\$ 69.99**



Traditional



Dual Color



## VORTEX CROSSFIRE RED DOT SIGHT



**"Insanely Fast" Target Acquisition for  
Close-Range Shooting**


Vortex's trim, compact, lightweight Crossfire Red Dot Sight gives you split-second target acquisition with a big field of view. Get the 2 MOA dot on the target and you're good to squeeze the trigger. This kind of sight enables rapid, intuitive engagement of close targets - Vortex calls it "insanely fast" - while also providing the precision you need to engage targets at longer distances, too. The Crossfire's daylight-bright illuminated 2 MOA dot can be set to 11 brightness levels (lowest two are night-vision compatible), so the shooter can adjust dot intensity to the situation at hand. Fully multi-coated lenses with anti-reflective coatings on all air-to-glass surfaces maximize light transmission for bright images and crisp details. Parallax-free, with pretty much unlimited eye relief. Other features: 50,000 hour (!!) battery life on medium (#6) setting, 100 MOA windage & elevation adjustment range in 1 MOA clicks, and a rugged hard-anodized aluminum housing with O-ring seals to keep out moisture, dust, and debris. Runs on one CR-2032 battery (included). The Crossfire is easy to install on your gun, with its integral, skeletonized mount that clamps to any Picatinny rail (Weaver-compatible, too). The mount has two height options, so the versatile Crossfire is equally at home atop an AR-15, shotgun, or target pistol. On an AR-15 the two heights give you a choice of low or lower 1/3 co-witness with iron sights.

**#100-037-296 Crossfire Red Dot Sight, 3B137B99** . . . **\$ 149.99**

## AMERICAN DEFENSE AD-RMR MINI MOUNT

**Quick Release Mount  
For Trijicon RMR Sight**



This compact design lets you mount an RMR sight on any Picatinny rail with the ability to take it off and replace it quickly and easily, with no tools required. The QD lever is easily adjusted for tension and can be configured to lock to the front or to the rear. Available with lever on left- (LH) or right-hand (RH) side. The built-in clamp adjustment allows it to fit securely even on rails that are not quite "in spec". 

**SPECS:** 6061 T6 aluminum, hardcoat anodized matte black finish. 1 1/4" (4.45 cm) length, 1 1/8" (4.76 cm) width, 7/16" (1.11 cm) height above rail. Fits Trijicon RMR sight only. **Absolute Co-Witness Mount** - 1.1" (2.8cm) high above rail. 2.3 oz. (65.2g) wt.


**#100-005-762 RMR Mount, RH Lever, 7B00IZC** . . . . . **\$ 71.99**

**#100-017-111 RMR Mount, LH Lever, 7B00QIN** . . . . . **71.99**

**#100-017-112 RMR Mount w/Absolute Co-Witness, 7B00QHH** . . . . . **69.99**

## JP ENTERPRISES J-POINT MOUNT

**Mounts Sight Low For Fast  
Alignment**

Gives the J.P. J-Point, and the old Tasco Optima and Fire Point sights, the lowest possible mount for fast eye alignment and sight pickup. No machining required; fits the factory dovetail. Four locating studs lock sight to base. **BM #1** fits slides cut for a "melted-in" sight.  **SPECS:** Aluminum, black anodized, matte finish.

STOCK #	FITS	PRICE
<b>#452-000-002</b>	BM #1	<b>2E36N03 \$ 37.95</b>
<b>#452-000-018</b>	1911 Auto w/fixed sight	<b>2E36A03 \$ 37.95</b>
<b>#452-000-208</b>	Springfield XD	<b>2E00MZR \$ 37.95</b>
<b>#452-000-021</b>	Weaver/Picatinny	<b>2E54P14 \$ 56.95</b>

**NEW!**

## VORTEX SPARC SOLAR RED DOT SIGHT



**A Red Dot That Can Run ALL Day &  
Have Plenty of Juice Left To Run  
ALL Night, Too!**

This iteration of Vortex's extremely popular SPARC series of red dots harnesses the power of the sun to deliver up to 150,000 hours of battery life - that's 625 DAYS of continuous operation! Vortex's smartest red dot to date, the SPARC Solar's Auto D-TEC automatically switches from solar to battery power when the sun can't power the dot to your choice of 10 daytime illumination settings, including two night-vision compatible settings. Like all red dots, eye relief is not critical for rapid target acquisition with the SPARC Solar. You can turn on the motion activation function, which means the SPARC Solar will always be ready, even if you forget to turn it on in a high-stress situation. Automatic shutoff will save your battery if the Solar has not moved for a pre-set period of time. Its daylight-bright 2 MOA dot provides a clear, precise point of aim. It's windage and elevation adjustable in 1 MOA clicks to 100 MOA. Aside from the solar cells, runs on one CR-2032 button cell battery. Comes with two mounts - a low mount and a lower 1/3 co-witness mount.

The fully multi-coated lenses provide excellent light transmission with anti-reflective coating on all air-to-glass surfaces. The rugged, single-piece aluminum housing is built to withstand shock and rough handling, while O-ring seals keep moisture and dust away from the electronics inside to ensure reliable operation. Fogproof, too, so you can take your Solar from cold winter outdoor temperatures to indoors. Flush, snag-resistant turrets keep the Solar from getting grabby with your other gear. Near and far, night and day, a SPARC Solar on your rifle means you're ready for almost anything Fate throws at you! **SPARC Solar + Micro 3x Magnifier Bundle** includes Vortex's extremely compact (less than 3" long), versatile Micro 3x Magnifier that extends the range of your red dot while being easy to flip to the side OR remove entirely from the rifle via the quick-release lever on the integral mount. (See separate listing for full details on the Micro 3x.)

**#100-045-203 SPARC Solar Red Dot Sight - 2 MOA, 8U243L99** . . . . . **\$ 279.99**

**#100-042-906 SPARC Solar Sight + Micro 3x Magnifier, 7T00JKL** . . . . . **579.98**

## VORTEX STRIKEFIRE II RED DOT SIGHT

**Versatile Tactical Sight With  
Variable-Brightness Green Or Red  
Aiming Dot**



The Strikefire II gets you on target quickly with easy both-eyes-open sighting, 1x magnification, and unlimited eye relief. Rugged, aluminum body is O-ring sealed and nitrogen-purged for water-, fog-, and shockproof performance. Fully multi-coated lenses offer a bright, unobscured field of view. Rear-facing, rubber-sealed control buttons that let you select red or green dot color and dot brightness level (10 position) with 2 low-intensity night vision modes. Also available with a red-only dot. Includes an offset cantilever mount that pushes sight forward, permitting use of magnifier or backup iron sights on the same rail, with a lower 1/3 co-witness with factory "iron" sights on AR-15/M16 rifles.

**#100-014-331 StrikeFire II w/Red+Green 4 MOA Dot, 3B00EYA** . . . . . **\$ 199.99**

**#100-039-665 StrikeFire II w/Red 4 MOA Dot, 3B00KDE** . . . . . **199.99**



**NEW!** **VORTEX AMG UH-1 GEN II HOLOGRAPHIC SIGHT**

Unstoppable Day OR Night - NV Compatible - Built-In Picatinny Mount

The AMG UH-1 Gen II is a close-quarters sight that has an incredibly fast holographic display with four night-vision compatible settings. A large viewing window makes this door-kicker even faster, and a sleek, snag-free housing stands up to knocks and bumps. The lightning-quick EBR-CQB reticle is designed to dominate in close quarters combat, and Vortex's FHQ technology virtually eliminates stray light emissions for stealth shooting. Dot size: 1 MOA. Dot color: Bright red. Windage/elevation adjustment range: 100 MOA in 1/2 MOA clicks. 4" OAL x 2.65" high. The quick-release Picatinny (Weaver compatible) is built in! If you rely on a tactical optic to keep you in the game - either in real life or on the competition range - the UH-1 is ready to shine, day or night. **Sure Fit Cover** - This snug-fitting, stretch Neoprene cover protects your UH-1 from water, impact, and other nasties that can knock it out of adjustment. A little extra insurance that your red dot will deliver the good when you need it.

- #100-044-750 AMG UH-1 Gen II Holographic Sight, 3B00KSI..... \$ 499.99
- NEW #100-045-204 Neoprene UH-1 Cover, 9V18M99..... 19.99



**VORTEX VENOM REFLEX SIGHT**

Compact Red Dot For Your Tactical Rifle, Shotgun Or Pistol

Low-profile red dot sight provides a versatile 3 MOA aiming point to promote fast target acquisition at a variety of ranges. Waterproof, shock-resistant aluminum sight body encloses a fully multi-coated lens that offers a clean, wide field of view. Snag-free, power and dot intensity controls are mounted on the left side for easy access. Automatic brightness control uses an ambient light sensor to adjust dot intensity. Fits Picatinny and Weaver rails. Topside battery access means you don't have to remove the sight from the gun and lose zero to change the battery. Automatic shutoff extends battery life. Comes with CR-1632 battery and T-15 Torx driver. **SPECS:** Aluminum, hardcoat anodized, matte black. 2" (51mm) OAL. 1.1 oz. (31.2g) wt. Adjustment range: 130 MOA windage/100 MOA elevation in 1 MOA increments.

- #100-017-322 3 MOA Venom Red Dot Sight, 3B237P99..... \$ 249.99



**VORTEX MICRO 3X MAGNIFIER**

Adds 3x Magnification To Your Red Dot With the Bare Minimum of Additional Bulk on Your Rifle

The Vortex Micro provides the same 3x magnification as most add-on red dot/holographic sight magnifiers on the market, but in an uncommonly compact, sleek package (less than 3" long!) that won't kill your rifle's maneuverability with excess weight or bulk. It has an integrated quick-release mechanism that allows for fast mounting and removal, when needed. The flip mount also allows for the magnifier to be zipped to the right OR left when 1x magnification is needed. Eye relief is 2.64". 6.9 oz. wt. Rubber lens cover included. Works with any Vortex red dot sight. **Note:** Will not work with prism optics.

- #100-036-406 Micro 3x Magnifier, 3B269H99..... \$ 299.99



**VORTEX RAZOR RED DOT SIGHT**

Clear, Compact & Accurate For Quick, Parallax-Free Target Acquisition

Compact LED red dot sight provides fast, both-eyes-open sighting without concern for parallax - simply place the dot on the target, and pull the trigger for accurate short- to mid-range shots. The one-piece aluminum chassis is waterproof and shockproof to withstand the recoil of pistols, rifles, and shotguns. Wide-Field glass lens that delivers excellent edge-to-edge brightness for an extremely clear sight picture. Ultra-hard, scratch-resistant coating protects the highly-polished, anti-reflective lens. High-intensity, unlimited-eye-relief center dot - available with a 3 MOA or 6 MOA dot - features 10 brightness-intensity settings that enable use in any lighting conditions. Comes with a built-in mount for MIL-STD 1913 Picatinny rail installation; handgun slide mounts sold separately below. **SPECS:** Aluminum, hardcoat anodized, matte black. 2" (5cm) OAL. 1" (2.5cm) wide. 1.3" (3.3cm) high w/ base. 2.4 oz. (68g) wt. 170 MOA elevation adjustment range. 114 MOA windage adjustment range. 1 MOA click value. Includes CR-2032 battery, instructions, and protective cover.

- #100-009-992 3 MOA Razor Red Dot Sight, 3B359N99..... \$ 399.99
- #100-009-994 6 MOA Razor Red Dot Sight, 3B359H99..... 399.99



**EGW DOCTER RED DOT SIGHT MOUNT**

Replaces Factory Rear Sight For Easy Installation Of A Docter-Style Red Dot

Adapter base fits factory or aftermarket "iron" rear sight dovetails for easy mounting of a Docter or similar red dot sight with a hole pattern that fits a Docter base. No modifications to slide required. Adjustable hex-head screw ensures a secure lock in the dovetail; includes two hex-head cap screws to secure sight to base. Models available to fit Novak, Bo-Mar, or Glock factory rear sight dovetails. **SPECS:** 7075 T6 aluminum, hardcoat anodized, black. Will not accept J-Point/Optima red dot sights.

- #296-000-137 Novak Sight Mount, 6B00KNP..... \$ 45.00
- #296-000-135 Bo-Mar Sight Mount, 6B00EME..... 45.00
- #296-000-136 Glock Sight Mount, 6B00KKG..... 45.00



**WHERE ARE THE SCOPES?**

Dear Customer,

Rifle and pistol scopes have traditionally appeared in this part of our Big Book. As we continue to refocus this catalog strictly on the needs of our gunsmith customers, and since we are able to sell scopes, for the most part, only at retail prices - no Dealer Discount - we have decided to offer them solely through our website. We offer a full selection of all the name brands in optics there. You'll find just about any kind of scope you may want at Brownells.com. Click on the Optics tab on the home page.

**FLATLINE OPS ACCU/LEVEL™**

Helps You Achieve True Vertical Hold For Improved Accuracy

The ACCU/LEVEL scope level attaches to the scope tube to help you correct "cant error" for a dead-on true vertical hold that improves accuracy, especially for long-range shots. On Hunter, Sniper, and Covert models, the bright, fluorescent yellow bubble-level pivots out into the open position for immediate use and swings back over the top of the scope for storage. The Fixed ACCU/LEVEL is designed to be aligned with the gun during installation. Each unit accommodates both right- and left-handed shooters and is machined from advanced 6061 T6 aircraft aluminum for strength and hard anodized for protection from the elements. Models available to fit 1", 30mm, and 34mm scope tubes. Ring clamp holds tight with two stainless steel Allen head screws. Integral accessory dovetail accepts the Strong Arm Mount (below) for attaching a cosine indicator to your ACCU/LEVEL. **SPECS:** 6061 T6 aluminum, hardcoat anodized, matte black. 1/16" (1.5cm) long x 2 1/2" (6.3cm) wide (closed), 4" (10.2cm) wide (open).

- #100-006-834 1" Hunter Accu/Level, 5C00MQG..... \$ 125.99
- #100-006-835 30mm Sniper Accu/Level, 5C00MVE..... 139.99
- #100-006-836 34mm Covert Accu/Level, 5C00QSS..... 152.99
- #100-011-952 1" Fixed Accu/Level, 5C00PYM..... 76.99
- #100-011-953 30mm Fixed Accu/Level, 5C00LEQ..... 80.99
- #100-011-954 34mm Fixed Accu/Level, 5C00MAR..... 80.99



**HOLLAND'S SIGNATURE SERIES SCOPE LEVEL**

Easy-To-See Aid Helps You Eliminate Rifle Cant & Improve Accuracy

Streamlined eye-pleasing appearance blends in perfectly with traditional scope rings while helping to eliminate accuracy-robbing canting errors. Easy-to-see offset level helps you make immediate corrections without taking your eyes off the target. Attaches to your riflescope like a traditional scope ring; halves clamp together with two steel Allen head screws. Aluminum construction, hardcoat anodized, matte black. Reversible design works for left- and right-hand shooters. Fits 30mm diameter scope tubes. **#749-012-237 Scope Level for 30mm Scopes, Blk, 3K65E69..... \$ 72.99**



**Sinclair OFFSET SCOPE LEVEL**

Helps Keep Your Crosshairs Level With Every Shot

Offset scope level helps position your crosshairs at a true level to reduce accuracy loss caused by holding your rifle at a slightly different angle, or cant, each time you pull the trig-



**SCOPLEVEL**

Don't Let A Tilted Gun Ruin Accuracy

Mount this fold-away level on your scope tube and be certain the crosshairs are as carefully aligned as they were when you sighted in. Just a slight amount of tilt can throw a shot off-target and the longer the range, the worse the error. The Scoplevel is visible just above the reticle where your sighting eye can check it easily before every shot. **SPECS:** Black plastic. 3 1/4" (9.5cm) extended height.

- #782-100-100 1" Scoplevel, 2H20A69..... \$ 22.99
- #782-100-030 30mm Scoplevel, 2H26D99..... 29.99



**MOUNTING SOLUTIONS ANTI-CANT DEVICE**

Stay On Target, Shot After Shot

Gives an instant check to make sure the gun is perfectly level before pulling the trigger, so every shot goes where it's aimed. When a gun sighted in at 100 yards with the crosshairs level is canted just six degrees, point of impact moves over 1/2". Not much, but enough to completely miss a small target - or wound a larger one. The problem gets worse at longer ranges. Clamp the ACD on the scope tube where it's visible to the non-sighting eye. **SPECS:** Aluminum, matte black anodized finish. Available for 1" or 30mm scopes. **#556-200-100 1" Anti-Cant Device, 1K28D79..... \$ 31.99** **#556-200-030 30mm Anti-Cant Device, 1K28F79..... 31.99**



**U.S. OPTICS BUBBLE LEVEL**

Helps You Correct Weapon Cant For Improved Accuracy

Compact bubble level instantly displays the amount of tilt or "cant" as you hold your rifle so you can make fast, easy corrections to improve accuracy. Clamps to any MIL-STD 1913 Picatinny rail and will accommodate both left- and right-hand shooters. Folds out-of-the-way when not in use, and a knurled aluminum cover threads over sighting bubble to protect it. Protective cover threads onto opposite side for storage when not in use. **SPECS:** 6061 T6 aluminum, Type III hardcoat anodized, matte black. Green liquid. **Rail Mount** - 3/8" (1.6cm) long, 3/4" (8.3cm) wide open, 1 1/8" (4.8cm) wide folded, 1/2" (1.3cm) high. **Ring Mount** - 3/8" long, 4" (10.2cm) wide open, 2 1/8" (6.8cm) wide folded, 1/2" high. Fits 30mm optic tubes. **#100-005-427 Rail Mount Bubble Level, 5F94G49... \$ 104.50**



ger. Designed to let you view the level while still behind the scope. Attaches to the scope tube like a scope ring. **SPECS:** Aluminum, anodized, matte Black or natural Silver finish. Models available for scopes with 1" or 30mm O.D. tubes. **#749-004-279 Scope Level (1" Rings), Blk, 8K00NMQ... \$ 32.99** **#749-004-540 Scope Level (30mm Rings), Blk, 8K29E74 34.99**



### MGM TARGETS SWITCHVIEW LEVER



Enables Fast & Easy Changes In Scope Magnification Setting

Aluminum lever clamps around your scope's magnification adjustment ring and provides the extra leverage needed to quickly change magnification settings. Easy to operate on the run and perfect for three-gun competition—use scope at low setting for close targets and crank quickly to higher magnification for distant targets. Lever requires clearance between the scope body and base or receiver rail for proper operation; see individual specifications listed in the table below. **SPECS:** 6061 T6 aluminum, hardcoat anodized, black. Levers extend approx. .880" (22.4mm) from the scope's adjustment ring. Fits circular adjustment rings without index bump/knob.

STOCK #	FITS	MIN. CLEARANCE	PRICE
#100-005-212	Burris E1; Nightforce NXS full size; Swarovski Z5; Vortex Viper PST/HS w/rubber mag ring	.256" (6.5mm)	3Z61J74 \$ 64.99
#100-005-213	Burris XTR	.260" (6.5mm)	3Z56F99 \$ 59.99
#100-053-502	Leupold CQ-T	.265" (6.7mm)	3Z00GFE \$ 54.99
#100-005-214	Leupold VX-3 & Mark IV non-illuminated reticle	.225" (5.7mm)	3Z59L84 \$ 62.99
#100-053-501	Nightforce NXS Compact only	.210" (5.3mm)	3Z00CPE \$ 54.99
#100-053-506	Vortex Razor HD Gen II w/metal mag ring	.125" (3.2mm)	3Z00EQI \$ 55.99

### NIGHTFORCE RING CAP BUBBLE LEVELS

Ensure Level & Increase Accuracy

Ring cap bubble level replaces the top half of Nightforce UniMount, Direct Mount, and standard rings to counteract accuracy problems arising from rifle canting. Available as top half of ring, level, and integral Angle Degree Indicator (ADI) mount. Works for both right- and left-hand applications. **SPECS:** 7075-T6 anodized aluminum, matte black. 30mm diameter.



749-012-035

#749-012-034	Top Ring Bubble Level, 30mm 4 Screw, 4B00GPK	\$ 75.00
#749-012-035	Top Ring Bubble Level & ADI Mount, 30mm 4 Screw, 4B00KUE	100.00
#749-013-834	Top Ring Bubble Level, 34mm 4 Screw, 4B00EDG	80.00
#749-013-835	Top Ring Bubble Level & ADI Mount, 30mm 4 Screw, 4B00MXG	105.00
#749-013-836	Top Ring Bubble Level - 34mm 6 Screw, 4B00CKC	85.00
#749-013-837	Top Ring Bubble Level & ADI Mount, 34mm 6 Screw, 4B00BAH	110.00

**CALL OFTEN!!**

We'll Be Your Supplier



### BUTLER CREEK FLIP OPEN SCOPE COVERS



Keeps Harmful Debris From Scratching Or Abusing Lenses

Weatherproof, dust-proof, moisture-proof scope covers protect your scope's lenses from being damaged during tactical and hunting situations. Spring activated covers pop open with a touch of your thumb, and the easy-to-find buttons provide quick access to your scope. **Eye Piece and Objective covers sold separately.**

**SPECS:** Polycarbonate, black, matte, finish. Select the cover that most closely matches the diameters of the eye and objective bells within .01" (.25mm) undersize and .025 (.64mm) oversize. #15 eye fits Redfield Widefield eyepiece.

To order scope covers, it is best if you pre-measure your objective and your eyepiece prior to ordering. Use a caliper to measure the outside diameter of your scope's objective and eyepiece to within .001". Using the sizing chart, select a cover that is within a range of .01" less than your measurement to .025" larger than your measurement. If you don't feel comfortable doing this, please have the scope manufacturer and the specific model ready for the sales rep.

#### EYE PIECE COVERS

STOCK #	DIA. (IN./MM)	SIZE	PRICE
#749-001-440	1.300" (33.0)	03A 7K8N59	\$ 8.99
#120-000-039	1.341" (34.1)	01 7K8L59	\$ 8.99
#120-000-040	1.388" (35.3)	03 7K8D59	\$ 8.99
#120-000-041	1.432" (36.4)	05 7K8M59	\$ 8.99
#120-000-038	1.468" (37.3)	09 7K8B59	\$ 8.99
#120-000-023	1.485" (37.7)	09A 7K8I59	\$ 8.99
#120-000-015	1.516" (38.5)	10 7K8D59	\$ 8.99
#120-000-011	1.550" (39.4)	11 7K8B59	\$ 8.99
#120-000-014	1.570" (39.9)	13 7K8G59	\$ 8.99
#120-000-015	1.605" (40.8)	14 7K8C59	\$ 8.99
#120-000-037	1.66"x1.45" (42.2x36.8)	15 7K8Q59	\$ 8.99
#120-000-013	1.660" (42.2)	16 7K8F59	\$ 8.99
#120-000-016	1.675 (42.5)	17 7K8M59	\$ 8.99
#120-000-017	1.700" (43.2)	18 7K8K59	\$ 8.99
#120-000-025	1.730" (43.9)	19 7K8H59	\$ 8.99
#120-000-024	1.775" (45.1)	20 7K8Q59	\$ 8.99

#### OBJECTIVE COVERS

STOCK #	DIA. (IN./CM)	SIZE	PRICE
#120-000-048	1.00" (25.4)	01 7K8A59	\$ 8.99
#749-001-422	1.095" (27.8)	04 7K8K59	\$ 8.99
#120-000-056	1.225" (31.0)	02 7K8J59	\$ 8.99
#749-001-481	1.300" (33.0)	03A 7K8I99	\$ 9.99
#749-001-471	1.340" (34.0)	03 7K8E59	\$ 8.99
#749-001-423	1.387" (35.2)	05 7K8K59	\$ 8.99
#749-001-443	1.429" (36.3)	07 7K00GJK	\$ 8.99
#120-000-053	1.485" (37.7)	09 7K8P59	\$ 8.99
#120-000-045	1.500" (38.1)	10 7K8G59	\$ 8.99
#749-001-435	1.54"x1.34" (39.1x34.0)	11 7K9I34	\$ 10.99
#120-000-042	1.530" (38.9)	13 7K8C59	\$ 8.99
#120-000-027	1.558" (39.6)	15 7K8A59	\$ 8.99
#120-000-054	1.612" (40.9)	17 7K8B59	\$ 8.99
#120-000-049	1.646" (41.8)	19 7K8C59	\$ 8.99
#120-000-055	1.700" (43.2)	20 7K8Q49	\$ 9.99
#120-000-052	1.735" (44.1)	21 7K8A59	\$ 8.99
#120-000-051	1.760" (44.7)	23 7K8K59	\$ 8.99
#120-000-043	1.800" (45.7)	25 7K8K59	\$ 8.99
#120-000-019	1.820" (46.2)	26 7K8F59	\$ 8.99
#120-000-018	1.840" (46.7)	27 7K8P59	\$ 8.99
#120-000-021	1.890" (48.0)	28 7K8P59	\$ 8.99
#120-000-047	1.919" (48.7)	29 7K8M59	\$ 8.99
#120-000-022	1.960" (49.8)	30 7K8L59	\$ 8.99
#120-000-046	1.998" (50.7)	31 7K8Q59	\$ 8.99
#120-000-030	2.043" (51.9)	33 7K8Q59	\$ 8.99

### DEVTRON

### SCOPECOAT® PROTECTIVE COVER



Cushion Your Optic From Dings, Bumps & Damage

Nylon-faced, stretchy neoprene rubber cushions any rifle or pistol scope from everyday bumps, scratches, dings, moisture, and dust. Snaps on and off quickly without using rubber bands, clips, or strings. **SPECS:** Rubber, nylon facing, 2mm thick, black or brown camo. Order by size; recommended fits either "relaxed same length" or "slightly stretched."

STOCK #	COLOR	SIZE	PRICE
#268-101-001	Black	Mini - 5 1/2" x 20mm	8F12N49 \$ 15.19
#268-101-002	Black	Small - 8 1/2" x 20mm	8F12I49 \$ 15.19
#268-101-003	Black	Medium - 10 1/2" x 30mm	8F16C39 \$ 19.99
#268-101-004	Black	Large - 12 1/2" x 42mm	8F16E39 \$ 19.99
#268-102-004	Camo	Large - 12 1/2" x 42mm	8F16N39 \$ 19.99
#268-101-005	Black	Large 50 - 12 1/2" x 50mm	8F16Q39 \$ 19.99
#268-000-014	Black	Large 52 - 14" x 52mm	8F20B69 \$ 22.99
#268-101-006	Black	X-Large - 15 1/2" x 60mm	8F16F39 \$ 19.99
#268-000-001	Black	Trijicon Reflex/C-More Serendipity	8F14B49 \$ 17.59
#268-000-017	Black	Trijicon ACOG TA01NSN	8F14H49 \$ 17.59
#268-000-026	Black	Trijicon RMR	8F14I49 \$ 17.59
#268-000-018	Black	EOTech S16, 553	8F14F49 \$ 17.59
#268-000-019	Black	EOTech S17, 557	8F14L49 \$ 17.59
#268-000-016	Black	EOTech 552	8F00QDH \$ 14.49
#268-000-027	Black	EOTech 552 or 553 w/3x Mag Combo	8F14D49 \$ 17.59
#268-000-029	Black	EOTech 557 w/3x Mag	8F14B49 \$ 17.59
#268-000-022	Black	EOTech XPS 3 1/2	8F14E49 \$ 17.59
#268-000-020	Black	Aimpoint Micro	8F14F49 \$ 17.59
#268-000-021	Black	Aimpoint CompM2/M3	8F14J49 \$ 17.59

### XP-6 FLAK JACKET SCOPECOAT

Three times thicker (6mm) than the standard Scopecoat; gives extra protection for scopes with tall adjustment turrets. Black only.



STOCK #	DESCRIPTION	SIZE	PRICE
#268-106-004	Large	12 1/2" x 42mm	8F19K79 \$ 23.99
#268-106-005	Large 50	12 1/2" x 50mm	8F19B79 \$ 23.99
#100-002-615	Large 1452	14" x 52mm	8F19K79 \$ 23.99
#268-106-006	X-Large	15 1/2" x 60mm	8F19M79 \$ 23.99
#268-106-001	XX-Large	17 1/2" x 60mm	8F26A89 \$ 32.79
#268-000-006	Leupold CQ/T	NA	8F19N79 \$ 23.99
#268-000-024	ACOG TA01 w/ RMR or Docter Reflex Sight	6" x 60mm	8F21A59 \$ 26.39

#### OBJECTIVE COVERS (Con't)

STOCK #	DIA. (IN./CM)	SIZE	PRICE
#120-000-026	2.100" (53.3)	34 7K8J59	\$ 8.99
#120-000-044	2.220" (56.4)	39 7K8B59	\$ 8.99
#120-000-029	2.250" (57.2)	40 7K8C59	\$ 8.99
#120-000-020	2.310" (58.7)	43 7K8P59	\$ 8.99
#749-001-526	2.360" (59.9)	44 7K8G59	\$ 8.99
#749-001-461	2.410" (61.2)	45 7K00FSQ	\$ 8.99
#120-000-028	2.430" (61.7)	46 7K8Q59	\$ 8.99
#749-001-494	2.461" (62.5)	47 7K8D59	\$ 8.99
#749-001-503	2.500" (63.5)	48 7K8Q59	\$ 8.99
#749-001-527	2.575" (65.4)	51 7K8M59	\$ 8.99

### VORTEX

### SWITCHVIEW THROW LEVER



Instantly Change Magnification Power

Machined aluminum throw lever attaches to the magnification ring of Vortex scopes and helps you rapidly change magnification with a simple flick of your wrist. Split-ring construction makes it easy to install and remove, and adjustment knob is skeletonized to save weight, and give unique appearance. **SPECS:** SV-2 fits Razor HD with rubber mag. ring, and Viper PST, HS, HS-T, and HS LR models with metal mag. ring. Also fits XBR crossbow scope. SV-3 fits Razor HD Gen II with metal mag. ring.

**#100-014-706 SV-2, 3B00MAA** ..... \$ 59.99  
**#100-014-707 SV-3, 3B00MWR** ..... \$ 59.99

### BUTLER CREEK BLIZZARD SCOPE COVER

Clear See-Thru Caps Flip Open With Just A Touch

Spring-loaded, flip-open scope covers allow fast, thru-the-scope sighting for quick shots. Impact resistant, polymer lenses keep your scope lens dry, clear and ready during inclement weather.

**SPECS:** Black, flexible plastic housing, clear polymer lenses. Measure O.D. of scope lens housing, match to sizes shown in chart that fit either the ocular or objective end of the scope. Includes stick-on, silencer foam block.



STOCK #	O.D. RANGE	SIZE	STOCK #	O.D. RANGE	SIZE
#120-250-002	1.3" - 1.39" #2		#120-250-007	1.8" - 1.89" #7	
#120-250-003	1.4" - 1.49" #3		#120-250-008	1.9" - 1.99" #8	
#120-250-004	1.5" - 1.59" #4		#120-250-009	2.0" - 2.1" #9	
#120-250-005	1.6" - 1.69" #5		#120-250-010	2.3" - 2.4" #10	
#120-250-006	1.7" - 1.79" #6		#120-250-011	2.43" - 2.5" #11	

— Advise # — Blizzard Scope Cover, 7K00BJJ ..... \$ 7.99

### OTIS LENS CLEANING KIT



Helps Keep All Your Optics Clean & Fog-Free

All-in-one kit helps you protect and preserve the functionality of your optics, so you can see the target clearly. Includes the necessary components to remove oil, dirt, and dust from glass and optics-grade carbonate, leaving it resistant to fogging and further dust contamination. Use to clean lenses on scopes, rangefinders, laser sighting devices, binoculars, cameras, and eyeglasses without damage or scratching. **SPECS:** Kit contents: 1/2 fl. oz. (14 ml) of lens cleaner, mohair lens brush, anti-fog lens swabs, lens tissues, and lens cleaning cloth.

**#668-000-097 Lens Cleaning Kit, 8F12D74** ..... \$ 14.99

**GUARANTEED. FOREVER.®**  
**SINCE 1939**